## **COMPLIANCE REPORT**

**Name of the Project**: Drilling of 15 exploratory wells by M/s Oil and Natural Gas Corporation Ltd in Nohta-Damoh-Jabera PML Block, Nindhyan Basin, District Damoh (Madhya Pradesh).

**Clearance letter No:** J-11011/513/2017-IA II (I) dated: 27th December, 2019

Period of Compliance: 01, April 2020 to 30, September 2020.

## **Specific Conditions:**

S1.No.	Conditions	Compliance Status
A. SPI	ECIFIC CONDITIONS	
i.	No drilling will be carried out in Protected Areas/Forest area	Will be complied all well locations selected will be in non-forest area within the block.
ii.	Approach road shall be made pucca to minimize generation of suspended dust.	To be complied before initiating drilling work at selected locations.
iii.	Total fresh water requirement shall not exceed 20 cum/day/well proposed to be met through tankers/ground water. Mobile ETP shall be installed coupled with RO to reuse the treated water in drilling system. Size of the waste shall not exceed from the hole volume of the well + volume of drill cutting expected to be generated and volume of discarded mud if any. Two feet free board may be left to accommodate rain water. There shall be separate storm water channel and rain water shall not be allowed to mix with waste water. Alternatively, if possible pit less drilling be practiced instead of above.	To be complied during drilling operations.  Water requirement for the operation (for a period of around 60-90 days per well) will be met by transporting water from nearby sources through tankers by contractor.
iv.	No lead acid batteries shall be utilized in the project/site.	Will be complied
B. Gen	eral Conditions	
I. Stat	utory Compliance	
i.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, if drilling is carried in Forest areas.	Not applicable as no exploratory wells proposed within forest area.
ii.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.	Consent to Operate (CTO) obtained from Madhya Pradesh Pollution Control Board (MPPCB) for well no. NOAE at plot no. 451/1, 453, 454, 455, 456, 457, Vill- Patti Bhajia, Tal-Jabera, Dist-Damoh vide letter no. 116983 valid upto 30/04/2021.

iii.	Necessary authorization required under the Hazardous	To be complied before
	and Other Wastes (Management and Trans-Boundary	initiating drilling work at each
	Movement) Rules, 2016, Solid Waste Management Rules,	selected locations
	2016 shall be obtained and the provisions contained in	
	the Rules shall be strictly adhered to.	
iv.	The project proponent shall obtain and adhere to	Not applicable as no well
	statutory clearance under the Coastal Regulation Zone	locations falling within any
	Notification, 2011, as applicable.	CRZ area.
II. Air	Quality Monitoring and Preservation	
i.	The National Ambient Air Quality Emission Standards	To be complied after
	issued by the Ministry vide G.S.R. No. 826(E) dated 16th	commencement of drilling
	November, 2009 shall be complied with.	activities at selected locations.
ii.	The locations of ambient air quality monitoring stations	Will be Complied operations
	shall be decided in consultation with the State Pollution	start.
	Control Board (SPCB) and it shall be ensured that at least	
	one stations each is installed in the upwind and	
	downwind direction as well as where maximum ground	
	level concentrations are anticipated.	
iii.	Ambient air quality shall be monitored at the nearest	Will be complied operations
	human settlements as per the National Ambient Air	start.
	Quality Emission Standards issued by the Ministry vide	
	G.S.R. No. 826(E) dated 16th November, 2009 for PM10,	
	PM2.5, SO2, NOX, CO, CH4, HC, Non-methane HC ect.	
iv.	During exploration, production, storage and handling,	Will be complied during
14.	the fugitive emission of methane, if any, shall be	operations.
	monitored.	operations.
v.	The project proponent also to ensure trapping/storing of	Will be complied.
	the CO2 generated, if any, during the process and	
	handling.	
vi.	Approach road shall be made pucca to minimize	To be complied before
	generation of suspended dust.	initiating exploratory drilling
	Service of the property of the	work at selected locations.
III Wa	ter Quality Monitoring and Preservation	
i.	As proposed by the project proponent, Zero Liquid	To be complied during
	Discharge shall be ensured and no waste/treated water	exploratory drilling activities at
	shall be discharged to any surface water body, sea	selected locations.
	and/or on land. Domestic sewage shall be disposed off	
	through septic tank/soak pit.	
ii.	The effluent discharge shall conform to the standards	To be complied during
	prescribed under the Environment (Protection) Rules,	exploratory drilling activities at
	1986, or as specified by the State Pollution Control Board	selected locations.
	while granting Consent under the Air/Water Act,	
	whichever is more stringent.	
iii.	The company shall construct the garland drain all	Will be complied before drilling
	around the drilling site to prevent runoff of any oil	activities at selected locations.
	containing waste into the nearby water bodies. Separate	No surface runoff will be
	drainage system shall be created for oil contaminated	allowed to discharge in any
	and non-oil contaminated. Effluent shall be properly	surface water bodies.
		•

	treated and treated wastewater shall conform to CPCB	
	standards.	
iv.	Drill cuttings separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed according to HWMH Rules, 2016. No effluent/drilling mud/drill cutting shall be discharged/disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste, drill cutting and drilling fluids for onshore drilling operation notified vide GSR.546(E) dated 30th August, 2005.	To be complied during exploratory drilling activities at selected locations.  A HDPE/paved lined pit will be constructed on each drilling site to collect and dispose waste drilling mud
IV. No	ise Quality Monitoring and Preservation	
i.	Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Complied
ii.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.	To be complied during exploratory drilling activities at selected locations.
iii.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Ambient Noise level monitoring has been conducted at 6 locations near proposed wells.
V. En	ergy Conservation Measures	
i.	The energy sources for lighting purposes shall preferably be LED based.	To be complied during exploratory drilling activities at selected locations.
VI. V	Vaste Management	
i.	Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.	ONGC has oil spill contingency plan for exploratory drilling activities.
ii.	Oil content in the drill cuttings shall be monitored by some Authorized agency and report shall be sent to the Ministry's Regional Office.	To be complied during exploratory drilling activities.  Only water based mud is used.
VII.	Safety, Public Hearing and Human Health Issue	es
i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	ONGC has emergency preparedness plan for exploratory drilling activities and will be complied during drilling activities.
ii.	Blow Out Preventer system shall be installed to prevent well blowouts during drilling operations. BOP measures during drilling shall focus on maintaining well bore hydrostatic pressure by proper pre-well planning and drilling fluid logging etc.	Will be complied during exploratory drilling activities.

iii.	Company shall prepare operating manual in respect of all	Complied.
111.	activities, which would cover all safety & environment	<u>-</u>
	related issues and measures to be taken for protection.	The Drilling Rig is ISO certified. (ISO 9001:2015, ISO
	One set of environmental manual shall be made available	14001:2015 and OHSAS
		18001:2007)
	at the drilling site/project site. Awareness shall be	18001.2007)
	created at each level of the management. All the	
	schedules and results of environmental monitoring shall	
	be available at the project site office. Remote monitoring	
	of site should be done.	11 1 6
iv.	On completion of drilling, the company has to plug the	Will be complied after
	drilled wells safety and obtain certificate from	completion of every well.
	environment safety angle from the concerned authority.	
v.	The company shall take measures after completion of	In case of no economic
	drilling process by well plugging and secured enclosures,	quantity of hydrocarbon is
	decommissioning of rig upon abandonment of the well	found, well will be abandoned
	and drilling site shall be restored the area in original	and well closure plan will be
	condition. In the event that no economic quantity of	implemented and site will be
	hydrocarbon is found a full abandonment plan shall be	restored to the original
	implemented for the drilling site in accordance with the	condition as far as possible.
	applicable Indian Petroleum Regulations.	
vi.	The Company shall take necessary measures to prevent	To be complied during
	fire hazards, containing oil spill and soil remediation as	exploratory drilling activities
	needed. Possibility of using ground flare shall be	
	explored. At the place of ground flaring, the overhead	
	flaring stack with knockout drums shall be installed to	
	minimize gaseous emissions during operation.	
vii.	Training shall be imparted to all employees on safety and	Complied.
	health aspects of chemicals handling. Pre-employment	
	and routine periodical medical examinations for all	
	employees shall be undertaken on regular basis. Training	
	to all employees on handling of chemicals shall be	
	imparted.	
viii.	The company shall develop a contingency plan for H2S	
	release including all necessary aspects from evacuation	for H2S release and necessary
	to resumption of normal operations. The workers shall be	arrangements in accordance
	provided with personal H2S detectors in locations of high	with the plan will be made
	risk of exposure along with self-containing breathing	available.
	apparatus.	
ix.	Provision shall be made for the housing of construction	To be complied during
	labour within the site with all necessary infrastructure	exploratory drilling activities at
	and facilities such as fuel for cooking, mobile toilets,	selected locations.
	mobile STP, safe drinking water, medical health care,	
	crèche etc. The housing may be in the form of temporary	
	structures to be removed after the completion of the	
	project.	
X.	Occupational health surveillance of the workers shall be	Complied
	done on a regular basis and records maintained as per	
	the Factories Act.	
<u></u>	<u> </u>	

xi.	The Company shall correct out long term subsidence study	Will be Complied
XI.	The Company shall carry out long term subsidence study by collecting base line data before initiating drilling	win be Complied
	operation till the project lasts. The data so collected shall	
	be submitted six monthly to the Ministry and Regional	
	Office.	
VIII.	Corporate Environment Responsibility	
i.	As proposed, Rs. 9 crores shall be allocated for Corporate	To be complied during
	Environment Responsibility (CER). The CER plan shall be	exploratory drilling activities.
	implemented during the plant construction stage and	
	before commissioning of the project.	
ii.	The company shall have a well laid down environmental	ONGC is having environmental
	policy duly approve by the Board of Directors. The	policy.
	environmental policy should prescribe for standard	
	operating procedures to have proper checks and balances	
	and to bring into focus any infringements	
	/deviation/violation of the environmental/forest	
	/wildlife norms/ conditions. The company shall have	
	defined system of reporting infringements / deviation /	
	violation of the environmental / forest / wildlife norms /	
	conditions and / or shareholders / stake holders. The	
	copy of the board resolution in this regard shall be	
	submitted to the MoEF&CC as a part of six-monthly	
	report.	
iii.	A separate Environmental Cell both at the project and	ONGC have separate section of
	company head quarter level, with qualified personnel	environment with qualified
	shall be set up under the control of senior Executive, who	and experienced experts to
	will directly to the head of the organization.	look after EHS aspects of the
iv.	Action plan for implementing EMP and environmental	project.  To be complied
IV.	conditions along with responsibility matrix of the	To be complied
	company shall be prepared and shall be duly approved	
	by competent authority. The year wise funds earmarked	
	for environmental protection measures shall be kept in	
	separate account and not to be diverted for any other	
	purpose. Year wise progress of implementation of action	
	plan shall be reported to the Ministry/Regional Office	
	along with the Six-Monthly Compliance Report.	
v.	Self environmental audit shall be conducted annually.	To be complied after
	Every three years third party environmental audit shall	commencement of exploratory
	be carried out.	drilling activities
IX. M	liscellaneous	
i.	The project proponent shall make public the	Complied.
	environmental clearance granted for their project along	
	with the environmental conditions and safeguards at	
	their cost by prominently advertising it at least in two	
	local newspapers of the District or State, of which one	
	shall be in the vernacular language within seven days	

ii.	The copies of the environmental clearance shall be	Complied
11.	submitted by the project proponents to the Heads of local	Complica
	bodies, Panchayats and Municipal Bodies in addition to	
	the relevant offices of the Government who in turn has to	
	display the same for 30 days from the date of receipt.	
iii.	The project proponent shall upload the status of	Complied
	compliance of the stipulated environment clearance	
	conditions, including results of monitored data on their	
	website and update the same on half-yearly basis.	
iv.	The project proponent shall submit six-monthly reports	Complied
	on the status of the compliance of the stipulated	-
	environmental conditions on the website of the ministry	
	of Environment, Forest and Climate Change at	
	environment clearance portal.	
	The project proposant shall submit the environmental	To be complied
v.	The project proponent shall submit the environmental statement for each financial year in Form-V to the	To be complied
	concerned State Pollution Control Board as prescribed	
	under the Environment (Protection) Rules, 1986, as	
	amended subsequently and put on the website of the	
	company.	
vi.	The project proponent shall inform the Regional Office as	To be complied
	well as the Ministry, the date of financial closure and final	
	approval of the project by the concerned authorities,	
	commencing the land development work and start of	
	production operation by the project.	
vii.	Restoration of the project site shall be carried out	To be complied after
	satisfactorily and report shall be sent to the Ministry's	completion of exploratory
	Regional Office.	drilling activities at selected
		locations.
viii.	The project outhorities must strictly adhere to the	Will be followed
V111.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board	will be followed
	and the State Government.	
ix.	The project proponent shall abide by all the commitments	Will be followed
	and recommendations made in the EIA/EMP report,	
	commitment made during Public Hearing and also that	
	during their presentation to the Expert Appraisal	
	Committee.	
X.	No further expansion or modifications in the plant shall	Will be followed
1	be carried out without prior approval of the Ministry of	
	Environment, Forests and Climate Change (MoEF&CC).	

xi.	The Regional Office of this Ministry shall monitor	Agreed
	compliance of the stipulated conditions. The project	
	authorities should extend full cooperation to the officer(s)	
	of the Regional Office by furnishing the requisite data	
	/information/monitoring reports.	

Note: The project has just started one drill-site has been prepared for drilling and men, material and machines are yet to transported to the site for drilling to start.

(AMIT KUMAR SAKSENA) DGM(Chem.) – I/c-HSE, Frontier Basin, ONGC, Dehradun.