

EC Conditions Six Monthly Compliance Report

(by Project Proponent)



Proposal No : IA/TR/IND2/29940/2012

1. Name of the Entity / Corporate Office :

2. Proponent Details :

3. Compliance Letter/Report (Proponent):

4. Summary Status of Compliance :

Total Condition :	84		
Complied :	82	Being Complied :	0
Not Complied :	0	Partially Complied :	2
Agreed to Comply :	0		

5. Details of Production and Project Area :

6. Specific Conditions (Proponent) :

S.No	Condition	Self Declaration	Remarks / Reason	Supporting Documents	Observation of IRO
1	Drill cutting separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed accordingly to HWMH Rules, 2016. No effluent/ drilling mud/drill cutting shall be discharged/disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste ,drill cutting and drilling fluids for onshore drilling operation notified vide GSR 546(E) dated August,2005	Complied	Drill cuttings are collected in disposal pit well covered with HDPE impervious lining which does not allow any seepage. Water based Mud is being used. Cuttings are tested and found within limits.	N/A	
2	The company shall make all arrangements for control of noise from the drilling activity. Acoustic enclosures shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines	Complied	Noise from drilling activity & DG sets is controlled by providing DG sets with acoustic enclosure & maintaining good engineering practices.	N/A	

			Occupational hazards are also minimized through PPE.		
3	At least 2.5% of the total project cost shall be allocated for the enterprise social commitment based on public hearing issues and item-wise details along with time bound action plan shall be prepared and submitted to the ministry's regional office.	Complied	Ongoing.	N/A	
4	Restoration of the project site shall be carried out satisfactorily and report shall be sent to the Ministry's regional office	Complied	Currently, all concerned wells are under production. In practice, sites are restored to original condition and handed over to land owner after following approved SOP & laid down procedures.	N/A	
5	As proposed by the project proponent, Zero liquid Discharge shall be ensured and no waste/ treated water shall be discharged to any surface water body , sea and /or on land .Domestic sewage shall be disposed off through septic tank / soak pit.	Complied	Mobile ETPs are used for waste water treatment.	N/A	
6	Oil content in the drill cutting shall be monitored by some authorised agency and report shall be sent to the ministry's regional office.	Complied	Not Applicable as oil based mud is not used. Moreover, wells are Gas producer wells & not oil.	N/A	
7	Occupational health surveillance of the workers shall be carried out as per the prevailing acts and rules	Complied	Occupational health surveillance of the workers is being carried out as per prevailing ONGC guidelines on the subject.PME in respect of all employees is carried out as and when it is due.	N/A	
8	Oil spillage prevention and mitigation scheme shall be prepared .In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorised recyclers.	Complied	Not Applicable as it is Gas producer well & no oil.	N/A	
9	The company shall take necessary measures to prevent fire hazards containing oil spill and soil	Complied	Fixed fire fighting system & fire extinguishers are in place in all	N/A	

	remediation as needed. Possibility of using ground flare shall be explored. At the place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimise gaseous emissions during operations.		Drilling rig locations to prevent fire hazard. Gas being knocked out from the well during production & flared at safe distance.		
10	The company shall develop a contingency plan for H2S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H2S detectors in locations of high risk of exposure along with self-containing breathing apparatus.	Complied	As H2S is not present. Condition is not applicable.	N/A	
11	All the commitments made to the public during public hearing/ consultation shall be satisfactorily implemented.	Complied	Ongoing.	N/A	
12	The company shall carryout long term subsidence study by collecting base line data before initiating drilling operation till the project lasts. The data so collected shall be submitted six monthly to the ministry and regional office.	Complied	Not Applicable.	N/A	
13	Emergency response plan shall be based on the guidelines prepared by OISD, DGMS and Govt. of India.	Complied	Disaster management plan (DMP) & site specific Emergency Response Plan (ERP) have been prepared on the relevant guidelines.	N/A	
14	Blow out preventer system shall be installed to prevent well blowouts during drilling operations. BOP measures during shall focus on maintain well bore hydrostatic pressure by proper pre-well planning and drilling fluid logging etc	Complied	During drilling operations, Blow out preventer system is installed to prevent well blowouts during drilling operations as per standard OISD regulations.	N/A	
15	An audit shall be done to ensure that the environment management plan is implemented in totality and report shall be submitted to the ministry's regional office.	Complied	QHSE audit is conducted by third party certified auditors and the installations & rigs are ISO 9001, ISO 14001 & ISO 45001 certified.	N/A	
16	The company shall take measures after completion of drilling process by well plugging and secured enclosures, decommissioning of rig upon abandonment of	Complied	The drilled wells are plugged safely as per the prevailing standards and	N/A	

	the well and drilling site shall be restored the area in original condition . In the event that no economic quantity of hydrocarbon is found a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.		SOPs followed in ONGC.		
17	On completion of drilling, the company has to plug the drilled wells safely and obtain certification from environment safety angle from concern authority.	Complied	The drilled wells are plugged safely as per the prevailing standards and SOPs followed in ONGC	N/A	
18	Company shall have own environment management cell having qualified persons with proper background	Complied	Company is having Environment Management Cell at Asset level as well as Corporate level where qualified Engineers are posted.	N/A	
19	Company shall prepare operating manual in respect of all activities ,which would cover all safety & environment related issues and measures to be taken for protection . One set of environment manual shall be made available at the drilling site/ project site. Awareness shall be created at each level of management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done.	Complied	Standard Operating Procedures for Drilling Operations have been given to supervisors and concerned persons at all drilling Rigs. Safe Work Practices is also made available at all rigs.	N/A	
20	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/ or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/ SPCB guidelines	Complied	Complied	N/A	
21	Approach road shall be made pucca to minimise generation of suspended dust	Complied	Pucca road is being made to mitigate generation of suspended dust.	N/A	
22	The company shall construct the garland drain all around the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated and	Complied	Drains are constructed through which drill cuttings & other wastes are finally collected in waste pits which are HDPE lined to prevent runoff of waste	N/A	

	treated wastewater shall conform to CPCB standards.		into nearby water bodies. Mobile ETPs are used.		
23	Necessary authorisation required under the Hazardous and other wastes (Management and Trans-Boundary Movement) Rules, 2016 Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the rules shall be strictly adhered to.	Complied	Complied	N/A	
24	Ambient air quality shall be monitored at the nearest human settlements as per the National Ambient Air Quality Emission Standards issued by the Ministry vide GSR No 826 (E) dated 16th November ,2009 for PM10 ,PM2.5,SO2 ,NOx, CO, CH4,HC, Non-Methane HC etc	Complied	Ambient air quality monitoring is carried out on half yearly basis through NABL accredited & MoEFCC recognized agency & all parameters are under permissible limits.Latest monitoring done in Nov 2022.	N/A	
25	Total fresh water requirement shall not exceed the proposed quantum of 15 cum/day per well location and prior permission shall be obtained from the concerned regulatory authority.	Complied	Complied.	N/A	
26	Consent to establish/operate for the project shall be obtained from the state Pollution Control Board as required under the Air (Prevention and control of pollution) Act ,1981 and the Water (Prevention and control of pollution) Act 1974.	Complied	Complied.	N/A	
27	The Environmental clearance is subject to obtaining prior clearance from wildlife angle including clearance from the standing committee of the national Board for Wildlife , as applicable. Grant of environmental clearance does not necessarily implies that Wildlife Clearance shall be granted to the project and that their proposals for Wild life Clearance will be considered by the respective authorities on their merits and decision taken.	Complied	Not applicable for these Wells.	N/A	
28	Restoration of the project site shall be carried out satisfactorily and report shall be sent to the Ministry's regional office	Complied	Not Applicable since currently these are gas producer/ gas bearing wells.Final	N/A	

			restoration is being done at the time of abandonment of the project.		
29	Emergency response plan shall be based on the guidelines prepared by OISD, DGMS and Govt. of India.	Complied	Disaster management plan (DMP) & site specific Emergency Response Plan(ERP) have been prepared on the relevant guidelines.	N/A	
30	Oil spillage prevention and mitigation scheme shall be prepared .In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorised recyclers.	Complied	All wells are Gas producer wells & no oil.	N/A	
31	As proposed by the project proponent, Zero liquid Discharge shall be ensured and no waste/ treated water shall be discharged to any surface water body , sea and /or on land .Domestic sewage shall be disposed off through septic tank / soak pit.	Complied	Mobile ETPs are used for waste water treatment.	N/A	
32	The company shall take measures after completion of drilling process by well plugging and secured enclosures, decommissioning of rig upon abandonment of the well and drilling site shall be restored the area in original condition . In the event that no economic quantity of hydrocarbon is found a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.	Complied	The drilled wells are plugged safely as per the prevailing standards and SOPs followed in ONGC.	N/A	
33	All the commitments made to the public during public hearing/ consultation shall be satisfactorily implemented.	Complied	Ongoing.	N/A	
34	Company shall have own environment management cell having qualified persons with proper background	Complied	Company is having Environment Management Cell at Asset level as well as Corporate level where qualified Engineers are posted.	N/A	
35	The company shall develop a contingency plan for H2S release including all necessary aspects from	Complied	H2S is not present at any site. However,	N/A	

	evacuation to resumption of normal operations. The workers shall be provided with personal H2S detectors in locations of high risk of exposure along with self-containing breathing apparatus.		Contingency plan exists.		
36	On completion of drilling, the company has to plug the drilled wells safely and obtain certification from environment safety angle from concern authority.	Complied	The drilled wells are plugged safely as per the prevailing standards and SOPs followed in ONGC.	N/A	
37	The company shall take necessary measures to prevent fire hazards containing oil spill and soil remediation as needed. Possibility of using ground flare shall be explored. At the place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimise gaseous emissions during operations.	Complied	Fixed fire fighting system & fire extinguishers are in place in all Drilling rig locations to prevent fire hazard. Gas being knocked out from the well during production & flared at safe distance.	N/A	
38	Oil content in the drill cutting shall be monitored by some authorised agency and report shall be sent to the ministry's regional office.	Complied	Not Applicable as oil based mud is not used. Moreover, wells are Gas producer wells & not oil.	N/A	
39	An audit shall be done to ensure that the environment management plan is implemented in totality and report shall be submitted to the ministry's regional office.	Complied	QHSE audit is conducted by third party certified auditors and the installations & rigs are ISO 9001, ISO 14001 & ISO 45001 certified.	N/A	
40	Blow out preventer system shall be installed to prevent well blowouts during drilling operations. BOP measures during shall focus on maintain well bore hydrostatic pressure by proper pre-well planning and drilling fluid logging etc	Complied	During drilling operations, Blowout preventer system is installed to prevent well blowouts during drilling operations as per standard OISD regulations.	N/A	
41	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/ or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/ SPCB guidelines	Complied	Complied	N/A	
42	Occupational health surveillance of the workers shall be carried out as per the prevailing acts and rules	Complied	Occupational health surveillance of the workers is being carried out as per prevailing	N/A	

			ONGC guidelines on the subject. PME in respect of all employees is carried out as and when it is due.		
43	The company shall carryout long term subsidence study by collecting base line data before initiating drilling operation till the project lasts. The data so collected shall be submitted six monthly to the ministry and regional office.	Complied	During drilling operation hole size is very less (diameter 8.5 inch) as well their is no sub surface pressure disturbance during normal course of drilling, hence their is no chance of subsidence.	N/A	
44	Company shall prepare operating manual in respect of all activities ,which would cover all safety & environment related issues and measures to be taken for protection . One set of environment manual shall be made available at the drilling site/ project site. Awareness shall be created at each level of management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done.	Complied	Standard Operating Procedures for Drilling Operations have been given to supervisors and concerned persons at all drilling Rigs. SafeWork Practices is also made available at all rigs.	N/A	
45	Approach road shall be made pucca to minimise generation of suspended dust	Complied	Complied.	N/A	
46	The company shall construct the garland drain all around the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated and treated wastewater shall conform to CPCB standards.	Complied	Drains are constructed through which drill cuttings & other wastes are finally collected in waste pits which are HDPE lined to prevent runoff of waste into nearby water bodies. Mobile ETPs are used.	N/A	
47	Drill cutting separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed accordingly to HWMH Rules, 2016. No effluent/ drilling mud/drill cutting shall be discharged/disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste ,drill	Complied	Drill cuttings are collected in disposal pit well covered with HDPE impervious lining which does not allow any seepage. Water based Mud is being used. Cuttings are tested and found within limits.	N/A	

	cutting and drilling fluids for onshore drilling operation notified vide GSR 546(E) dated August,2005				
48	Consent to establish/operate for the project shall be obtained from the state Pollution Control Board as required under the Air (Prevention and control of pollution) Act ,1981 and the Water (Prevention and control of pollution) Act 1974.	Complied	Complied	N/A	
49	The Environmental clearance is subject to obtaining prior clearance from wildlife angle including clearance from the standing committee of the national Board for Wildlife , as applicable. Grant of environmental clearance does not necessarily implies that Wildlife Clearance shall be granted to the project and that their proposals for Wild life Clearance will be considered by the respective authorities on their merits and decision taken.	Complied	Not applicable for these Wells.	N/A	
50	The company shall make all arrangements for control of noise from the drilling activity. Acoustic enclosures shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines	Complied	Noise from drilling activity & DG sets is controlled by providing DG sets with acoustic enclosure & maintaining good engineering practices. Occupational hazards are also minimized through PPE.	N/A	
51	Total fresh water requirement shall not exceed the proposed quantum of 15 cum/day per well location and prior permission shall be obtained from the concerned regulatory authority.	Complied	Complied	N/A	
52	Ambient air quality shall be monitored at the nearest human settlements as per the National Ambient Air Quality Emission Standards issued by the Ministry vide GSR No 826 (E) dated 16th November ,2009 for PM10 ,PM2.5,SO2 ,NOx, CO, CH4,HC, Non-Methane HC etc	Complied	Ambient air quality monitoring is carried out half yearly basis through NABL accredited & MoEF&CC recognized agency & all parameters are under permissible limits.Latest monitoring done in April 2023.	N/A	
53	Necessary authorisation required under the Hazardous and other wastes	Complied	Complied	N/A	

	(Management and Trans-Boundary Movement) Rules, 2016 Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the rules shall be strictly adhered to.				
54	At least 2.5% of the total project cost shall be allocated for the enterprise social commitment based on public hearing issues and item-wise details along with time bound action plan shall be prepared and submitted to the ministry's regional office.	Complied	Ongoing	N/A	

7. General Conditions (Proponent)_:

S.No	Condition	Self Declaration	Remarks / Reason	Supporting Documents	Observation of IRO
1	The project proponent shall also submit six monthly report on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective regional office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of environmental clearance and six monthly compliance status report shall be posted on the website of the company	Complied	Copy of Environmental clearance (EC) and six monthly compliance status report along with latest monitoring reports is also updated in public domain of ONGC website.	N/A	
2	Training shall be imparted to all employees on safety and health aspects of chemicals handling .Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied	MVT training which includes safety and health aspects of chemicals handling is imparted on regular basis. MSDS of chemicals are also displayed at work locations.	N/A	
3	No further expansion or modification in the plant shall be carried out without prior approval of the ministry of environment, forest and climate change. In case of deviations or alterations in the project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Complied	Noted.	N/A	

4	The company shall comply with all the environment protection measures and safe guards proposed in the documents submitted to the ministry. All the recommendations made in the EIA/ EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.	Complied	Complied.	N/A	
5	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, zila parisad/ Municipal corporation , urban local body and the local NGO ,if any, from whom suggestions /representations, if any were received while processing the proposal.	Complied	Complied	N/A	
6	A separate environment management cell equipped with full fledged laboratory facilities shall be setup to carry out the Environmental Management and Monitoring functions.	Complied	ONGC has outsourced Laboratory facilities for monitoring parameters to NABL accredited & MoEFCC approved agency for AAQM, Stack Monitoring, waste water, drill cutting etc & records are maintained.	N/A	
7	The locations of ambient air quality monitoring stations shall be decided in consultation with state pollution control board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied	Ambient air quality studies are conducted on six monthly basis through NABL accredited & MoEFCC authorised consultants.	N/A	
8	The National Ambient Quality Emission Standards issued by the Ministry vide GSR No 826(E) dated November,2009 shall be complied with.	Complied	Complied.	N/A	
9	The project authorities must strictly adhere to the stipulations made by the state pollution control board (SPCB), state Government and / or any other statutory authority.	Complied	Complied.	N/A	
10	The environment statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned state pollution control board as prescribed under the Environment (protection)	Complied	Environment Statement for the period 2021-22 has been submitted to TSPCB on 16.09.2022 Further, it has	N/A	

	Rules 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective regional offices of MoEF&CC by e-mail.		also been sent to IRO, MoEFCC, Shillong office .		
11	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measure including acoustic hoods, silencers ,enclosures etc. on all sources of noise generation .The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act 1986 Rules v1989 viz 75 dBA (day time) and 70 dBA (night time)	Complied	The overall noise levels in and around the rig area is well within the standards. The ambient noise levels also conform to the standards prescribed under EPA Act 1986 & EPA Rules, 1989.	N/A	
12	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilized the same for different industrial operations within the plant.	Complied	Not Applicable (no buildings)	N/A	
13	The project proponent shall inform the public that the project has been accorded environmental clearance by the ministry and copies of the clearance letter are available with SPCB/ committee and may also be seen at website of the ministry at http://moef.nic.in This shall be advertised within seven days from the date of issue of the clearance letter atleast in two local newspaper that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned a	Partially Complied	EC has been uploaded in public domain of ONGC website. In future, due care for advertising within seven days from the date of issue of the clearance letter will be taken care off.	N/A	
14	The company shall undertake all measure for improving socio-economic condition of the surrounding area. CSR activities shall be undertaken by involving local villagers administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.	Complied	Complied.	N/A	
15	The company shall earmark sufficient funds towards capital and recurring cost per annum to implement the condition stipulated by the ministry of environment , forest and climate change as well as state Government	Complied	For implementation for environmental conditions both recurring & non-recurring i.e Waste pit	N/A	

	along with the implementation schedule for all the condition stipulated herein . the funds so earmarked for environment management / pollution control measures shall not be diverted for any other purpose.		construction, HDPE liner, Mobile ETP, Environment Monitoring are being carried out& records are maintained.		
16	The environment statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned state pollution control board as prescribed under the Environment (protection) Rules 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective regional offices of MoEF&CC by e-mail.	Complied	Environment Statement for the period 2021-22 has been submitted to TSPCB on 16.09.2022. Furthe has also been sent to IRO, MoEFCC, Shillong office.	N/A	
17	Training shall be imparted to all employees on safety and health aspects of chemicals handling .Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied	MVT training which includes safety and health aspects of chemicals handling is imparted on regular basis. MSDS of chemicals are also displayed at work locations.	N/A	
18	The project proponent shall also submit six monthly report on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective regional office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of environmental clearance and six monthly compliance status report shall be posted on the website of the company	Complied	Copy of Environmental clearance (EC)and six monthly compliance status report along with latest monitoring reports is also updated in public domain of ONGC website.	N/A	
19	No further expansion or modification in the plant shall be carried out without prior approval of the ministry of environment, forest and climate change. In case of deviations or alterations in the project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the ministry to assess the adequacy of conditions imposed and to add additional environmental	Complied	Noted	N/A	

	protection measures required, if any.				
20	The locations of ambient air quality monitoring stations shall be decided in consultation with state pollution control board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied	Ambient air quality studies are conducted on six monthly basis through NABL accredited & MoEFCC authorised consultants.	N/A	
21	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measure including acoustic hoods, silencers ,enclosures etc. on all sources of noise generation .The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act 1986 Rules v1989 viz 75 dBA (day time) and 70 dBA (night time)	Complied	The overall noise levels in and around the rig area is well within the standards. The ambient noise levels also conform to the standards prescribed under EPA Act 1986 & EPA Rules, 1989.	N/A	
22	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilized the same for different industrial operations within the plant.	Complied	Not Applicable(no buildings)	N/A	
23	The National Ambient Quality Emission Standards issued by the Ministry vide GSR No 826(E) dated November,2009 shall be complied with.	Complied	Complied	N/A	
24	The company shall comply with all the environment protection measures and safe guards proposed in the documents submitted to the ministry. All the recommendations made in the EIA/ EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.	Complied	Complied	N/A	
25	The project authorities must strictly adhere to the stipulations made by the state pollution control board (SPCB), state Government and / or any other statutory authority.	Complied	Noted	N/A	
26	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, zila parisad/ Municipal corporation , urban local body and the local NGO ,if any, from whom suggestions /representations, if any	Complied	Complied	N/A	

	were received while processing the proposal.				
27	A separate environment management cell equipped with full fledged laboratory facilities shall be setup to carry out the Environmental Management and Monitoring functions.	Complied	ONGC has outsourced Laboratory facilities for monitoring parameters to NABL accredited & MoEFCC approved agency for AAQM, Stack Monitoring, waste water, drill cutting etc & records are maintained.	N/A	
28	The project proponent shall inform the public that the project has been accorded environmental clearance by the ministry and copies of the clearance letter are available with SPCB/ committee and may also be seen at website of the ministry at http://moef.nic.in This shall be advertised within seven days from the date of issue of the clearance letter atleast in two local newspaper that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned a	Partially Complied	EC has been uploaded in public domain of ONGC website. In future, due care for advertising within seven days from the date of issue of the clearance letter will betaken care off.	N/A	
29	The company shall undertake all measure for improving socio-economic condition of the surrounding area. CSR activities shall be undertaken by involving local villagers administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.	Complied	Complied	N/A	
30	The company shall earmark sufficient funds towards capital and recurring cost per annum to implement the condition stipulated by the ministry of environment , forest and climate change as well as state Government along with the implementation schedule for all the condition stipulated herein . the funds so earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Complied	For implementation for environmental conditions both recurring & non-recurring i.e Waste pit construction, HDPE liner, Mobile ETP, Environment Monitoring are being carried out& records are maintained.	N/A	

****Note : N/A - Not Available**

PRINT

□