



F.No. J-11011/563/2011- IA II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

By Speed Post/Online

Indira Paryavaran Bhawan
Jorbagh Road, New Delhi - 3

Dated: 8th December, 2020

To

M/s Oil and Natural Gas Corporation Ltd
Nambar-I, Jorhat Asset
Jorhat, Assam - 785 704

Email: head_env@ongc.co.in

Sub: Conversion of Exploratory well KSAB to Development well located at Kasomarigaon, District Golaghat, Assam by M/s Oil and Natural Gas Corporation Ltd - Environmental Clearance - reg.

Sir,

This has reference to your proposal No. IA/AS/IND2/27521/2012 dated 6th August, 2015 for environmental clearance to the project for Conversion of Exploratory well KSAB to Development well by M/s Oil and Natural Gas Corporation Ltd in an area of 1.80 ha located at Kasomarigaon, District Golaghat, Assam. The initial proposal was for Development/Exploratory Wells (KSAB, KSDA, KSDB, KSAG, KSAD, KSAE), Group Gathering Station and pipeline laying from KSAC to Borholla GGS at Kasomarigaon, Assam.

2. The total land area estimated initially for the complete project was 43500 sqm. The initial estimated project cost was Rs 50 Crores. Accordingly, total capital cost earmarked towards environmental pollution control measures is Rs 44.82 Lakhs and the Recurring cost (operation and maintenance) will be about Rs 10 lakhs per annum. The project will provide employment for 10-12 persons indirectly.

3. There are no National Parks, Wildlife Sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, and Wildlife Corridors etc. within 10 km from the project site. Ghiladhari river flows at a distance of 1 km in SW direction.

4. Total water requirement is estimated to be 25 cum/day/well of which fresh water requirement of 21 cum/day/well will be met from Ground Water. Effluent of 6 cum/day will be treated through Mobile ETP at Drilling Rig. The plant will be based on Zero Liquid discharge system. Power requirement shall be fulfilled by DG sets of 750 KW (2 operable and 1 standby). Stack (7 m) will be provided as per CPCB norms to the proposed DG sets.

5. The project/activity is covered under category A of item 1(b) 'Offshore and onshore oil and gas development & production' of schedule to the Environment Impact Assessment

EC for M/s Oil and Natural Gas Corporation Ltd

Page 1 of 9

(EIA) Notification, 2006, and requires appraisal at central level by the sectoral Expert Appraisal Committee (EAC) in the Ministry.

6. The Terms of Reference (ToR) has been issued by the Ministry vide letter dated 28th May, 2012. Public hearing for the project has been conducted by the State Pollution Control Board on 20th September, 2014 at District Golaghat. The main issues raised during the public hearing are related to Road infrastructure, Mitigation measures for environmental pollution, Land acquisition and compensation, Job opportunities and Funds for development of schools, church, namghor, etc. It was informed by the project proponent that there is no litigation pending against the proposal.

7. The proposal was considered by the Expert Appraisal Committee (Industry-2) in its meetings held on 18th -19th January, 2016, 8-9 December, 2016, 17th -18th April, 2017 and 11-13 May, 2020 in the Ministry, wherein the project proponent and their accredited consultant presented the EIA/EMP report as per the ToR. The Committee found the EIA/EMP report complying with the ToR and recommended the project for grant of environmental clearance.

8. The project proponent informed the EAC that the Block is located in the South of River Brahmaputra in the Dhansiri watershed, close to Nagaland Hills. It was reported that the proposed activities are located at Dayang reserve Forest where the forest lands are presently used for agricultural practices. It was informed to the EAC that the forest clearance is available for development of wells at KSAC location and the wells located at KSDA, KSDB, and KSAG will be drilled from KSAC horizontally. The project proponent has submitted a copy of the forest clearance issued by the Ministry's North Eastern Regional Office at Shillong vide letter no. 3-AS B 035/2011-SHI/1609-11 dated 21st August, 2012. Forest clearance for the location KSAB has been received vide Ministry's North Eastern Regional Office at Shillong letter no. 3-AS B 061/2007-SHI/209-11 dated 12th June, 2008. The project proponent has requested for issuing the Environmental Clearance for the locations namely KSAB, KSAC, KSDA, KSDB, and KSAG.

The project proponent has informed that proposal for grant of Environmental Clearance for the locations KSAD, KSAE and Group Gathering Station and Pipeline from KSAC to Boroholla GGS are dropped due to non-availability of Forests Clearance.

9. Based on the recommendations of the EAC in its meeting held on 17th -18th April, 2017, the proposal was examined in the Ministry. The Ministry vide letter No. J-11011/30/2012-IA II (I) pt dated 7th November, 2017 has informed the project proponent that Forest clearance is required for the wells KSDA, KSDB, and KSAG proposed to drilled horizontally from KSAC, and accordingly delisted the proposal for want of the requisite information.

10. Thereafter, based on the request of the project proponent, subsequent to the Ministry's "Guidelines specific to hydrocarbon sector for undertaking seismic surveys and exploratory drilling in forest areas" issued vide letter F. No. 11-423/2011-FC dated 30th September, 2019, the proposal was relisted and placed in the EAC in its meeting held on 11-13 May, 2020. The project proponent informed the EAC that, as per the Ministry guidelines dated 30th September, 2019, forest area once diverted for exploratory drilling shall enable the User Agency to use the area fully. Therefore, FC granted earlier for

exploratory drilling is applicable for development wells and taking production, and accordingly requested to issue environmental clearance for operations.

11. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with EIA/EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

The Committee noted that the EIA/EMP report is in compliance of the ToR issued for the project, reflecting the present environmental concerns and the projected scenario for all the environmental components. The Committee has found the baseline data, and additional data collected and incremental GLC due to the proposed project within NAAQ standards. The Committee has also deliberated on the public hearing issues, action plan and found to be addressing the issues in the study area and the issues raised during the public hearing.

The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Committee was of the opinion that the project is of national importance and the Experts Members of the EAC have found the proposal in order and have recommended for grant of Environmental Clearance (EC).

12. Based on recommendations of the EAC, the proposal was again examined in the Ministry. Considering the forest clearance issues involved and the Ministry guidelines dated 30th September, 2019, the proposal has been deliberated in the Ministry with the FC section and the Regional Office of the Ministry (Shillong).

The Ministry has convened a meeting on 16th October, 2020 through video conferencing to discuss the project under the Chairmanship of the Secretary (EF&CC). It was noted that M/s ONGC has proposed to drop drilling at location KSAG, and as forest clearance for KSAB has been received vide letter dated 12th June, 2008, it was decided to grant EC for KSAB. Drilling of wells KSDA & KSDB horizontally from KSAC shall be considered after submission of report of Committee constituted by MoPNG to clarify the possibility of adopting new technologies such as Extended Reach Drilling (ERD)/ Horizontal Directional Drilling (HDD) with surface facilities including drilling rigs etc.

Based on the decisions taken in the meeting, M/s ONGC vide letter dated 17th November, 2020 has informed that the location KSAG is dropped from the proposal and has requested for grant of environmental clearance to the project.

It was noted that the Ministry's Regional Office at Shillong vide letter no. 3-AS B 061/2007-SHI/209-11 dated 12th June, 2008 has approved diversion of 1.80 ha of forest

land for exploratory drilling location KSAB under Doyand Reserve Forest under Golaghat Division of Golaghat District Assam.

13. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

14. Based on the proposal submitted by the project proponent, recommendations of the EAC (Industry-2), and subsequent deliberations, Ministry of Environment, Forest and Climate change hereby accords environmental clearance to the project for **Conversion of Exploratory well KSAB (having approval for diversion of 1.80 ha of forest land for exploratory drilling) to Development well by M/s Oil and Natural Gas Corporation Ltd at Kasomarigaon, District Golaghat, Assam**, under the provisions of the EIA Notification, 2006, subject to the compliance of terms and conditions as under:-

- (i). No drilling shall be conducted in forest areas without obtaining prior permission under the Forest (Conservation) Act, 1980. No pipelines or its part shall be laid in the Forest land without prior permission/approval from the Competent Authority.
- (ii). As proposed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged to any surface water body and/or on land. Mobile ETP along with RO plant shall be installed to treat the waste water.
- (iii). To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- (iv). Ambient air quality shall be monitored at the nearest human settlements as per the National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 for PM₁₀, PM_{2.5}, SO₂, NO_x, CO, CH₄, HC, Non-methane HC etc.
- (v). During exploration, production, storage and handling, the fugitive emission of methane, if any, shall be monitored using appropriate technology.
- (vi). The project proponent also to ensure trapping/storing of the CO₂ generated, if any, during the process and handling.
- (vii). Approach road shall be made pucca to minimize generation of suspended dust.
- (viii). The company shall make all arrangements for control of noise from the drilling activity. Acoustic enclosure shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines.
- (ix). Total fresh water requirement shall not exceed 25 cum/day/well. Prior permission shall be obtained from the concerned regulatory authority. Mobile ETP coupled with

RO shall be installed to reuse the treated water in drilling system. Size of the waste shall be equal to the hole volume+ volume of drill cutting and volume of discarded mud if any. Two feet free board may be left to accommodate rain water. There shall be separate storm water channel and rain water shall not be allowed to mix with waste water. Alternatively, if possible pit less drilling be practiced instead of above.

- (x). The company shall construct the garland drain all around the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated and treated wastewater shall conform to CPCB standards.
- (xi). Drill cuttings separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed according to HWMH Rules, 2016. No effluent/drilling mud/drill cutting shall be discharged/disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste, drill cutting and drilling fluids for onshore drilling operation notified vide GSR.546(E) dated 30th August, 2005.
- (xii). Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.
- (xiii). The Company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. Possibility of using ground flare shall be explored. At the place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimize gaseous emissions during operation.
- (xiv). The company shall develop a contingency plan for H₂S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H₂S detectors in locations of high risk of exposure along with self containing breathing apparatus.
- (xv). The Company shall carry out long term subsidence study by collecting base line data before initiating drilling operation till the project lasts. The data so collected shall be submitted six monthly to the Ministry and Regional Office.
- (xvi). Blow Out Preventer system shall be installed to prevent well blowouts during drilling operations. BOP measures during drilling shall focus on maintaining well bore hydrostatic pressure by proper pre-well planning and drilling fluid logging etc.
- (xvii). Emergency Response Plan shall be based on the guidelines prepared by OISD, DGMS and Govt. of India.
- (xviii). On completion of the project, necessary measures shall be taken for safe plugging of wells with secured enclosures to restore the drilling site to the original condition. The same shall be confirmed by the concerned regulatory authority from environment safety angle. In case of hydrocarbon not found economically viable, a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.

- (xix). All the commitments made to the public during public hearing/consultation shall be satisfactorily implemented.
- (xx). The activities and the action plan proposed by the project proponent to address the public hearing and socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made during public hearing shall be satisfactorily implemented.
- (xxi). No lead acid batteries shall be utilized in the project/site.
- (xxii). Occupational health surveillance of the workers shall be carried out as per the prevailing Acts and Rules.
- (xxiii). Oil content in the drill cuttings shall be monitored by some Authorized agency and report shall be sent to the Ministry's Regional Office.
- (xxiv). Company shall prepare operating manual in respect of all activities, which would cover all safety & environment related issues and measures to be taken for protection. One set of environmental manual shall be made available at the drilling site/ project site. Awareness shall be created at each level of the management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done.

14.1: The grant of environmental clearance is further subject to compliance of other general conditions as under:-

- (i) The Project Proponent shall obtain all other statutory/necessary permissions/recommendations/NOCs prior to start of construction/operation of the project, which *inter alia* include, permission/approvals under the Forest (Conservation) Act, 1980; the Wildlife (Protection) Act, 1972; the Coastal Regulation Zone Notification, 2019, as amended from time to time, and other Office Memoranda/Circular issued by the Ministry of Environment, Forest and Climate Change from time to time, as applicable to the project.
- (ii) The project proponent shall ensure compliance of 'National Emission Standards', as applicable to the project, issued by the Ministry from time to time. The project proponent shall also abide by the rules/regulations issued by the CPCB/SPCB for control/abatement of pollution.
- (iii) The project authorities shall adhere to the stipulations made by the State Pollution Control Board/Committee, Central Pollution Control Board, State Government and any other statutory authority.
- (iv) The project proponent shall prepare a site specific conservation plan and wildlife management plan in case of the presence of Schedule-1 species in the study area, as applicable to the project, and submit to Chief Wildlife Warden for approval. The recommendations shall be implemented in consultation with the State Forest/Wildlife Department in a time bound manner.
- (v) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or

alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- (vi) The energy source for lighting purpose shall be preferably LED based, or advance having preference in energy conservation and environment betterment.
- (vii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- (viii) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- (ix) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (x) The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and to utilize the same for process requirements.
- (xi) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- (xii) The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (xiii) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration.
- (xiv) The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (xv) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- (xvi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

- (xvii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (xviii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (xix) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (xx) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (xxi) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xxii) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

15. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

16. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

17. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

18. The above conditions shall be enforced, *inter-alia* under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

19. This issues with approval of the competent authority.

20/08/2020
(Dr. R. B. Lal)

Scientist 'E'/Additional Director

Tele-fax: 011-24695362

Email-rb.lal@nic.in

(डा. आर. बी. लाल)

(Dr. R. B. Lal)

वैज्ञानिक 'ई'/Scientist 'E'

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय

Min. of Environment, Forest and Climate Change

भारत सरकार, नई दिल्ली

Govt. of India, New Delhi

Copy to: -

1. The Deputy DGF (C), MoEF&CC Regional Office (NEZ), Law-U-Sib, Lumbatngen, Near MTC Workshop, Shillong
2. The Secretary, Department of Environment and Forest, Government of Assam, H-Block, 2nd Floor, Janata Bhawan, Disupr, Guwahati (Assam) - 6
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi - 32
4. The Member Secretary, Pollution Control Board Assam, Bamunimaidam, Guwahati - 21
5. The District Collector, District Golaghat (Assam)
6. Guard File/Monitoring File/Website/Record File/Parivesh Portal

(Dr. R. B. Lal)

Scientist 'E'/Additional Director

SIX MONTHLY COMPLIANCE REPORT FOR ENVIRONMENT CLEARANCE

(October 2025 to March 2026)

1	Name of the project	Conversion of Exploratory well KSAB to Development well located at Kasomarigaon, District Golaghat, Assam by M/s Oil and Natural Gas Corporation Ltd - Environmental Clearance
2	Location of project/ address:	District Golaghat (Assam)
3	Letter No. & date of Environment Clearance granted by MOEF	F.No. J-11011/563/2011- IA II (I) dated 8 th December, 2020
4	Present Status of project	Well no KSAB was drilled as an exploratory well which is converted as development well.
5	Date of Commencement of Project	21.12.2020
6	Project Area as Per EC Granted (In Case of Mine Lease)	1.8 Ha
7	Actual Project Area (In Case of Mine Lease)	1.8 Ha
8	Crude Oil Production during 2024-25	11,439.332 MT
9	Natural Gas Production during 2024-25	1.331978 MMSCM

SL. No.	Condition Description	Compliance
I.	No drilling shall be conducted in forest areas without obtaining prior permission under the Forest (Conservation) Act, 1980. No pipelines or its part shall be laid in the Forest land without prior permission/approval from the Competent Authority	Drilling of wells is not applicable in this EC. This EC is for conversion of exploratory well to development well
II.	As proposed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged to any surface water body and/or on land. Mobile ETP along with RO plant shall be installed to treat the waste water.	No drilling is involved in this project
III.	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	NA
IV.	Ambient air quality shall be monitored at the nearest human settlements as per the National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 for PM10, PM2.5, SO ₂ , NO _x , CO, CH ₄ , HC, Non-methane HC etc.	Complied as per National Ambient Emissions Standards. AAQ Report is Attached as Annexure – 3.
V.	During exploration, production, storage and handling, the fugitive emission of methane, if any, shall be monitored using appropriate technology.	NA
VI.	The project proponent also to ensure trapping/storing of the CO ₂ generated, if any, during the process and	There is no CO ₂ emission due to project activities.

	handling	
VII.	Approach road shall be made pucca to minimize generation of suspended dust.	ONGC make all the approach roads in pucca form.
VIII.	The company shall make all arrangements for control of noise from the drilling activity. Acoustic enclosure shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well.
IX.	Total fresh water requirement shall not exceed 25 cum/day/well. Prior permission shall be obtained from the concerned regulatory authority. Mobile ETP coupled with RO shall be installed to reuse the treated water in drilling system. Size of the waste shall be equal to the hole volume+ volume of drill cutting and volume of discarded mud if any. Two feet free board may be left to accommodate rain water. There shall be separate storm water channel and rain water shall not be allowed to mix with waste water. Alternatively, if possible pit less drilling be practiced instead of above.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well.
X.	The company shall construct the garland drain all around the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated and treated wastewater shall conform to CPCB standards.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XI.	Drill cuttings separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed according to HWMH Rules, 2016. No effluent/drilling mud/drill cutting shall be discharged/disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste, drill cutting and drilling fluids for onshore drilling operation notified vide GSR.546(E) dated 30th August, 2005.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XII.	Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XIII.	The Company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. Possibility of using ground flare shall be explored. At the place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimize gaseous emissions during operation.	No flaring takes place at this well site
XIV.	The Company shall develop a contingency plan for H ₂ S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H ₂ S detectors	This is not a H ₂ S prone area.

	in locations of high risk of exposure along with self-containing breathing apparatus.	
XV.	The Company shall carry out long term subsidence study by collecting base line data before initiating drilling operation till the project lasts. The data so collected shall be submitted six monthly to the Ministry and Regional Office.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XVI.	Blow Out Preventer system shall be installed to prevent well blowouts during drilling operations. BOP measures during drilling shall focus on maintaining well bore hydrostatic pressure by proper pre-well planning and drilling fluid logging etc.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XVII.	Emergency Response Plan shall be based on the guidelines prepared by OISD, DGMS and Govt. of India.	Emergency Response Plan (ERP) has been prepared based on the guidelines by OMR, OISD and other Govt. of India.
XVIII.	On completion of the project, necessary measures shall be taken for safe plugging of wells with secured enclosures to restore the drilling site to the original condition. The same shall be confirmed by the concerned regulatory authority from environment safety angle. In case of hydrocarbon not found economically viable, a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.	Abandonment and restoration of the well site will be done in accordance to the applicable regulation if the well found economically non-viable.
XIX.	All the commitments made to the public during public hearing/consultation shall be satisfactorily implemented.	There is no public hearing taken place as this this EC is for conversion of exploratory well to development well
XX.	The activities and the action plan proposed by the project proponent to address the public hearing and socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made during public hearing shall be satisfactorily implemented.	There is no public hearing taken place as this this EC is for conversion of exploratory well to development well
XXI.	No lead acid batteries shall be utilized in the project/site.	No lead acid batteries are being utilized at this site of KSAB
XXII.	Occupational health surveillance of the workers shall be carried out as per the prevailing Acts and Rules.	ONGC has policy and system for Occupational health surveillance of employees
XXIII.	Oil content in the drill cuttings shall be monitored by some Authorized agency and report shall be sent to the Ministry's Regional Office.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XXIV.	Company shall prepare operating manual in respect of all activities, which would cover all safety & environment related issues and measures to be taken for protection. One set of environmental manual shall be made available at the drilling site/ project site. Awareness shall be created at each level of the management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be	Copy of Environmental Management Plan has been made available at site along with the environmental monitoring reports and statutory clearances.

	done.	
XXV.	The Project Proponent shall obtain all other statutory/necessary permissions/ recommendations/ NOCs prior to start of construction/operation of the project, which inter alia include, permission/approvals under the Forest (Conservation) Act, 1980; the Wildlife (Protection) Act, 1972; the Coastal Regulation Zone Notification, 2019, as amended from time to time, and other Office Memoranda/Circular issued by the Ministry of Environment, Forest and Climate Change from time to time, as applicable to the project.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well.
The grant of environmental clearance is further subject to compliance of other general conditions as under:-		
I.	The project proponent shall ensure compliance of 'National Emission Standards', as applicable to the project, issued by the Ministry from time to time. The project proponent shall also abide by the rules/regulations issued by the CPCB/SPCB for control/abatement of pollution.	Being followed.
II.	The project authorities shall adhere to the stipulations made by the State Pollution Control Board/Committee, Central Pollution Control Board, State Government and any other statutory authority.	The stipulation made by the PCBA and State Govt. are being followed.
III.	The project proponent shall prepare a site specific conservation plan and wildlife management plan in case of the presence of Schedule-1 species in the study area, as applicable to the project, and submit to Chief Wildlife Warden for approval. The recommendations shall be implemented in consultation with the State Forest/Wildlife Department in a time bound manner.	Drilling of wells is not applicable in this EC. This EC is for conversion of exploratory well into development well.
IV.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Drilling of wells is not applicable in this EC. This EC is for conversion of exploratory well into development well.
V.	The energy source for lighting purpose shall be preferably LED based, or advance having preference in energy conservation and environment betterment.	LED lights are being used.
VI.	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Ambient air monitoring analysis is being done as per the norms.

VII.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Being followed.
VIII.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	KSAB is a self-flowing well and no generator is being used at this site.
IX.	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and to utilize the same for process requirements.	There is no roof available at KSAB site for roof top rain water harvesting.
X.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training has been imparted to all employees on safety and health aspects of chemical handling. Routine Periodic Medical Examination (PME) for all employees is done as per Policy.
XI.	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	EMP conditions applicable for the production phase are being complied.
XII.	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration	The company has undertaken all relevant measures for improving the socio economic conditions of the surrounding area and also done the CSR activities by involving local villagers and administration. Plantation and CSR activities in the project area are being done.
XIII.	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The company has undertaken eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
XIV.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Monitoring has been outsourced to private agency.
XV.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be /insrted for any other purpose.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well.

XVI.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied. The copy is attached at Annexure-4 .
XVII.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Agreed and noted for compliance
XVIII.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Environmental statement in Form-V reports have been submitted to state pollution control board for the year 2025-26. Annexure - 5
XIX.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Published in two local news paper. 1. Assam Tribune dated 08.10.2021 2. Dainik Janmbhomi, dated 08.10.2021 Annexure -6.
XX.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	There is no financial closure of the project as the well was drilled as exploratory well and converted to development well through this Environment Clearance.



ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 45001:2018 Certified Laboratory)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TC-15390



TEST REPORT

TEST REPORT NO.: ETS/1120-90/11/2025 ULR NO.TC153902500112090F DATE OF REPORT: 06.11.2025

AMBIENT AIR MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 31.10.2025
 Analysis Start Date : 03.11.2025
 Analysis End Date : 06.11.2025
 Duration Of Monitoring : 31.10.2025 To 01.11.2025
 Time Of Monitoring : 10.54 AM To 10.54 AM (CO&O₃ for 1.0 Hrs.)
 Sample ID No : 1120-90
 Sampling Done By : ETS STAFF
 Sampling Location : NEAR MAIN GATE (KSAB)
 Sampling Method : IS 5182 PART-14
 Sampling Machine Placed At Height : 1.5 METER FROM GROUND LEVEL
 Weather Condition : CLEAR Ambient Temperature: 24.0 °C
 Wind Direction : E To W
 Equipment Used : Respirable Dust Sampler (PM₁₀) + Fine Particulate Sampler (PM_{2.5})

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM ₁₀)	µg/m ³	176.1	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM _{2.5})	µg/m ³	75.4	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO ₂)	µg/m ³	16.8	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO ₂)	µg/m ³	36.2	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Ammonia,(NH ₃)	µg/m ³	<20.0	For 24 Hrs.=400	IS 5182 (Part-25)
6	Ozone,(O ₃)	µg/m ³	22.0	For 1 Hrs.=180	IS: 5182 (Part.-9)
7	Lead,(Pb)	µg/m ³	<0.05	For 24 Hrs.=1	IS 5182 (Part-22)



AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 45001:2018 Certified Laboratory)



Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1120-90/11/2025

DATE OF REPORT: 06.11.2025

AMBIENT AIR MONITORING AND ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
8	Benzene, (C ₆ H ₆)	µg/m ³	<1.0	For Annual=05	IS 5182 (Part-11)
9	Arsenic, (As)	ng/m ³	<1.0	For Annual=06	CPCB, Vol.-1, Pg.-48
10	Nickel, (Ni)	ng/m ³	<1.0	For Annual=20	IS 5182 (Part-26)
11	Carbon Monoxide, (CO)	mg/m ³	0.63	For 1 Hrs.=4	IS 5182 : Part 10
12	Benzo (a) Pyrene (BaP)	ng/m ³	<0.05	For Annual=01	IS: 5182 (Part-12)
13	Volatile Organic Compound, (VOC)	mg/m ³	<0.01	Not Specified	ETS/STP/WZ-15

*****End of Test Report*****



For Enviro Tech Services Pvt. Ltd.

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 45001:2018 Certified Laboratory)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TC-15390

TEST REPORT

TEST REPORT NO.: ETS/1120-91/11/2025 ULR NO.TC153902500112091F DATE OF REPORT: 06.11.2025

STACK EMISSION MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date Of Sampling : 31.10.2025
Analysis Start Date : 03.11.2025
Analysis End Date : 06.11.2025
Duration Of Sampling : 30.0 MIN
Sample ID No. : 1120-91
Sampling Done By : ETS STAFF
Sampling Method : IS 11255 PART-3
Stack Attached To : DG SET (KSAB)
Capacity Of Stack : 15.0 KVA
Quantity Of Fuel Used : 2-4 LPH
Type Of Fuel Used : H.S.D
Stack Height Above Ground : 3.0 MTR.
Stack Dia At The Top : 25.0 MM
Material Of Construction : M.S.
Attached APCS : ACOUSTIC ENCLOSURE
D.G. Set Comm. Date : AFTER 01/04/2014 (< 19 KW)
Normal Operating Schedule : AS PER REQUIRMENTS
Ambient Temperature : 24.0°C
Flue Gas Temperature : 120.0°C
Velocity Of Flue Gases : 16.2 MTR./SEC.
Quantity Of Emission Discharged : 21.7 m³/hr

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM)	g/kw-hr	0.13	0.3	IS-11255 (Part-1)
2	Carbon Monoxide,(CO)	g/kw-hr	0.49	3.5	IS: 13270
3	Sulphur Dioxide,(SO ₂)	mg/Nm ³	17.1	Not Specified	IS-11255 (Part-2)



AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory



(AN ISO 45001:2018 Certified Laboratory)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1120-91/11/2025

DATE OF REPORT: 06.11.2025

STACK EMISSION MONITORING AND ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
4	Non Methane Hydrocarbon, (NMHC)	mg/Nm ³	12.5	Not Specified	ETS/STP/STACK-07
5	Oxide of Nitrogen (NOx) + Hydro Carbon (HC)	g/kw-hr	1.46	7.5	IS-11255 (Part-7)

*****End of Test Report*****



For Enviro Tech Services Pvt. Ltd.

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

For Enviro Tech Services Pvt. Ltd.
(Quality Manager)

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 45001:2018 Certified Laboratory)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1120-92/11/2025 ULR NO.TC153902500112092F DATE OF REPORT: 06.11.2025

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 31.10.2025
Monitoring Start Date : 31.10.2025
Monitoring End Date : 01.11.2025
Duration Of Monitoring : 24 HOURS
Sample ID No : 1120-92
Monitoring Done By : ETS STAFF
Sampling Location : NEAR BOUNDARY WALL (KSAB)
Sampling Method : IS 9989:1981 REAFFIRMED-2023
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)
1	Day Time Noise Level	Leq :dB (A)	70.1	75
2	Night Time Noise Level	Leq :dB (A)	59.4	70

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 45001:2018 Certified Laboratory)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1120-93/11/2025 ULR NO.TC153902500112093F DATE OF REPORT: 06.11.2025

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 31.10.2025
Monitoring Start Date : 31.10.2025
Monitoring End Date : 01.11.2025
Duration Of Monitoring : 24 HOURS
Sample ID No : 1120-93
Monitoring Done By : ETS STAFF
Sampling Location : NEAR DG.SET AREA (KSAB)
Sampling Method : IS 9989:1981 REAFFIRMED-2023
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)
1	Day Time Noise Level	Leq :dB (A)	65.3	75
2	Night Time Noise Level	Leq :dB (A)	56.2	70

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



For Enviro Tech Services Pvt. Ltd.
AUTHORIZED SIGNATORY.

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 45001:2018 Certified Laboratory)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1120-93/11/2025 ULR NO.TC153902500112093F DATE OF REPORT: 06.11.2025

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 31.10.2025
Monitoring Start Date : 31.10.2025
Monitoring End Date : 01.11.2025
Duration Of Monitoring : 24 HOURS
Sample ID No : 1120-93
Monitoring Done By : ETS STAFF
Sampling Location : NEAR DISPATCH PUMP HOUSE (KSAB)
Sampling Method : IS 9989:1981 REAFFIRMED-2023
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)
1	Day Time Noise Level	Leq :dB (A)	63.2	75
2	Night Time Noise Level	Leq :dB (A)	51.7	70

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 45001:2018 Certified Laboratory)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TEST REPORT

TEST REPORT NO.: ETS/1120-94/11/2025 ULR NO.TC153902500112094F DATE OF REPORT: 06.11.2025

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 31.10.2025
Monitoring Start Date : 31.10.2025
Monitoring End Date : 01.11.2025
Duration Of Monitoring : 24 HOURS
Sample ID No : 1120-94
Monitoring Done By : ETS STAFF
Sampling Location : NEAR OFFICE BUILDING (KSAB)
Sampling Method : IS 9989:1981 REAFFIRMED-2023
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)
1	Day Time Noise Level	Leq :dB (A)	60.6	75
2	Night Time Noise Level	Leq :dB (A)	50.1	70

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory


(AN ISO 45001:2018 Certified Laboratory)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 8130255461



TC-15390



TEST REPORT

TEST REPORT NO.: ETS/1120-95/11/2025 ULR NO.TC153902500112095F

DATE OF REPORT: 06.11.2025

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Sample Received : 31.10.2025
Analysis Start Date : 03.11.2025
Analysis End Date : 06.11.2025
Sample ID No : 1120-95
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER (KSAB)
Sampling Location : NEAR INSTALLATION AREA
Sampling Method : IS 17614 Part-1
Sample Quantity : 2.0+0.5 Ltr
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameter	Unit	Result	Test Method
1	Temperature	°C	24.1	APHA 2550-B
2	pH	...	7.16	APHA 4500-H+
3	Total Dissolved Solids,(TDS)	mg/L	402.8	APHA 2540-C
4	Fluoride,(F)	mg/L	<0.01	APHA 4500:(F-) -D
5	Alkalinity, to (P)	mg/L	NIL	APHA 2320-B
6	Alkalinity, to (M)	mg/L	61.8	APHA 2320-B
7	Total Hardness,(CaCO ₃)	mg/L	270.1	APHA 2340-C
8	Calcium,(Ca)	mg/L	59.4	APHA 3500:(Ca)-B
9	Chloride,(Cl)	mg/L	71.2	APHA 4500:(Cl-) -B
10	Magnesium,(Mg)	mg/L	28.4	APHA 3500:(Mg)-B
11	Nitrate,(NO ₃)	mg/L	<0.1	APHA 4500:(NO ₃ -)-B
12	Sulphate,(SO ₄)	mg/L	12.6	APHA 4500:(SO ₄)-E
13	Conductivity	µs/cm	591.0	APHA 2510-B



AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





TEST REPORT

TEST REPORT NO.: ETS/1120-95/11/2025

DATE OF REPORT: 06.11.2025

WATER SAMPLE ANALYSIS REPORT

14	Phenolic Compound, (C ₆ H ₅ OH)	mg/L	<0.001	APHA 5530-C
15	Phosphate (P)	mg/L	<0.05	APHA 4500:(P)-D
16	Oil & Grease, (O & G)	mg/L	NIL	APHA 5520-D
17	Chemical Oxygen Demand, (COD)	mg/L	NIL	APHA 5220-B
18	Total Chromium, (Cr)	mg/L	<0.01	APHA-3120B
19	Arsenic, (As)	mg/L	<0.01	APHA 3120B
20	Cadmium, (Cd)	mg/L	<0.001	APHA 3120B
21	Copper, (Cu)	mg/L	<0.01	APHA 3120B
22	Iron, (Fe)	mg/L	0.23	APHA-3120B
23	Lead, (Pb)	mg/L	<0.01	APHA-3120B
24	Mercury, (Hg)	mg/L	<0.001	US EPA Method 200.7 1994
25	Nickel, (Ni)	mg/L	<0.01	APHA-3120B
26	Zinc, (Zn)	mg/L	<0.01	APHA-3120B

*****End of Test Report*****



For Enviro Tech Services

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



OIL & NATURAL GAS CORPORATION LTD.

Office of Head HSE, Jorhat Asset

Nambar-III, Cinnamara Jorhat-785704.

Ph: 0376-2707314/ 2707734

No. JRT / Jorhat Asset / ST/ ENV Statement/ 2025-26

Dated : 10.08.2026

From : Surface Manager , Jorhat Asset

To: Head HSE, Jorhat Asset

Please find enclosed herewith environmental statement for April 2025- March 2026 attached Form-V against **Environment Clearance order issued vide no. F. No. J-11011/563/2011-IA II(I) dated 8th December, 2020** for “**Conversion of Exploratory well KSAB to development well located at Kasomarigaon , District Golaghat, Assam by M/s Oil & Natural Gas corporation Ltd**” pertaining to activities of Production Activities of Jorhat Asset. This is for your information and necessary action please.

Satendra Mohan, CGM(P)

Surface Manager

ANNEXURE
ENVIRONMENTAL STATEMENT FORM-V

(See rule 14)

Environmental Statement for the financial year ending with 31st March, 2026

PART-A

i	Name and address of the owner/Occupier of the industry operation or process	SHRI AJAY KANSAL, ASSET MANAGER, JORHAT ASSET- M/S OIL & NATURAL GAS CORPORATION LIMITED, JORHAT ASSET, DISTT. JORHAT (ASSAM)
ii	Industry category Primary (STC code) Secondary (STC code)	-
iii	Production category Units	11,439.332 MT OF CRUDE OIL AND 1.331978 MMSCM OF NATURAL GAS
iv	Year of establishment	21.12.2020
	Date of the last environmental statement submitted	13.06.2025

PART-B

Water and Raw Material consumption:

i. Water Consumption:

Water consumption in m3/d	Prod. Operation in m3/d
Process (bath Heater, chemical solution, mud prep. etc.)	5
Cooling (engine, Compressor, hydraulic brakes etc)	15
Domestic (washing, Drinking. Etc)	1450

ii. Raw material Consumption

Name of Raw materials	Name of Products	Consumption of raw material per unit of output.
	Nil	Nil
Any other	Nil	Nil



Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all Industries have to name the raw materials used.

PART-C

Pollution discharged to environment/unit of output

(Parameter as specified in the consent issued)

Pollutants	Quantity of pollutants discharged (mass/day)	Concentration of pollutants discharged (mass/ Volume)	Percentage of variation from prescribed standards with reasons.
(a) Water	Nil	Nil	Nil
(b) Air	Nil	Nil	Nil

PART-D

HAZARDOUS WASTES

(As specified under Hazardous Wastes, Management & handling Rules, 1989)

Hazardous Wastes	Total Quantity (Kg)	
	During the previous financial year (2024-25)	During the current financial year (2025-2026)
1.From Process	NA	NA
2.From pollution control facilities		

PART- E

SOLID WASTE

Solid Wastes	Total Quantity (Kg)	
	During the previous financial year (2024-25)	During the current financial year (2025-2026)
a.From process	Nil	Nil
b.From Pollution control Facility	NA	NA
c.Quantity recycled or reutilized within the unit.	Nil	Nil

PART-F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes	I. I. RECOVERY OF OIL IS CARRIED OUT FROM OILY SLUDGE BY (IF ANY- PROVIDE DETAIL). -NIL II. II. BIOREMEDIATION JOB FOR ENVIRONMENT FRIENDLY TREATMENT OF OILY SLUDGE - NIL III. III. BURNT OIL SENT FOR DISPOSAL/ RECOVERY THROUGH AUTHORIZED VENDERS - 950 ltrs. IV. IV. SOLID WASTE LIKE BARRELS , DRUMS DISPOSAL DETAIL- STORED AT SITE V. V. OLD BATTERIES (PROVIDE DISPOSAL DETAIL)- BUY BACK CONTRACT WITH SUPPLIERS - NIL
--	---

PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.	NA
---	----

PART-H

Additional measures/ investment proposal for environmental protection including abatement of pollution.	I. I. ENVIRONMENTAL MONITORING (AIR , WATER, SOIL AND NOISE) DETAIL: Enclosed II. II. BIOREMEDIATION JOB MT SLUDGE WHICH IS TREATED THROUGH BIOREMEDIATION BY INBIGS. III. III. ACOUSTIC ENCLOSURES - ALL THE GENSETS ARE ACOUSTICALLY ENCLOSED
---	---

PART-I

MISCELLANEOUS

Any other particulars in respect of environmental protection and abatement of pollution.	I. TREE PLANTATION DURING 2025-2026 50 SAMPLING WERE PLANTED NEAR THE WELL SITES.
--	---



Annexure-I

Conversion of Exploratory well KSAB to Development well located at Kasomarigaon, District Golaghat, Assam by M/s Oil and Natural Gas Corporation Ltd - Environmental Clearance

Details of well drilled:

KSAB

Anchor

(As per details provided by SST)



Oil and Natural Gas Corporation

HSE Section, Jorhat Asset Cinnamara complex

Jorhat-785704, Assam, Phone no.-0376-2360033

To,

Chairman Zilla Parisad

Jorhat

Sub: Submission of Copy of Environmental Clearance granted to ONGC, Jorhat

Sir,

Please find enclosed herewith Copy of Environmental Clearance "Conversion of Exploratory well KSAB to Development well located at Kasomarigaon, District Golaghat, Assam granted to M/s Oil and Natural Gas Corporation Limited"

This is for your kind information

Thanking You,

Yours faithfully

Niva Moni Tamuli, GM (P)
Head HSE – Jorhat Asset

o/c
Received by
Aditya
12/12



AASU observes death anniversary of martyr Anil Bora

A CORRESPONDENT

NAGAO, Oct 7: The district unit of All Assam Students' Union (AASU) today observed the 49th death anniversary of martyr of the language movement Anil Bora. The members of the student organization garlanded the statue of the martyr set up in Nehruvihar here and also paid tributes to him.

The State president of the student organization Dipankar Nath granted the occasion as the chief guest and paid homage to the martyr.

Interacting with local mediapersons here, Nath said that the student body will not let the sacrifice of the martyr go in vain. Expressing his concern over the price hike of

essential commodities as well as petroleum products, he said that the BJP-led government completely failed to check the prices of petroleum products and essential commodities.

The president and secretary of district unit Gauri Shankar Saikia, Amarjyoti Phukan respectively, president of Nagaon Zila Sahitya Sabha Paranjori Bora, in-charge secretary of State Employees' Union, Shyamanta Das and Principal of ADP College, Nagaon Dr Surajit Kr Bhagavati participated in the programme.

Significantly, the student union also conducted a State-level debate competition at Nagaon Sangkritik Prkalpa on the occasion.

STATE PM virtually opens 2 oxygen plants at SMCH

STAFF CORRESPONDENT

SILCHAR, Oct 7: Prime Minister Narendra Modi dedicated as many as 35 Pressure Swing Adsorption (PSA) oxygen plants, including two 1,000LPM plants at the Silchar Medical College and Hospital (SMCH), established under the PM Cares Fund across 35 States and Union Territories on Thursday from the AIMS, Rishikesh premises in Uttarakhand.

Meanwhile at the SMCH, Silchar Member of Parliament Dr Rajdeep Roy along with Silchar MLA Dipayan Chakrabarty, Katigorah MLA Khalid Uddin Majumder, Deputy Commissioner Keerti Jalli, Cachar SP Ramandeep Kaur, Dr Babul Kumar Bezbaruah, the Principal of the hospital along with Dr Bhaskar Gupta, vice-principal and Dr Abhijit Swami, the hospital Superintendent and Dr Prasennjit Ghosh, Deputy Superintendent cum Nodal Officer (oxygen) inspected the oxygen plants and learnt about the functional status as well.

Later talking to the media, Dr Rajdeep Roy said, "India faced a shortage of oxygen when Covid-19 was creating havoc. But the Central government led by Prime Minister Narendra Modi along with State governments took the initiative so that people do not face the oxygen crisis again."

The two plants under the PM Cares Fund, which have been inaugurated virtually by the Prime Minister here to

day, were also installed on a war footing after working hard for over past four months. We want to assure the people of Barak Valley that even if the 'third wave of Covid-19' hits us, SMCH, with its growing infrastructure, is ready to combat the challenge."

Dr Babul Kumar Bezbaruah, the Principal of the hospital said, "Inclusion of the two plants at SMCH among those plants under the PM Cares Fund, which were inaugurated by the Prime Minister, is indeed a matter of great pride for all of us. The plants are an asset to the hospital and the people of Barak Valley at large. We thank Prime Minister Narendra Modi and Chief Minister Himanta Biswa Sarma for giving the hospital the much-needed infrastructural face-lift."

Our Correspondent from Sivasagar added: Prime Minister Narendra Modi inaugurated some 35 oxygen generation plants through the virtual mode in a central function held in AIMS, Rishikesh premises today.

Subsequently, the PSA oxygen generation plant in Sivasagar Civil Hospital was also inaugurated virtually in presence of Joint Director Health, Dr Shyamanta Majumdar, and other staff members of Sivasagar Civil Hospital. It will vastly change the Covid-19 treatment facility in the civil hospital as the hospital will be self-reliant in oxygen supply.

Our Correspondent from Kokra-

jhar added: The NTPC Bongaigaon situated at Salakati in Kokrajhar district, under its Corporate Social Responsibility initiative inaugurated the oxygen boosting and bottling plant today, official sources informed.

The oxygen plant was inaugurated after the dedication of various oxygen plants across the nation by Prime Minister Narendra Modi under the PM Cares Fund.

The oxygen plant, set up as a preventive measure and care against Covid-19, was inaugurated at NTPC Bongaigaon Hospital premises by Dr Jahiruddin Ahmed, Joint Director, Health Services, Kokrajhar, BTR, Assam in the presence of Subrata Mandal, ED, NTPC Bongaigaon and corona warriors of the station. The corona warriors include the employees and medical staff of the power station, who have contributed to setting up this plant and ensuring its completion.

NTPC Bongaigaon's oxygen plant has a piping network, which is being provided for 40 beds at the NTPC site hospital.

T Ravinder, GM (O&M), Umesh Singh, GM (FM and Maintenance), DP Patra, GM (Operations), Jayasree Mandal, president, Bandel Siksha Club, Dr Ela Chakrabarty, CMO, NTPC Bongaigaon, department heads, representatives of unions and associations, welfare bodies were also present on the occasion.

GOVERNMENT OF MANIPUR Town Planning Department

No. 6/15/2021-TP Imphal, the 4th October, 2021
REQUEST FOR PROPOSAL (e-tender) - 2nd Agency
The Town Planning Department intends to engage an Agency having experience in conducting Topographic Survey for formulation of Local Area Plan (LAP) and Town Planning Scheme (TPS) in identified sites of Imphal, Manipur. Technical and Financial proposals are invited after (2nd Invitation) to select an agency.

The scope of work, instructions to the agencies, eligibility criteria etc. may be downloaded from the website <https://www.manipurenders.gov.in> and <https://www.tpmnipur.mn.gov.in> on or before 13.00 hrs. of 26.10.2021. Submission of proposal through other mode will not be accepted. Documents received after the above mentioned date and time will not be entertained. EMD in the form of Demand Draft along with other relevant documents shall be delivered to the undersigned by Speed Post/Courier or special messenger on or before 13.00 hrs. of 26.10.2021 in a self-addressed superscribed with "TOPP" under Invitations for Selection of a consultant for conducting "Topographic survey in Imphal". Bidders of the 1st invitation need not submit Tender Fee and EMD again. Town Planning Department will not be responsible for any postal/courier delay or loss/damage of documents in transit.

Sd/- (Y. Narmada Devi)
Mission Director (AMRUT)
Chief Town Planner
Town Planning Department

MANIPUR FINANCE LTD. GOLD AUCTION NOTICE

The pledges, in specific and the public, in general, are hereby notified that public auction of the gold ornaments pledged in the below auctions is proposed to be conducted at the following branches on 23/10/2021 from 10.00 am onwards. We are auctioning gold ornaments pledged customers who have failed to make payment of higher loan amount despite being notified by registered letters. Unauctioned items shall be auctioned on any other days without further notice. Changes in auction date (if any) will be displayed at auction centre and on website without any further notice.

List of pledges:
BONGAIGANG, BONGAIGANG, 1369970000295, 3027, 3094, 3104, 3108, 3294, 1369970000734, 8422, 8492, 8610, 9536, 9560, 9611, CACHAR, SILCHAR, 1372907000034, 3283, 3413, 3558, 3627, 3628, 3629, 3630, 3634, 3640, 3642, 3650, 3652, 3657, 3658, 1372907000038, 8902, 8905, 8907, 1372907000193, 2211, 2771, 2772, 3435, 3525, 3526, 3527, 3528, 3529, 3530, 3531, 3532, 3533, 3534, 3535, 3536, 3537, 3538, 3539, 3540, 3541, 3542, 3543, 3544, 3545, 3546, 3547, 3548, 3549, 3550, 3551, 3552, 3553, 3554, 3555, 3556, 3557, 3558, 3559, 3560, 3561, 3562, 3563, 3564, 3565, 3566, 3567, 3568, 3569, 3570, 3571, 3572, 3573, 3574, 3575, 3576, 3577, 3578, 3579, 3580, 3581, 3582, 3583, 3584, 3585, 3586, 3587, 3588, 3589, 3590, 3591, 3592, 3593, 3594, 3595, 3596, 3597, 3598, 3599, 3600, 3601, 3602, 3603, 3604, 3605, 3606, 3607, 3608, 3609, 3610, 3611, 3612, 3613, 3614, 3615, 3616, 3617, 3618, 3619, 3620, 3621, 3622, 3623, 3624, 3625, 3626, 3627, 3628, 3629, 3630, 3631, 3632, 3633, 3634, 3635, 3636, 3637, 3638, 3639, 3640, 3641, 3642, 3643, 3644, 3645, 3646, 3647, 3648, 3649, 3650, 3651, 3652, 3653, 3654, 3655, 3656, 3657, 3658, 3659, 3660, 3661, 3662, 3663, 3664, 3665, 3666, 3667, 3668, 3669, 3670, 3671, 3672, 3673, 3674, 3675, 3676, 3677, 3678, 3679, 3680, 3681, 3682, 3683, 3684, 3685, 3686, 3687, 3688, 3689, 3690, 3691, 3692, 3693, 3694, 3695, 3696, 3697, 3698, 3699, 3700, 3701, 3702, 3703, 3704, 3705, 3706, 3707, 3708, 3709, 3710, 3711, 3712, 3713, 3714, 3715, 3716, 3717, 3718, 3719, 3720, 3721, 3722, 3723, 3724, 3725, 3726, 3727, 3728, 3729, 3730, 3731, 3732, 3733, 3734, 3735, 3736, 3737, 3738, 3739, 3740, 3741, 3742, 3743, 3744, 3745, 3746, 3747, 3748, 3749, 3750, 3751, 3752, 3753, 3754, 3755, 3756, 3757, 3758, 3759, 3760, 3761, 3762, 3763, 3764, 3765, 3766, 3767, 3768, 3769, 3770, 3771, 3772, 3773, 3774, 3775, 3776, 3777, 3778, 3779, 3780, 3781, 3782, 3783, 3784, 3785, 3786, 3787, 3788, 3789, 3790, 3791, 3792, 3793, 3794, 3795, 3796, 3797, 3798, 3799, 3800, 3801, 3802, 3803, 3804, 3805, 3806, 3807, 3808, 3809, 3810, 3811, 3812, 3813, 3814, 3815, 3816, 3817, 3818, 3819, 3820, 3821, 3822, 3823, 3824, 3825, 3826, 3827, 3828, 3829, 3830, 3831, 3832, 3833, 3834, 3835, 3836, 3837, 3838, 3839, 3840, 3841, 3842, 3843, 3844, 3845, 3846, 3847, 3848, 3849, 3850, 3851, 3852, 3853, 3854, 3855, 3856, 3857, 3858, 3859, 3860, 3861, 3862, 3863, 3864, 3865, 3866, 3867, 3868, 3869, 3870, 3871, 3872, 3873, 3874, 3875, 3876, 3877, 3878, 3879, 3880, 3881, 3882, 3883, 3884, 3885, 3886, 3887, 3888, 3889, 3890, 3891, 3892, 3893, 3894, 3895, 3896, 3897, 3898, 3899, 3900, 3901, 3902, 3903, 3904, 3905, 3906, 3907, 3908, 3909, 3910, 3911, 3912, 3913, 3914, 3915, 3916, 3917, 3918, 3919, 3920, 3921, 3922, 3923, 3924, 3925, 3926, 3927, 3928, 3929, 3930, 3931, 3932, 3933, 3934, 3935, 3936, 3937, 3938, 3939, 3940, 3941, 3942, 3943, 3944, 3945, 3946, 3947, 3948, 3949, 3950, 3951, 3952, 3953, 3954, 3955, 3956, 3957, 3958, 3959, 3960, 3961, 3962, 3963, 3964, 3965, 3966, 3967, 3968, 3969, 3970, 3971, 3972, 3973, 3974, 3975, 3976, 3977, 3978, 3979, 3980, 3981, 3982, 3983, 3984, 3985, 3986, 3987, 3988, 3989, 3990, 3991, 3992, 3993, 3994, 3995, 3996, 3997, 3998, 3999, 4000, 4001, 4002, 4003, 4004, 4005, 4006, 4007, 4008, 4009, 4010, 4011, 4012, 4013, 4014, 4015, 4016, 4017, 4018, 4019, 4020, 4021, 4022, 4023, 4024, 4025, 4026, 4027, 4028, 4029, 4030, 4031, 4032, 4033, 4034, 4035, 4036, 4037, 4038, 4039, 4040, 4041, 4042, 4043, 4044, 4045, 4046, 4047, 4048, 4049, 4050, 4051, 4052, 4053, 4054, 4055, 4056, 4057, 4058, 4059, 4060, 4061, 4062, 4063, 4064, 4065, 4066, 4067, 4068, 4069, 4070, 4071, 4072, 4073, 4074, 4075, 4076, 4077, 4078, 4079, 4080, 4081, 4082, 4083, 4084, 4085, 4086, 4087, 4088, 4089, 4090, 4091, 4092, 4093, 4094, 4095, 4096, 4097, 4098, 4099, 4100, 4101, 4102, 4103, 4104, 4105, 4106, 4107, 4108, 4109, 4110, 4111, 4112, 4113, 4114, 4115, 4116, 4117, 4118, 4119, 4120, 4121, 4122, 4123, 4124, 4125, 4126, 4127, 4128, 4129, 4130, 4131, 4132, 4133, 4134, 4135, 4136, 4137, 4138, 4139, 4140, 4141, 4142, 4143, 4144, 4145, 4146, 4147, 4148, 4149, 4150, 4151, 4152, 4153, 4154, 4155, 4156, 4157, 4158, 4159, 4160, 4161, 4162, 4163, 4164, 4165, 4166, 4167, 4168, 4169, 4170, 4171, 4172, 4173, 4174, 4175, 4176, 4177, 4178, 4179, 4180, 4181, 4182, 4183, 4184, 4185, 4186, 4187, 4188, 4189, 4190, 4191, 4192, 4193, 4194, 4195, 4196, 4197, 4198, 4199, 4200, 4201, 4202, 4203, 4204, 4205, 4206, 4207, 4208, 4209, 4210, 4211, 4212, 4213, 4214, 4215, 4216, 4217, 4218, 4219, 4220, 4221, 4222, 4223, 4224, 4225, 4226, 4227, 4228, 4229, 4230, 4231, 4232, 4233, 4234, 4235, 4236, 4237, 4238, 4239, 4240, 4241, 4242, 4243, 4244, 4245, 4246, 4247, 4248, 4249, 4250, 4251, 4252, 4253, 4254, 4255, 4256, 4257, 4258, 4259, 4260, 4261, 4262, 4263, 4264, 4265, 4266, 4267, 4268, 4269, 4270, 4271, 4272, 4273, 4274, 4275, 4276, 4277, 4278, 4279, 4280, 4281, 4282, 4283, 4284, 4285, 4286, 4287, 4288, 4289, 4290, 4291, 4292, 4293, 4294, 4295, 4296, 4297, 4298, 4299, 4300, 4301, 4302, 4303, 4304, 4305, 4306, 4307, 4308, 4309, 4310, 4311, 4312, 4313, 4314, 4315, 4316, 4317, 4318, 4319, 4320, 4321, 4322, 4323, 4324, 4325, 4326, 4327, 4328, 4329, 4330, 4331, 4332, 4333, 4334, 4335, 4336, 4337, 4338, 4339, 4340, 4341, 4342, 4343, 4344, 4345, 4346, 4347, 4348, 4349, 4350, 4351, 4352, 4353, 4354, 4355, 4356, 4357, 4358, 4359, 4360, 4361, 4362, 4363, 4364, 4365, 4366, 4367, 4368, 4369, 4370, 4371, 4372, 4373, 4374, 4375, 4376, 4377, 4378, 4379, 4380, 4381, 4382, 4383, 4384, 4385, 4386, 4387, 4388, 4389, 4390, 4391, 4392, 4393, 4394, 4395, 4396, 4397, 4398, 4399, 4400, 4401, 4402, 4403, 4404, 4405, 4406, 4407, 4408, 4409, 4410, 4411, 4412, 4413, 4414, 4415, 4416, 4417, 4418, 4419, 4420, 4421, 4422, 4423, 4424, 4425, 4426, 4427, 4428, 4429, 4430, 4431, 4432, 4433, 4434, 4435, 4436, 4437, 4438, 4439, 4440, 4441, 4442, 4443, 4444, 4445, 4446, 4447, 4448, 4449, 4450, 4451, 4452, 4453, 4454, 4455, 4456, 4457, 4458, 4459, 4460, 4461, 4462, 4463, 4464, 4465, 4466, 4467, 4468, 4469, 4470, 4471, 4472, 4473, 4474, 4475, 4476, 4477, 4478, 4479, 4480, 4481, 4482, 4483, 4484, 4485, 4486, 4487, 4488, 4489, 4490, 4491, 4492, 4493, 4494, 4495, 4496, 4497, 4498, 4499, 4500, 4501, 4502, 4503, 4504, 4505, 4506, 4507, 4508, 4509, 4510, 4511, 4512, 4513, 4514, 4515, 4516, 4517, 4518, 4519, 4520, 4521, 4522, 4523, 4524, 4525, 4526, 4527, 4528, 4529, 4530, 4531, 4532, 4533, 4534, 4535, 4536, 4537, 4538, 4539, 4540, 4541, 4542, 4543, 4544, 4545, 4546, 4547, 4548, 4549, 4550, 4551, 4552, 4553, 4554, 4555, 4556, 4557, 4558, 4559, 4560, 4561, 4562, 4563, 4564, 4565, 4566, 4567, 4568, 4569, 4570, 4571, 4572, 4573, 4574, 4575, 4576, 4577, 4578, 4579, 4580, 4581, 4582, 4583, 4584, 4585, 4586, 4587, 4588, 4589, 4590, 4591, 4592, 4593, 4594, 4595, 4596, 4597, 4598, 4599, 4600, 4601, 4602, 4603, 4604, 4605, 4606, 4607, 4608, 4609, 4610, 4611, 4612, 4613, 4614, 4615, 4616, 4617, 4618, 4619, 4620, 4621, 4622, 4623, 4624, 4625, 4626, 4627, 4628, 4629, 4630, 4631, 4632, 4633, 4634, 4635, 4636, 4637, 4638, 4639, 4640, 4641, 4642, 4643, 4644, 4645, 4646, 4647, 4648, 4649, 4650, 4651, 4652, 4653, 4654, 4655, 4656, 4657, 4658, 4659, 4660, 4661, 4662, 4663, 4664, 4665, 4666, 4667, 4668, 4669, 4670, 4671, 4672, 4673, 4674, 4675, 4676, 4677, 4678, 4679, 4680, 4681, 4682, 4683, 4684, 4685, 4686, 4687, 4688, 4689, 4690, 4691, 4692, 4693, 4694, 4695, 4696, 4697, 4698, 4699, 4700, 4701, 4702, 4703, 4704, 4705, 4706, 4707, 4708, 4709, 4710, 4711, 4712, 4713, 4714, 4715, 4716, 4717, 4718, 4719, 4720, 4721, 4722, 4723, 4724, 4725, 4726, 4727, 4728, 4729, 4730, 4731, 4732, 4733, 4734, 4735, 4736, 4737, 4738, 4739, 4740, 4741, 4742, 4743, 4744, 4745, 4746, 4747, 4748, 4749, 4750, 4751, 4752, 4753, 4754, 4755, 4756, 4757, 4758, 4759, 4760, 4761, 4762, 4763, 4764, 4765, 4766, 4767, 4768, 4769, 4770, 4771, 4772, 4773, 4774, 4775, 4776, 4777, 4778, 4779, 4780, 4781, 4782, 4783, 4784, 4785, 4786, 4787, 4788, 4789, 4790, 4791, 4792, 4793, 4794, 4795, 4796, 4797, 4798, 4799, 4800, 4801, 4802, 4803, 4804, 4805, 4806, 4807, 4808, 4809, 4810, 4811, 4812, 4813, 4814, 4815, 4816, 4817, 4818, 4819, 4820, 4821, 4822, 4823, 4824, 4825, 4826, 4827, 4828, 4829, 4830, 4831, 4832, 4833, 4834, 4835, 4836, 4837, 4838, 4839, 4840, 4841, 4842, 4843, 4844, 4845, 4846, 4847, 4848, 4849, 4850, 4851, 4852, 4853, 4854, 4855, 4856, 4857, 4858, 4859, 4860, 4861, 4862, 4863, 4864, 4865, 4866, 4867, 4868, 4869, 4870, 4871, 4872, 4873, 4874, 4875, 4876, 4877, 4878, 4879, 4880, 4881, 4882, 4883, 4884, 4885, 4886, 4887, 4888, 4889, 4890, 4891, 4892, 4893, 4894, 4895, 4896, 4897, 4898, 4899, 4900, 4901, 4902, 4903, 4904, 4905, 4906, 4907, 4908, 4909, 4910, 4911, 4912, 4913, 4914, 4915, 4916, 4917, 4918, 4919, 4920, 4921, 4922, 4923, 4924, 4925, 4926, 4927, 4928, 4929, 4930, 4931, 4932, 4933, 4934, 4935, 4936, 4937, 4938, 4939, 4940, 4941, 4942, 4943, 4944, 4945, 4946, 4947, 4948, 4949, 4950, 4951, 4952, 4953, 4954, 4955, 4956, 4957, 4958, 4959, 4960, 4961, 4962, 4963, 4964, 4965, 4966, 4967, 4968, 4969, 4970, 4971, 4972, 4973, 4974, 4975, 4976, 4977, 4978, 4979, 4980, 4981, 4982, 4983, 4984, 4985, 4986, 4987, 4988, 4989, 4990, 4991, 4992, 4993, 4994, 4995, 4996, 4997, 4998, 4999, 5000, 5001, 5002, 5003, 5004, 5005, 5006, 5007, 5008, 5009, 5010, 5011, 5012, 5013, 5014, 5015, 5016, 5017, 5018, 5019, 5020, 5021, 5022, 5023, 5024, 5025, 5026, 5027, 5028, 5029, 5030, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 50

Guwahati, Friday, October 8, 2021

বুধবাৰে ১০ দিনৰ বাবে আৰক্ষীৰ
জিন্মালৈ প্ৰেৰণ কৰা হৈছিল
নিলম্বিত ডি আই জি
ৰৌণক আলী
হাজৰিকা অসম



হাতি : ষাফ বিপটাৰ, ৭
 ভাব : অসম আৰক্ষী
 দ্বিত উপ-মহাপৰিদৰ্শক
 শক আলী হাজৰিকাক
 দলতে কালি ১০ দিন
 ৰে আৰক্ষী জিম্মালে
 কৰাৰ পাছতেই নিশাই
 বজাৰ থানাত অসুস্থ হৈ
 ৰ। নিলপিত *দহ গিৰিয়ে*

অ' এন জি চিৰ কেমিকেল চুৰি কাণ্ড
আৰক্ষীৰ জালত এজন কৰ্মচাৰীসহ পাঁচজন ব্যক্তি, এখন ট্ৰাক জব্দ
অধিক বৌ-বৰালি জালত পৰাৰ সম্ভাৱনা

[illegible]

শোণিতপুৰ জিলাৰ উপায়ুক্তৰ কাৰ্যালয়ত হি এম ভিজিলেঞ্চৰ দল

ফান্দত পৰিব পাৰে আৰু বহুজন

চৰকাৰী দলঙৰ নিৰ্মাণ সম্পূৰ্ণ হ'বলৈ বহু দিন
 ৰঙানদীৰ ফটাসুঁতি ঘাটত
 ৰাইজে নিৰ্মাণ কৰা দলং মুকলি



A photograph of a wooden bridge with metal railings crossing a river. The bridge is made of wooden planks and has metal railings on both sides. The river is calm, and there are trees and buildings in the background.

বিচারিছে
গ্রেপ্তার
হোৱা চক্ৰ
বিষয়া, মণ্ডলৰ
তথা



ভেজপুৰ : বিশেষ প্ৰতিনিধি, ৭ অক্টোবৰ : শোণিতপুৰ ঠোকাৰাজহ চক্ৰ কাৰ্যালয়ৰ দূৰ্গত পৰাগ মণ্ডল গুলজাৰ হেইলেন পাছত চক্ৰ বিঘা বৰণা বজ্জন বৰাচুকৰ মুখ্যমন্ত্ৰী তদাৰকী আৰু দূৰ্গত নিৰাবৰ শাৰাব এটা দলে গ্ৰেপ্তাৰ কৰাৰ পাছত বৰ্তমানো তেওঁ অৱ্যাহত আছে। মণ্ডল আৰু চক্ৰ বিয়াজজন গ্ৰেপ্তাৰ কৰাৰ পাছত আজি মুখ্যমন্ত্ৰী তদাৰকী আৰু দূৰ্গত নিৰাবৰ শাৰাব এটা দল শোণিতপুৰৰ উপায়ুক্তৰ কাৰ্যালয়ত উপস্থিত হৈছিল।

ব্রহ্মপুত্ৰ বৰ্ডৰ উচ্চ ক্ষমতাসম্পন্ন পৰ্যালোচনা
সমিতিৰ বৈঠকত কেন্দ্ৰীয় মন্ত্ৰী গজেন্দ্ৰ সিং শ্বেখাৰত
আন দেশবোৰে ব্যৱহাৰ কৰা প্ৰযুক্তিৰ
ব্যৱহাৰৰ বিষয়ে সচেতন হ'বলৈ নিৰ্দেশ

উচ্ছেদ সন্দৰ্ভত
বিৰোধী দলপতিৰ
পি আই এল
তিনি সপ্তাহৰ
ভিতৰত
প্ৰতিবেদন
দাখিলৰ নিৰ্দেশ
উচ্চ ন্যায়ালয়ৰ

অসম চৰকাৰ-
অইলৰ
পেট্ৰলিয়াম
উদ্যোতনৰ অনুজ্ঞা-
পত্ৰৰ চুক্তিত স্বাক্ষৰ

উৎকল্ল বকোৰ
চমৰীয়াবাসী
চাৰিখন ৰাজহ
গাঁৱক আদৰ্শ
গাঁও ঘোষণা
চৰকাৰৰ

কানৈ মহাবিদ্যালয়ত অত্যাধুনিক
বিজ্ঞান পৰীক্ষাগাৰ সংযোজন

কভিড-সৃষ্ট পৰিস্থিতিৰ প্ৰভাৱ

চৰম আৰ্থিক
সংকটত বটদ্ৰৱা থান



অনুষ্ঠুপীয়াবৈ
অনুষ্ঠিত
হ'ব শংকবদেব
জুনোৎসব

রাজ্যখনর উপরি দে
বিদেশর বিভিন্ন তীর্থযা
দর্শনার্থী আকর্ষণ
বাইজে ভির কবি ঘ
নিতৌ হবিনামর ধ্বজ
মুখরিত হৈ থকা ইতি
প্রসিদ্ধ বটদ্রবা ধান
২০২০ বর্ষত প্রায় ছহ
আকর্ষণিত বর্ষতো চরক
বলবৎ



ভাৰসা আপোন জনৰ 10 কোটি ভাৰতীয়ৰ
ভাৰসা হিৰোৰ



ঘরানৈ তৈ আহক আপোনাৰ হাৰেক, আহক আপোনাৰ জনৰ আনন্দ নধৰা কৰি তোলাক !

উৎসৱকালীন লাভ **₹12500*** পর্যন্ত

কম প্ৰাৰম্ভিক ভাউন পেমেণ্ট **₹6999***

কম সুদৰ হাৰ **5.55%**-ৰ পৰা আৰম্ভ

এক্সচেঞ্জ/লয়েন্টী বোনাচ | নগদ ধন বেহাই | কার্ড অফার
₹5000* পর্যন্ত | **₹2100*** পর্যন্ত | **₹7500*** পর্যন্ত
 বেহাই

বন্ধকত বাথিবি নালাগে	০ কস্তু EMI	কৃষক EMI	কেশু EMI	 নানাবিধ ক্রমক আর পণ্ডক ₹6300*
-------------------------	----------------	-------------	-------------	--

[illegible]

চাৰিজন প্ৰাৰ্থীৰ মনোনয়ন দাখিল

তামুলপুৰৰ উপ-
নিৰ্বাচনৰ জটিল অংক

গুৱাহাটী : ষ্টাৰ বিপণি, ৭ অক্টোবৰ : উপ-নিৰ্বাচন অনুষ্ঠিত হ'বলগীয়া তামূলুপ সমষ্টিত এতিয়া সকলোৰে দৃষ্টি নিবদ্ধ হৈছে। সমষ্টিটোৰ বাবে আজি চাৰিজন প্ৰাৰ্থীয়ে মনোনয়ন দাখিল কৰাৰ লগে লগে সমষ্টিটোৰ বাৰ্ত্তনৈতিক সমীকৰণত খেলিমেলি লগাব সন্ত্ৰাসন। প্ৰকট হৈ পৰিছে। সমষ্টিটোৰ বাবে আজি

[illegible]

 iPhone 4 

Each Flat

Ready and On going

Flats are available at the Heart of the Joypat Town

BHAWA LAXMI CONSTRUCTION PVT. LTD.
Phukan Ali, Jorhat

Contact: 8089967785, 8708423135, 9435095548



ASSAM POWER DISTRIBUTION COMPANY LIMITED

A Public Company Limited by Guarantee



SUNBURST

This is for general information to our valued consumers that the shutdown of 11 KV (plus) feeders under 3311 KV RRI, Sub-Station, JESD-II is being taken up for the construction works of 33 KV Airmares power line, which is scheduled on the dates and time mentioned below. Power supply will be affected in the below mentioned areas.

SL NO.	DATE	TIME	REMARKS
1	08.10.2021	4:00 AM	AREAS AFFECTED Sahapura, Chhangiga, Pakmarora, Lohopora, Sahaspura, Scolmaro, Botbarhi, Chhangla gaon etc.
2	09.10.2021	4:00 AM	
3	10.10.2021	8:00 AM	
4	18.10.2021		
5	20.10.2021		
6	22.10.2021	10:00 AM	
7	24.10.2021	to	
8	25.10.2021	2:00 PM	
9	28.10.2021		
10	30.10.2021		

Every effort would be made to minimize power interruption to the affected areas. Supply shall be made available at any moment. Shutdown period may be extended in case of bad weather/inclement weather.

Incurrence caused to our valued consumers is highly regretted.

Sd/- ACM, Jorhat Electrical Division, Assam Jyoti

Please pay your energy bill on time and help us to serve you better!