

SIX MONTHLY COMPLIANCE REPORT FOR ENVIRONMENT CLEARANCE

(April 2025 to September 2025)

1	Name of the project	Conversion of Exploratory well KSAB to Development well located at Kasomarigaon, District Golaghat, Assam by M/s Oil and Natural Gas Corporation Ltd - Environmental Clearance
2	Location of project/ address:	<i>District Golaghat (Assam)</i>
3	Letter No. & date of Environment Clearance granted by MOEF	F.No. J-11011/563/2011- IA II (I) dated 8 th December, 2020
4	Present Status of project	Well no KSAB was drilled as an exploratory well which is converted as development well.
5	Date of Commencement of Project	21.12.2020
6	Project Area as Per EC Granted (In Case of Mine Lease)	1.8 Ha
7	Actual Project Area (In Case of Mine Lease)	1.8 Ha
8	Crude Oil Production during 2024-25	11508.69 MT
9	Natural Gas Production during 2024-25	1.507233 MMSCM

SL. No.	Condition Description	Compliance
I.	No drilling shall be conducted in forest areas without obtaining prior permission under the Forest (Conservation) Act, 1980. No pipelines or its part shall be laid in the Forest land without prior permission/approval from the Competent Authority	Drilling of wells is not applicable in this EC. This EC is for conversion of exploratory well to development well
II.	As proposed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged to any surface water body and/or on land. Mobile ETP along with RO plant shall be installed to treat the waste water.	No drilling is involved in this project
III.	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	NA
IV.	Ambient air quality shall be monitored at the nearest human settlements as per the National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 for PM10, PM2.5, SO ₂ , NO _x , CO, CH ₄ , HC, Non-methane HC etc.	Complied as per National Ambient Emissions Standards. AAQ Report is Attached as Annexure – 3.
V.	During exploration, production, storage and handling, the fugitive emission of methane, if any, shall be monitored using appropriate technology.	NA
VI.	The project proponent also to ensure trapping/storing of the CO ₂ generated, if any, during the process and handling	There is no CO ₂ emission due to project activities.
VII.	Approach road shall be made pucca to minimize	ONGC make all the approach roads in pucca

	generation of suspended dust.	form.
VIII.	The company shall make all arrangements for control of noise from the drilling activity. Acoustic enclosure shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well.
IX.	Total fresh water requirement shall not exceed 25 cum/day/well. Prior permission shall be obtained from the concerned regulatory authority. Mobile ETP coupled with RO shall be installed to reuse the treated water in drilling system. Size of the waste shall be equal to the hole volume+ volume of drill cutting and volume of discarded mud if any. Two feet free board may be left to accommodate rain water. There shall be separate storm water channel and rain water shall not be allowed to mix with waste water. Alternatively, if possible pit less drilling be practiced instead of above.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well.
X.	The company shall construct the garland drain all around the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated and treated wastewater shall conform to CPCB standards.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XI.	Drill cuttings separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed according to HWMH Rules, 2016. No effluent/drilling mud/drill cutting shall be discharged/disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste, drill cutting and drilling fluids for onshore drilling operation notified vide GSR.546(E) dated 30th August, 2005.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XII.	Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XIII.	The Company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. Possibility of using ground flare shall be explored. At the place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimize gaseous emissions during operation.	No flaring takes place at this well site
XIV.	The Company shall develop a contingency plan for H ₂ S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H ₂ S detectors in locations of high risk of exposure along with self-containing breathing apparatus.	This is not a H ₂ S prone area.

XV.	The Company shall carry out long term subsidence study by collecting base line data before initiating drilling operation till the project lasts. The data so collected shall be submitted six monthly to the Ministry and Regional Office.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XVI.	Blow Out Preventer system shall be installed to prevent well blowouts during drilling operations. BOP measures during drilling shall focus on maintaining well bore hydrostatic pressure by proper pre-well planning and drilling fluid logging etc.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XVII.	Emergency Response Plan shall be based on the guidelines prepared by OISD, DGMS and Govt. of India.	Emergency Response Plan (ERP) has been prepared based on the guidelines by OMR, OISD and other Govt. of India.
XVIII.	On completion of the project, necessary measures shall be taken for safe plugging of wells with secured enclosures to restore the drilling site to the original condition. The same shall be confirmed by the concerned regulatory authority from environment safety angle. In case of hydrocarbon not found economically viable, a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.	Abandonment and restoration of the well site will be done in accordance to the applicable regulation if the well found economically non-viable.
XIX.	All the commitments made to the public during public hearing/consultation shall be satisfactorily implemented.	There is no public hearing taken place as this this EC is for conversion of exploratory well to development well
XX.	The activities and the action plan proposed by the project proponent to address the public hearing and socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made during public hearing shall be satisfactorily implemented.	There is no public hearing taken place as this this EC is for conversion of exploratory well to development well
XXI.	No lead acid batteries shall be utilized in the project/site.	No lead acid batteries are being utilized at this site of KSAB
XXII.	Occupational health surveillance of the workers shall be carried out as per the prevailing Acts and Rules.	ONGC has policy and system for Occupational health surveillance of employees
XXIII.	Oil content in the drill cuttings shall be monitored by some Authorized agency and report shall be sent to the Ministry's Regional Office.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well
XXIV.	Company shall prepare operating manual in respect of all activities, which would cover all safety & environment related issues and measures to be taken for protection. One set of environmental manual shall be made available at the drilling site/ project site. Awareness shall be created at each level of the management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done.	Copy of Environmental Management Plan has been made available at site along with the environmental monitoring reports and statutory clearances.

XXV.	The Project Proponent shall obtain all other statutory/necessary permissions/ recommendations/ NOCs prior to start of construction/operation of the project, which inter alia include, permission/approvals under the Forest (Conservation) Act, 1980; the Wildlife (Protection) Act, 1972; the Coastal Regulation Zone Notification, 2019, as amended from time to time, and other Office Memoranda/Circular issued by the Ministry of Environment, Forest and Climate Change from time to time, as applicable to the project.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well.
The grant of environmental clearance is further subject to compliance of other general conditions as under:-		
I.	The project proponent shall ensure compliance of 'National Emission Standards', as applicable to the project, issued by the Ministry from time to time. The project proponent shall also abide by the rules/regulations issued by the CPCB/SPCB for control/abatement of pollution.	Being followed.
II.	The project authorities shall adhere to the stipulations made by the State Pollution Control Board/Committee, Central Pollution Control Board, State Government and any other statutory authority.	The stipulation made by the PCBA and State Govt. are being followed.
III.	The project proponent shall prepare a site specific conservation plan and wildlife management plan in case of the presence of Schedule-1 species in the study area, as applicable to the project, and submit to Chief Wildlife Warden for approval. The recommendations shall be implemented in consultation with the State Forest/Wildlife Department in a time bound manner.	Drilling of wells is not applicable in this EC. This EC is for conversion of exploratory well into development well.
IV.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Drilling of wells is not applicable in this EC. This EC is for conversion of exploratory well into development well.
V.	The energy source for lighting purpose shall be preferably LED based, or advance having preference in energy conservation and environment betterment.	LED lights are being used.
VI.	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Ambient air monitoring analysis is being done as per the norms.
VII.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	Being followed.

VIII.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	KSAB is a self-flowing well and no generator is being used at this site.
IX.	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and to utilize the same for process requirements.	There is no roof available at KSAB site for roof top rain water harvesting.
X.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training has been imparted to all employees on safety and health aspects of chemical handling. Routine Periodic Medical Examination (PME) for all employees is done as per Policy.
XI.	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	EMP conditions applicable for the production phase are being complied.
XII.	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration	The company has undertaken all relevant measures for improving the socio economic conditions of the surrounding area and also done the CSR activities by involving local villagers and administration. Plantation and CSR activities in the project area are being done.
XIII.	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The company has undertaken eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
XIV.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Monitoring has been outsourced to private agency.
XV.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be /tinsrted for any other purpose.	There is no drilling involved in this Environmental Clearance. This EC is for conversion of exploratory well into development well.
XVI.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation,	Complied. The copy is attached at Annexure-4 .

	Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	
XVII.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Agreed and noted for compliance
XVIII.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Environmental statement in Form-V reports have been submitted to state pollution control board for the year 2024-2025. Annexure - 5
XIX.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied. Published in two local news paper. 1. Assam Tribune dated 08.10.2021 2. Dainik Janmbhomi, dated 08.10.2021 Annexure -6.
XX.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	There is no financial closure of the project as the well was drilled as exploratory well and converted to development well through this Environment Clearance.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO.: ETS/2850/04/2024 URL NO.TC130092400002850F DATE OF REPORT: 30.04.2024

AMBIENT AIR MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 22.04.2024
Analysis Start Date : 27.04.2024
Analysis End Date : 30.04.2024
Duration Of Monitoring : 22.04.2024 To 23.04.2024
Time Of Monitoring : 10.50 AM To 10.50 AM (CO & O₃ for 1.0 Hrs.)
Sample ID No : 2850
Sampling Done By : ETS STAFF
Sampling Location : NEAR MAIN GATE (KSAB)
Sampling Method : ETS/STP/AIR-01
Sampling Machine Placed At Height : 1.5 METER FROM GROUND LEVEL
Weather Condition : CLEAR Ambient Temperature: 34.0 °C
Wind Direction : E To W
Equipment Used : Respirable Dust Sampler (PM₁₀) + Fine Particulate Sampler (PM_{2.5})

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM ₁₀)	µg/m ³	80.8	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters,(PM _{2.5})	µg/m ³	38.5	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO ₂)	µg/m ³	13.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide,(NO ₂)	µg/m ³	29.0	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Ammonia,(NH ₃)	µg/m ³	<20.0	For 24 Hrs.=400	IS 5182 (Part-25)
6	Ozone,(O ₃)	µg/m ³	18.0	For 1 Hrs.=180	IS: 5182 (Part.-9)
7	Lead,(Pb)	µg/m ³	<0.05	For 24 Hrs.=1	IS 5182 (Part-22)



For ENVIRO-TECH SERVICES
AUTHORIZED SIGNATORY
SHRADDHA GUPTA
Quality Manager

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736963



ISO 45001

TEST REPORT

TEST REPORT NO.: ETS/2850/04/2024

DATE OF REPORT: 30.04.2024

AMBIENT AIR MONITORING AND ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
8	Benzene, (C ₆ H ₆)	µg/m ³	<1.0	For Annual=05	IS 5182 (Part-11)
9	Arsenic, (As)	ng/m ³	<1.0	For Annual=06	CPCB, Vol.-1, Pg.-48
10	Nickel, (Ni)	ng/m ³	<1.0	For Annual=20	IS 5182 (Part-26)
11	Carbon Monoxide, (CO)	mg/m ³	0.63	For 1 Hrs.=4	IS 5182 : Part 10
12	Benzo (a) Pyrene (BaP)	ng/m ³	<0.05	For Annual=01	IS: 5182 (Part-12)
13	Volatile Organic Compound, (VOC)	mg/m ³	<0.01	Not Specified	ETS/STP/WZ-15

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Quality Manager

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amend. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph: 9911516076, 9911736063



TEST REPORT

TEST REPORT NO.: ETS/2851/04/2024

URL NO.TC130092400002851F

DATE OF REPORT: 30.04.2024

STACK EMISSION MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date Of Sampling : 22.04.2024
Analysis Start Date : 27.04.2024
Analysis End Date : 30.04.2024
Duration Of Sampling : 30.0 MIN
Sample ID No. : 2851
Sampling Done By : ETS STAFF
Sampling Method : ETS/STP/STACK-01
Stack Attached To : DG SET (KSAB)
Capacity Of Stack : 15.0 KVA
Quantity Of Fuel Used : 2-4 LPH
Type Of Fuel Used : H.S.D
Stack Height Above Ground : 3.0 MTR.
Stack Dia At The Top : 25.0 MM
Material Of Construction : M.S.
Attached APCS : ACOUSTIC ENCLOSURE
D.G. Set Comm. Date : AFTER 01/04/2014 (> 75 KW TO < 800 KW)
Normal Operating Schedule : AS PER REQUIREMENTS
Ambient Temperature : 34.0°C
Flue Gas Temperature : 112.0°C
Velocity Of Flue Gases : 17.7 MTR./SEC.
Quantity Of Emission Discharged : 31.26 m³/hr

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters, (PM)	g/kw-hr	0.09	0.3	IS-11255 (Part-1)
2	Carbon Monoxide, (CO)	g/kw-hr	0.51	3.5	IS: 13270
3	Sulphur Dioxide, (SO ₂)	mg/Nm ³	19.5	Not Specified	IS-11255 (Part-2)



For ENVIRO-TECH SERVICES
AUTHORIZED SIGNATORY
MD HUMRAJ
Quality Manager

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001



TEST REPORT

TEST REPORT NO.: ETS/2851/04/2024

DATE OF REPORT: 30.04.2024

STACK EMISSION MONITORING AND ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
4	Non Methane Hydrocarbon, (NMHC)	mg/Nm ³	13.5	Not Specified	ETS/STP/STACK-07
5	Oxide of Nitrogen (NOx) + Hydro Carbon (HC)	g/kw-hr	1.40	7.5	IS-11255 (Part-7)

*****End of Test Report*****



For ENVIRO-TECH SERVICES
AUTHORIZED SIGNATORY
Quality Manager

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph : 9911516075, 9811738063



TEST REPORT

TEST REPORT NO.: ETS/2852/04/2024 URL NO.TC130092400002852F DATE OF REPORT: 30.04.2024

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 22.04.2024
Monitoring Start Date : 22.04.2024
Monitoring End Date : 23.04.2024
Duration Of Monitoring : 24 HOURS
Sample ID No : 2852
Monitoring Done By : ETS STAFF
Sampling Location : NEAR BOUNDARY WALL (KSAB)
Sampling Method : ETS/STP/NOISE-01
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	66.5	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	53.7	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02; Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019 Quality Manager

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph : 9911516076, 9811736063



TEST REPORT

TEST REPORT NO.: ETS/2853/04/2024 URL NO.TC130092400002853F DATE OF REPORT: 30.04.2024

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 22.04.2024
Monitoring Start Date : 22.04.2024
Monitoring End Date : 23.04.2024
Duration Of Monitoring : 24 HOURS
Sample ID No : 2853
Monitoring Done By : ETS STAFF
Sampling Location : NEAR DG.SET AREA (KSAB)
Sampling Method : ETS/STP/NOISE-01
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	67.2	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	55.8	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Notes:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph. : 9911516076, 9811736063



TC-13009

TEST REPORT

TEST REPORT NO.: ETS/2854/04/2024 URL NO.TC130092400002854F DATE OF REPORT: 30.04.2024

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 22.04.2024
Monitoring Start Date : 22.04.2024
Monitoring End Date : 23.04.2024
Duration Of Monitoring : 24 HOURS
Sample ID No : 2854
Monitoring Done By : ETS STAFF
Sampling Location : NEAR DISPATCH PUMP HOUSE (KSAB)
Sampling Method : ETS/STP/NOISE-01
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	69.2	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	57.5	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019 Quality Manager

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO.: ETS/2855/04/2024 URL NO.TC130092400002855F DATE OF REPORT: 30.04.2024

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Monitoring : 22.04.2024
Monitoring Start Date : 22.04.2024
Monitoring End Date : 23.04.2024
Duration Of Monitoring : 24 HOURS
Sample ID No : 2855
Monitoring Done By : ETS STAFF
Sampling Location : NEAR OFFICE BUILDING (KSAB)
Sampling Method : ETS/STP/NOISE-01
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	63.7	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	54.3	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Quality Manager

Format No ETS/LAB/TR-02, Issue No: 05, Date 01.04.2019; Amd. No: 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email: etslab2012@gmail.com | Website: www.etslab.in | Ph: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO.: ETS/2856/04/2024

URL NO.TC130092400002856F

DATE OF REPORT: 30.04.2024

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAB)

Date of Sample Received : 22.04.2024
Analysis Start Date : 27.04.2024
Analysis End Date : 30.04.2024
Sample ID No : 2856
Sampling Done By : ETS STAFF
Sampling Description : SURFACE WATER (KSAB)
Sampling Location : NEAR INSTALLATION AREA
Sampling Method : IS 17614 (Part-1)
Sample Quantity : 2.0+0.5 Ltr
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per IS:10500: 2012)		Test Method
				Acceptable	Permissible	
PHYSICAL & CHEMICAL PARAMETERS:						
1	Temperature	°C	26.9	Not Specified	Not Specified	APHA 2550-B
2	pH		7.30	6.5 - 8.5	Not Specified	APHA 4500-H+
3	Total Dissolved Solids.(TDS)	mg/L	218.0	500	2000	APHA 2540-C
4	Fluoride,(F)	mg/L	<0.01	1	1.5	APHA 4500:(F ⁻)-D
5	Alkalinity, to (P)	mg/L	NIL	200	600	APHA 2320-B
6	Alkalinity, to (M)	mg/L	70.0	200	600	APHA 2320-B
7	Total Hardness,(CaCO ₃)	mg/L	84.0	200	600	APHA 2340-C
8	Calcium,(Ca)	mg/L	16.0	75	200	APHA 3500:(Ca)-B
9	Chloride,(Cl)	mg/L	19.0	250	1000	APHA 4500:(Cl ⁻)-B
10	Magnesium,(Mg)	mg/L	10.5	30	100	APHA 3500:(Mg)-B
11	Nitrate,(NO ₃)	mg/L	<0.1	45	Not Specified	APHA 4500:(NO ₃)-B
12	Sulphate,(SO ₄)	mg/L	9.0	200	400	APHA 4500:(SO ₄)-E
13	Conductivity	µs/cm	320.0	Not Specified	Not Specified	APHA 2510-B

CHECKED BY
SHRADDHA GUPTA

For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY
Quality Manager

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Notes:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph. : 9911516076, 9811736063



ISO 45001

TEST REPORT

TEST REPORT NO.: ETS/2856/04/2024

DATE OF REPORT: 30.04.2024

WATER SAMPLE ANALYSIS REPORT

14	Phenolic Compound, (C ₆ H ₅ OH)	mg/L	<0.001	0.001	0.002	APHA 5530-C
15	Phosphate (P)	mg/L	<0.05	Not Specified	Not Specified	APHA 4500-(P)-D
16	Oil & Grease, (O & G)	mg/L	NIL	Not Specified	Not Specified	APHA 5520-D
17	Chemical Oxygen Demand, (COD)	mg/L	NIL	Not Specified	Not Specified	APHA 5220-B

HEAVY METALS:-

18	Total Chromium, (Cr)	mg/L	<0.01	0.05	Not Specified	APHA-3120B
19	Arsenic, (As)	mg/L	<0.01	0.01	Not Specified	APHA 3120B
20	Cadmium, (Cd)	mg/L	<0.001	0.003	Not Specified	APHA 3120B
21	Copper, (Cu)	mg/L	<0.01	0.05	1.5	APHA 3120B
22	Iron, (Fe)	mg/L	<0.05	1.0	Not Specified	APHA-3120B
23	Lead, (Pb)	mg/L	<0.01	0.01	Not Specified	APHA-3120B
24	Mercury, (Hg)	mg/L	<0.001	0.001	Not Specified	US EPA Method 200.7 1994
25	Nickel, (Ni)	mg/L	<0.01	0.02	Not Specified	APHA-3120B
26	Zinc, (Zn)	mg/L	<0.01	5	15	APHA-3120B

*****End of Test Report*****



CHECKED BY
SHRADDHA GUPTA

For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

MD HUMBAJ
Quality Manager

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.

ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO.: ETS/2867/04/2024 ULR NO.TC130092400002867F DATE OF REPORT: 30.04.2024

AMBIENT AIR MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date of Monitoring : 22.04.2024
Analysis Start Date : 27.04.2024
Analysis End Date : 30.04.2024
Duration Of Monitoring : 22.04.2024 To 23.04.2024
Time Of Monitoring : 11.18 AM To 11.18 AM (CO & O₃ for 1.0 Hrs.)
Sample ID No : 2867
Sampling Done By : ETS STAFF
Sampling Location : NEAR MAIN GATE (KSAG)
Sampling Method : ETS/STP/AIR-01
Sampling Machine Placed At Height : 1.5 METER FROM GROUND LEVEL
Weather Condition : CLEAR Ambient Temperature: 34.0 °C
Wind Direction : E To W
Equipment Used : Respirable Dust Sampler (PM₁₀) + Fine Particulate Sampler (PM_{2.5})

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters, (PM ₁₀)	µg/m ³	84.7	For 24 Hrs.=100	IS 5182 (Part-23)
2	Particulate Matters, (PM _{2.5})	µg/m ³	41.9	For 24 Hrs.=60	IS 5182 (Part-24)
3	Sulphur Dioxide, (SO ₂)	µg/m ³	18.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4	Nitrogen Dioxide, (NO ₂)	µg/m ³	34.0	For 24 Hrs.=80	IS: 5182 (Part-6)
5	Ammonia, (NH ₃)	µg/m ³	<20.0	For 24 Hrs.=400	IS 5182 (Part-25)
6	Ozone, (O ₃)	µg/m ³	16.0	For 1 Hrs.=180	IS: 5182 (Part-9)
7	Lead, (Pb)	µg/m ³	<0.05	For 24 Hrs.=1	IS 5182 (Part-22)



Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

For ENVIRO-TECH SERVICES
AUTHORIZED SIGNATORY
Quality Manager

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)



ISO 45001

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063

TEST REPORT

TEST REPORT NO.: ETS/2867/04/2024

DATE OF REPORT: 30.04.2024

AMBIENT AIR MONITORING AND ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
8	Benzene, (C ₆ H ₆)	µg/m ³	<1.0	For Annual=5	IS 5182 (Part-11)
9	Arsenic, (As)	ng/m ³	<1.0	For Annual=06	CPCB, Vol.-1, Pg.-48
10	Nickel, (Ni)	ng/m ³	<1.0	For Annual=20	IS 5182 (Part-26)
11	Carbon Monoxide, (CO)	mg/m ³	0.65	For 1 Hrs.=4	IS 5182 : Part 10
12	Benzo (a) Pyrene (BaP)	ng/m ³	<0.05	For Annual=01	IS: 5182 (Part-12)
13	Volatile Organic Compound, (VOC)	mg/m ³	<0.01	Not Specified	ETS/STP/WZ-15

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Quality Manager

Format No ETS/LAB/TR-01, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph: 9911516076, 9811736063



TC-13009



TEST REPORT

TEST REPORT NO.: ETS/2868/04/2024

ULR NO.TC130092400002868F

DATE OF REPORT: 30.04.2024

STACK EMISSION MONITORING AND ANALYSIS REPORT

Name And Address of Customer

: M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date Of Sampling : 22.04.2024
 Analysis Start Date : 27.04.2024
 Analysis End Date : 30.04.2024
 Duration Of Sampling : 30.0 MIN
 Sample ID No. : 2868
 Sampling Done By : ETS STAFF
 Sampling Method : ETS/STP/STACK-01
 Stack Attached To : DG SET (KSAG)
 Capacity Of Stack : 125.0 KVA
 Quantity Of Fuel Used : 10-12 LPH
 Type Of Fuel Used : H.S.D
 Stack Height Above Ground : 3.0 MTR.
 Stack Dia At The Top : 100.0 MM
 Material Of Construction : M.S.
 Attached APCS : ACOUSTIC ENCLOSURE
 D.G. Set Comm. Date : AFTER 01/04/2014 (> 75 KW TO < 800 KW)
 Normal Operating Schedule : AS PER REQUIREMENTS
 Ambient Temperature : 34.0°C
 Flue Gas Temperature : 140.0°C
 Velocity Of Flue Gases : 13.1 MTR./SEC.
 Quantity Of Emission Discharged : 370.20 m³/hr

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM)	g/kw-hr	0.10	0.2	IS-11255 (Part-1)
2	Carbon Monoxide,(CO)	g/kw-hr	0.51	3.5	IS: 13270
3	Sulphur Dioxide,(SO ₂)	mg/Nm³	29.7	Not Specified	IS-11255 (Part-2)



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY
Quality Manager

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001



TEST REPORT

TEST REPORT NO.: ETS/2868/04/2024

DATE OF REPORT: 30.04.2024

STACK EMISSION MONITORING AND ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
4	Non Methane Hydrocarbon, (NMHC)	mg/Nm ³	26.0	Not Specified	ETS/STP/STACK-07
5	Oxide of Nitrogen (NO _x) + Hydro Carbon (HC)	g/kw-hr	1.28	4	IS-11255 (Part-7)

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY
Quality Manager

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ETS-LAB

ENVIRO-TECH SERVICES

*An Analytical Laboratory***(A GOVERNMENT APPROVED LAB)**

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TC-13009



TEST REPORT

TEST REPORT NO.: ETS/2869/04/2024

ULR NO.TC130092400002869F

DATE OF REPORT: 30.04.2024

STACK EMISSION MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date Of Sampling : 22.04.2024
 Analysis Start Date : 27.04.2024
 Analysis End Date : 30.04.2024
 Duration Of Sampling : 30.0 MIN
 Sample ID No. : 2869
 Sampling Done By : ETS STAFF
 Sampling Method : ETS/STP/STACK-01
 Stack Attached To : DG SET (KSAG)
 Capacity Of Stack : 15.0 KVA
 Quantity Of Fuel Used : 2-4 LPH
 Type Of Fuel Used : H.S.D
 Stack Height Above Ground : 3.0 MTR.
 Stack Dia At The Top : 25.0 MM
 Material Of Construction : M.S.
 Attached APCS : ACOUSTIC ENCLOSURE
 D.G. Set Comm. Date : AFTER 01/04/2014 (> 75 KW TO < 800 KW)
 Normal Operating Schedule : AS PER REQUIRMENTS
 Ambient Temperature : 34.0°C
 Flue Gas Temperature : 148.0°C
 Velocity Of Flue Gases : 17.6 MTR./SEC.
 Quantity Of Emission Discharged : 31.0 m³/hr

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters.(PM)	g/kw-hr	0.09	0.3	IS-11255 (Part-1)
2	Carbon Monoxide.(CO)	g/kw-hr	0.36	3.5	IS: 13270
3	Sulphur Dioxide.(SO ₂)	mg/Nm³	21.7	Not Specified	IS-11255 (Part-2)



For ENVIRO-TECH SERVICES

 AUTHORIZED SIGNATORY
 SHRADDHA GUPTA
 Quality Manager

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001



TEST REPORT

TEST REPORT NO.: ETS/2869/04/2024

DATE OF REPORT: 30.04.2024

STACK EMISSION MONITORING AND ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
4	Non Methane Hydrocarbon, (NMHC)	mg/Nm ³	24.0	Not Specified	ETS/STP/STACK-07
5	Oxide of Nitrogen (NO _x) + Hydro Carbon (HC)	g/kw-hr	1.40	7.5	IS-11255 (Part-7)

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

M.D. HUMRA
Quality Manager

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736083



TC-13009

TEST REPORT

TEST REPORT NO.: ETS/2870/04/2024 ULR NO.TC130092400002870F DATE OF REPORT: 30.04.2024

STACK EMISSION MONITORING AND ANALYSIS REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date Of Sampling : 22.04.2024
Analysis Start Date : 27.04.2024
Analysis End Date : 30.04.2024
Duration Of Sampling : 30.0 MIN
Sample ID No. : 2870
Sampling Done By : ETS STAFF
Sampling Method : ETS/STP/STACK-01
Stack Attached To : FLARE STACK (KSAG)
Capacity Of Stack : --
Quantity Of Fuel Used : --
Type Of Fuel Used : NATURAL GAS
Stack Height Above Ground : 4.0 MTR.
Stack Dia At The Top : 100.0 MM
Material Of Construction : M.S.
Attached APCS : --
Normal Operating Schedule : NORMAL
Ambient Temperature : 34.0°C
Flue Gas Temperature : 140.0°C
Velocity Of Flue Gases : 13.5 MTR./SEC.
Quantity Of Emission Discharged : 381.51 m³/hr

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Particulate Matters,(PM)	mg/Nm ³	58.7	150	IS-11255 (Part-1)
2	Sulphur Dioxide,(SO ₂)	mg/Nm ³	6.9	600	IS-11255 (Part-2)
3	Oxide of Nitrogen,(NOX as NO ₂)	mg/Nm ³	7.5	600	IS-11255 (Part-7)
4	Carbon Monoxide,(CO)	%v/v	0.18	1	IS: 13270: 2008



For ENVIRO-TECH SERVICES
AUTHORIZED SIGNATORY
MD HUMRAJ
Quality Manager

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph. : 9911516076, 9811736063



ISO 45001



TEST REPORT

TEST REPORT NO.: ETS/2870/04/2024

DATE OF REPORT: 30.04.2024

STACK EMISSION MONITORING AND ANALYSIS REPORT

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
5	Hydrocarbon, (HC)	mg/Nm ³	17.0	Not Specified	ETS/STP/STACK-07
6	Non Methane Hydrocarbon, (NMHC)	mg/Nm ³	20.0	Not Specified	ETS/STP/STACK-07

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY
Quality Manager

Format No ETS/LAB/TR-05, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ptn.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO.: ETS/2871/04/2024

ULR NO.TC130092400002871F

DATE OF REPORT: 30.04.2024

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date of Sample Received : 22.04.2024
Analysis Start Date : 27.04.2024
Analysis End Date : 30.04.2024
Sample ID No : 2871
Sampling Done By : ETS STAFF
Sampling Description : GROUND WATER
Sampling Location : FROM BOREWELL WATER (KSAG)
Sampling Method : IS 3025 (Part-1)
Sample Quantity : 2.0+0.5 Ltr
Packing Condition : SEALED
Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per IS:10500: 2012)		Test Method
				Acceptable	Permissible	
PHYSICAL & CHEMICAL PARAMETERS;						
1	Temperature	°C	26.9	Not Specified	Not Specified	APHA 2550-B
2	pH	...	7.44	6.5 - 8.5	Not Specified	APHA 4500-H+
3	Total Dissolved Solids,(TDS)	mg/L	590.0	500	2000	APHA 2540-C
4	Fluoride,(F)	mg/L	0.13	1	1.5	APHA 4500:(F-)-D
5	Alkalinity, to (P)	mg/L	NIL	200	600	APHA 2320-B
6	Alkalinity, to (M)	mg/L	240.0	200	600	APHA 2320-B
7	Total Hardness,(CaCO ₃)	mg/L	196.0	200	600	APHA 2340-C
8	Calcium,(Ca)	mg/L	50.4	75	200	APHA 3500:(Ca)-B
9	Chloride,(Cl)	mg/L	80.0	250	1000	APHA 4500:(Cl-)-B
10	Magnesium,(Mg)	mg/L	16.8	30	100	APHA 3500:(Mg)-B
11	Nitrate,(NO ₃)	mg/L	0.45	45	Not Specified	APHA 4500:(NO ₃ -)-B
12	Sulphate,(SO ₄)	mg/L	28.0	200	400	APHA 4500:(SO ₄)-E
13	Conductivity	µs/cm	867.0	Not Specified	Not Specified	APHA 2510-B



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-09, Issue No: 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019 Quality Manager

Notes:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



ISO 45001



TEST REPORT

TEST REPORT NO.: ETS/2871/04/2024

DATE OF REPORT: 30.04.2024

WATER SAMPLE ANALYSIS REPORT

14	Phenolic Compound, (C ₆ H ₅ OH)	mg/L	<0.001	0.001	0.002	APHA 5530-C
15	Phosphate (P)	mg/L	<0.01	Not Specified	Not Specified	APHA 4500-(P)-D
16	Oil & Grease, (O & G)	mg/L	<1.0	Not Specified	Not Specified	APHA 5520-D
17	Chemical Oxygen Demand, (COD)	mg/L	<5.0	Not Specified	Not Specified	APHA 5220-B

HEAVY METALS:-

18	Total Chromium, (Cr)	mg/L	<0.01	0.05	Not Specified	APHA-3120B
19	Arsenic, (As)	mg/L	<0.01	0.01	Not Specified	APHA 3120B
20	Cadmium, (Cd)	mg/L	<0.001	0.003	Not Specified	APHA 3120B
21	Copper, (Cu)	mg/L	<0.01	0.05	1.5	APHA 3120B
22	Iron, (Fe)	mg/L	0.67	1.0	Not Specified	APHA-3120B
23	Lead, (Pb)	mg/L	<0.01	0.01	Not Specified	APHA-3120B
24	Mercury, (Hg)	mg/L	<0.001	0.001	Not Specified	US EPA Method 200.7 1994
25	Nickel, (Ni)	mg/L	<0.01	0.02	Not Specified	APHA-3120B
26	Zinc, (Zn)	mg/L	<0.01	5	15	APHA-3120B

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019, Quality Manager

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ETS-LAB

ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TC-13009



TEST REPORT

TEST REPORT NO.: ETS/2872/04/2024

ULR NO.TC130092400002872F

DATE OF REPORT: 30.04.2024

WATER SAMPLE ANALYSIS REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date of Sample Received : 22.04.2024
 Analysis Start Date : 27.04.2024
 Analysis End Date : 30.04.2024
 Sample ID No : 2872
 Sampling Done By : ETS STAFF
 Sampling Description : SURFACE WATER (KSAG))
 Sampling Location : NEAR INSTALLATION AREA
 Sampling Method : IS 3025 (Part-1)
 Sample Quantity : 2.0+0.5 Ltr
 Packing Condition : SEALED
 Packed In : P.V.C. AND GLASS BOTTLE

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per IS:10500: 2012)		Test Method
				Acceptable	Permissible	
PHYSICAL & CHEMICAL PARAMETERS;						
1	Temperature	°C	26.9	Not Specified	Not Specified	APHA 2550-B
2	pH	...	7.51	6.5 - 8.5	Not Specified	APHA 4500-H+
3	Total Dissolved Solids,(TDS)	mg/L	230.0	500	2000	APHA 2540-C
4	Fluoride,(F)	mg/L	<0.01	1	1.5	APHA 4500:(F-)-D
5	Alkalinity, to (P)	mg/L	NIL	200	600	APHA 2320-B
6	Alkalinity, to (M)	mg/L	64.5	200	600	APHA 2320-B
7	Total Hardness,(CaCO ₃)	mg/L	90.0	200	600	APHA 2340-C
8	Calcium,(Ca)	mg/L	15.0	75	200	APHA 3500:(Ca)-B
9	Chloride,(Cl)	mg/L	28.0	250	1000	APHA 4500:(Cl-)-B
10	Magnesium,(Mg)	mg/L	12.6	30	100	APHA 3500:(Mg)-B
11	Nitrate,(NO ₃)	mg/L	<0.1	45	Not Specified	APHA 4500:(NO ₃ -)-B
12	Sulphate,(SO ₄)	mg/L	8.0	200	400	APHA 4500:(SO ₄)-E
13	Conductivity	µs/cm	338.0	Not Specified	Not Specified	APHA 2510-B



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019 Quality Manager

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)



ISO 45001

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TEST REPORT

TEST REPORT NO.: ETS/2872/04/2024

DATE OF REPORT: 30.04.2024

WATER SAMPLE ANALYSIS REPORT

14	Phenolic Compound, (C ₆ H ₅ OH)	mg/L	<0.001	0.001	0.002	APHA 5530-C
15	Phosphate (P)	mg/L	<0.01	Not Specified	Not Specified	APHA 4500 (P)-D
16	Oil & Grease, (O & G)	mg/L	NIL	Not Specified	Not Specified	APHA 5520-D
17	Chemical Oxygen Demand, (COD)	mg/L	NIL	Not Specified	Not Specified	APHA 5220-B

HEAVY METALS:-

18	Total Chromium, (Cr)	mg/L	<0.01	0.05	Not Specified	APHA-3120B
19	Arsenic, (As)	mg/L	<0.01	0.01	Not Specified	APHA 3120B
20	Cadmium, (Cd)	mg/L	<0.001	0.003	Not Specified	APHA 3120B
21	Copper, (Cu)	mg/L	<0.01	0.05	1.5	APHA 3120B
22	Iron, (Fe)	mg/L	<0.05	1.0	Not Specified	APHA-3120B
23	Lead, (Pb)	mg/L	<0.01	0.01	Not Specified	APHA-3120B
24	Mercury, (Hg)	mg/L	<0.001	0.001	Not Specified	US EPA Method 200.7 1994
25	Nickel, (Ni)	mg/L	<0.01	0.02	Not Specified	APHA-3120B
26	Zinc, (Zn)	mg/L	<0.01	5	15	APHA-3120B

*****End of Test Report*****



For ENVIRO-TECH SERVICES
AUTHORIZED SIGNATORY
MD HUMRAJ
Quality Manager

Format No ETS/LAB/TR-09, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.



ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph: 9911516076, 9811736063



TC-13009

TEST REPORT

TEST REPORT NO.: ETS/2873/04/2024 ULR NO.TC130092400002873F DATE OF REPORT: 30.04.2024

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date of Monitoring : 22.04.2024
Monitoring Start Date : 22.04.2024
Monitoring End Date : 23.04.2024
Duration Of Monitoring : 24 HOURS
Sample ID No : 2873
Monitoring Done By : ETS STAFF
Sampling Location : NEAR DG.SET AREA (KSAG)
Sampling Method : ETS/STP/NOISE-01
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	64.2	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	57.3	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY
Quality Manager

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

Email: etslab2012@gmail.com | Website: www.etslab.in | Ph: 9911516076, 9811736063



TC-13009



TEST REPORT

TEST REPORT NO.: ETS/2874/04/2024 ULR NO. TC130092400002874F DATE OF REPORT: 30.04.2024

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date of Monitoring : 22.04.2024
Monitoring Start Date : 22.04.2024
Monitoring End Date : 23.04.2024
Duration Of Monitoring : 24 HOURS
Sample ID No : 2874
Monitoring Done By : ETS STAFF
Sampling Location : NEAR DISPATCH PUMP HOUSE (KSAG)
Sampling Method : ETS/STP/NOISE-01
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	66.9	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	52.5	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



CHECKED BY
SHRADDHA GUPTA

For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019 / Quality Manager

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph.: 9911516076, 9811736063



TC-13009

TEST REPORT

TEST REPORT NO.: ETS/2875/04/2024 ULR NO.TC130092400002875F DATE OF REPORT: 30.04.2024

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s. OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date of Monitoring : 22.04.2024
Monitoring Start Date : 22.04.2024
Monitoring End Date : 23.04.2024
Duration Of Monitoring : 24 HOURS
Sample ID No : 2875
Monitoring Done By : ETS STAFF
Sampling Location : NEAR OFFICE BUILDING (KSAG)
Sampling Method : ETS/STP/NOISE-01
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	69.4	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	57.6	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY

MD NUMRAJ
Quality Manager

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





ENVIRO-TECH SERVICES

An Analytical Laboratory

(A GOVERNMENT APPROVED LAB)

Plot No. 1/32, S.S. of G.T. Road Industrial Area, Ghaziabad (U.P.) - 201001

email : etslab2012@gmail.com | Website : www.etslab.in | Ph : 9911516076, 9811736063



TEST REPORT

TEST REPORT NO.: ETS/2876/04/2024 ULR NO.TC130092400002876F DATE OF REPORT: 30.04.2024

AMBIENT NOISE MONITORING REPORT

Name And Address of Customer : M/s, OIL AND NATURAL GAS CORPORATION LTD.
SATELLITE FIELD, JORHAT (KSAG)

Date of Monitoring : 22.04.2024
Monitoring Start Date : 22.04.2024
Monitoring End Date : 23.04.2024
Duration Of Monitoring : 24 HOURS
Sample ID No : 2876
Monitoring Done By : ETS STAFF
Sampling Location : NEAR BOUNDARY WALL (KSAG)
Sampling Method : ETS/STP/NOISE-01
Category Of Area : INDUSTRIAL AREA

S. No.	Test Parameter	Unit	Result	Specification/Limit (As per CPCB)	Test Method
1	Day Time Noise Level	Leq :dB (A)	66.2	75	IS: 9989
2	Night Time Noise Level	Leq :dB (A)	60.7	70	IS: 9989

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

*****End of Test Report*****



For ENVIRO-TECH SERVICES

AUTHORIZED SIGNATORY
Quality Manager

Format No ETS/LAB/TR-02, Issue No. 05, Date 01.04.2019, Amd. No. 04 Date 01.04.2019

Note:-

1. Test reports without ETS LAB HOLOGRAM are not issued by our laboratory.
2. The results indicated only refer to the tested samples and listed applicable parameters.
3. No complaint will be entertained if received after 7 days of issue of test report.
4. Our liability is limited to invoice value only.
5. The sample shall be destroyed after 15 days & Biological / Perishable sample shall be destroyed immediately after issue of test report.
6. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.





Oil and Natural Gas Corporation

HSE Section, Jorhat Asset Cinnamara complex

Jorhat-785704, Assam, Phone no.-0376-2360033

To,

Chairman Zilla Parisad

Jorhat

Sub: Submission of Copy of Environmental Clearance granted to ONGC, Jorhat

Sir,

Please find enclosed herewith Copy of Environmental Clearance "Conversion of Exploratory well KSAB to Development well located at Kasomarigaon, District Golaghat, Assam granted to M/s Oil and Natural Gas Corporation Limited"

This is for your kind information

Thanking You,

Yours faithfully

Niva Moni Tamuli, GM (P)
Head HSE – Jorhat Asset

o/c
Received by
Aditya
12/12





ऑयल एण्ड नेचुरल गैस कॉर्पोरेशन लिमिटेड

कार्यालय भूतल प्रबंधक, नामवर, जोरहाट परिसंपत्ति, जोरहाट - 785704

असम

Oil and Natural Gas Corporation Limited

Office of Surface Manager, Nambar-III, Jorhat Asset,

Jorhat - 785704, Assam, Mobile: 9427504236

Tel: 0376-2707314, e-mail : s_subash@ongc.co.in

No. JRT / Jorhat Asset / ST/ ENV Statement/ 2024-25

Dated : 13.06.2025

From : Surface Area Manager , Jorhat Asset

To: Head HSE, Jorhat Asset

Please find enclosed herewith environmental statement for April 2024- March 2025 attached Form-V against **Environment Clearance order issued vide no. F. No. J-11011/563/2011-IA II(I) dated 8th December, 2020 for "Conversion of Exploratory well KSAB to development well located at Kasomarigaon , District Golaghat, Assam by M/s Oil & Natural Gas corporation Ltd"** pertaining to activities of Production Activities of Jorhat Asset. This is for your information and necessary action please.


13/6/2025

Surface Area Manager

Isolated Production Oil Mine, Jorhat

BORAH ANANTA
GM (P), SAM Area 2
ONGC, Jorhat Asset

FORM - V

(SEE RULE 14)

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING THE 31ST MARCH 2025

(PERIOD 1ST APRIL 2024 TO 31ST MARCH 2025)

PART-A

(I) NAME AND ADDRESS OF THE OWNER/OCCUPIER OF THE INDUSTRY OPERATION OR PROCESS- SHRI AJAY KANSAL, ASSET MANAGER, JORHAT ASSET- M/S OIL & NATURAL GAS CORPORATION LIMITED, JORHAT ASSET, DISTT. JORHAT (ASSAM)

(II) INDUSTRY CATEGORY PRIMARY – (STC CODE) SECONDARY- STC CODE)

(III) PRODUCTION CAPACITY- 11536.49 MT OF CRUDE OIL AND 1.308511 MMSCM OF NATURAL GAS.

(IV) YEAR OF ESTABLISHMENT: 21.12.2020

(V) DATE OF THE LAST ENVIRONMENTAL STATEMENT SUBMITTED: 05.07.2024

PART-B

WATER AND RAW MATERIAL CONSUMPTION

(I) WATER CONSUMPTION (M³)

PROCESS & COOLING: NIL M³

DOMESTIC: NIL M³

INJECTION: NIL M³

NAME OF PRODUCTS
PRODUCT

PROCESS WATER CONSUMPTION PER UNIT OF

OUTPUT

DURING THE PREVIOUS
YEAR ENDING 31ST MARCH

DURING THE CURRENT
YEAR ENDING 31ST

MARCH

(1)

(2)

(3)

CRUDE OIL+ OIL EQUIVALENT OF
NATURAL GAS

----- MT

----- MT

(II) RAW MATERIAL CONSUMPTION

*NAME OF RAW MATERIAL PER UNIT	NAME OF PRODUCTS	CONSUMPTION OF RAW	
MATERIALS CURRENT MARCH		DURING THE PREVIOUS YEAR ENDING 31 ST MARCH	DURING THE YEAR ENDING 31 ST
NIL	CRUDE OIL & NATURAL GAS	NA	NA

INDUSTRIAL MAY USE CODES IF DISCLOSING DETAILS OF RAW MATERIAL WOULD VIOLATE CONTRACTUAL OBLIGATIONS, OTHER ALL INDUSTRIALS HAVE TO NAME THE RAW MATERIAL USED.

PART - C

POLLUTION DISCHARGED TO ENVIRONMENT/UNIT OF OUTPUT
(PARAMETER AS SPECIFIED IF THE CONSENT ISSUED)

POLLUTION PERCENTAGE OF	QUANTITY OF POLLUTANTS CONCENTRATION OF POLLUTIONS		PRESCRIBED STANDARDS WITH REASONS
	DISCHARGED (MASS/DAY) VARIATION FORM	IN DISCHARGED (MASS/VOLUME)	

(A) WATER: IN CASE OF DRILLING ACTIVITIES, APPROX ——— M³ OF DRILL MUD, DRILL CUTTINGS AND EFFLUENT WATER – PER METER OF DRILL LENGTH IS PROCEED. EFFLUENT WATER IS TREATED USING MOBILE ETP, RECYCLED AND REUSED IN DRILLING OPERATIONS. IN PRODUCTION ACTIVITIES, EFFLUENT GENERATED IS USED FOR INTERNAL CONSUMPTION.

(B) AIR: AMBIENT AIR QUALITY MONITORING OF VARIOUS INSTALLATIONS/RIGS (**PROVIDE DETAIL**)

(C) NOISE: NOISE LEVEL MONITORING AT PRODUCTION INSTALLATIONS DONE BY POLLUTION CONTROL BOARD AUTHORIZED AGENCIES (SAMPLE REPORT ENCLOSED AT ANNEX-III)

PART-D
HAZARDOUS WASTES

(AS SPECIFIED UNDER HAZARDOUS WASTES (MANAGEMENT AND HANDLING) RULES, 1989)

HAZARDOUS WASTES	TOTAL QUANTITY (KG)	
	DURING THE PREVIOUS YEAR ENDING 31 ST MARCH	DURING THE CURRENT YEAR ENDING 31 ST
MARCH		
(A) FORM PROCESS	----- MT	----- MT
(B) FORM POLLUTION CONTROL FACILITIES	-----MT	----- MT

PART – E
SOLID WASTES

	TOTAL QUANTITY	
	DURING THE PREVIOUS YEAR ENDING 31 ST MARCH	DURING THE CURRENT YEAR ENDING 31 ST
MARCH		
(A) FORM PROCESS	-----	-----
(B) FORM POLLUTION CONTROL FACILITIES	-----	-----
(C)		
(1) QUANTITRY RECYCLEED OR RE-UTILIZED WITHIN THE UNIT		
(2) SOLID- NIL		NIL
(3) DISPOSED- KG, -BARRELS -GALLONS MT, BARRELS,		
FILTERS		

PART F

PLEASE SPECIFY THE CHARACTERIZATION (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS

AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES.

- I. RECOVERY OF OIL IS CARRIED OUT FROM OILY SLUDGE BY(IF ANY- **PROVIDE DETAIL**). -NIL
- II. BIOREMEDIATION JOB FOR ENVIRONMENT FRIENDLY TREATMENT OF OILY SLUDGE - NIL
- III. BURNT OIL SENT FOR DISPOSAL/ RECOVERY THROUGH AUTHORIZED VENDERS – NIL.
- IV. SOLID WASTE LIKE BARRELS , DRUMS **DISPOSAL DETAIL**- STORED AT SITE
- V. OLD BATTERIES (**PROVIDE DISPOSAL DETAIL**)- **BUY BACK CONTRACT WITH SUPPLIERS**

PART -G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION: N/A

PART H

ADDITIONAL MEASURES/ INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION.

- I. ENVIRONMENTAL MONITORING (AIR , WATER, SOIL AND NOISE) DETAIL: Enclosed
- II. BIOREMEDIATION JOB (PROVIDED DETAILS). -----MT SLUDGE WHICH IS TREATED THROUGH BIOREMEDIATION BY OTBL.
- III. ACOUSTIC ENCLOSURES – ALL THE GENSETS ARE ACOUSTICALLY ENCLOSED

PART I

ANY OTHER PARTICULARS FOR IMPROVING THE QUALITY OF THE ENVIRONMENT.

- I. TREE PLANTATION DURING 2024-2025
50 SAPLING WERE PLANTED NEAR THE WELL SITES.

AASU observes death anniversary of martyr Anil Bora

A CORRESPONDENT

NAGAO, Oct 7: The district unit of All Assam Students' Union (AASU) today observed the 49th death anniversary of martyr of the language movement Anil Bora. The members of the student organization garlanded the statue of the martyr set up in Nehruhall here and also paid tributes to him.

The State president of the student organization Dipankar Nath granted the occasion as the chief guest and paid homage to the martyr. Interacting with local mediapersons here, Nath said that the student body will not let the sacrifice of the martyr go in vain. Expressing his concern over the price hike of

essential commodities as well as petroleum products, he said that the BJP-led government completely failed to check the prices of petroleum products and essential commodities.

The president and secretary of district unit Gauri Shankar Saikia, Amarjyoti Phukan respectively, president of Nagaon Zila Sahitya Sabha Paron K Boruah, in-charge secretary of State Employees' Union, Shyamanta Das and Principal of ADP College, Nagaon Dr Surajit K Bhagavati participated in the programme.

Significantly, the student union also conducted a State-level debate competition at Nagaon Sangskritik Prkalpa on the occasion.

STATE CORRESPONDENT

SILCHAR, Oct 7: Prime Minister Narendra Modi dedicated as many as 35 Pressure Swing Adsorption (PSA) oxygen plants, including two 1,000 LPM plants at the Silchar Medical College and Hospital (SMCH), established under the PM Cares Fund across 35 States and Union Territories on Thursday from the AIMS, Rishikesh premises in Uttarakhand.

Meanwhile at the SMCH, Silchar Member of Parliament Dr Rajdeep Roy along with Silchar MLA Dipayan Chakrabarty, Katigorah MLA Khalid Uddin Majumder, Deputy Commissioner Keerti Jalli, Cachar SP Ramandeep Kaur, Dr Babul Kumar Bezbaruah, the Principal of the hospital along with Dr Bhaskar Gupta, vice-principal and Dr Abhijit Swami, the hospital Superintendent and Dr Prasennjit Ghosh, Deputy Superintendent cum Nodal Officer (oxygen) inspected the oxygen plants and learnt about the functional status as well.

Later talking to the media, Dr Rajdeep Roy said, "India faced a shortage of oxygen when Covid-19 was creating havoc. But the Central government led by Prime Minister Narendra Modi along with State governments took the initiative so that people do not face the oxygen crisis again."

The two plants under the PM Cares Fund, which have been inaugurated virtually by the Prime Minister here to

day, were also installed on a war footing after working hard for over past four months. We want to assure the people of Barak Valley that even if the 'third wave of Covid-19' hits us, SMCH, with its growing infrastructure, is ready to combat the challenge."

Dr Babul Kumar Bezbaruah, the Principal of the hospital said, "Inclusion of the two plants at SMCH among those plants under the PM Cares Fund, which were inaugurated by the Prime Minister, is indeed a matter of great pride for all of us. The plants are an asset to the hospital and the people of Barak Valley at large. We thank Prime Minister Narendra Modi and Chief Minister Himanta Biswa Sarma for giving the hospital the much-needed infrastructural face-lift."

Our Correspondent from Sivasaagar added: Prime Minister Narendra Modi inaugurated some 35 oxygen generation plants through the virtual mode in a central function held in AIMS, Rishikesh premises today.

Subsequently, the PSA oxygen generation plant in Sivasaagar Civil Hospital was also inaugurated virtually in presence of Joint Director Health, Dr Shyamanta Majumdar, and other staff members of Sivasaagar Civil Hospital. It will vastly change the Covid-19 treatment facility in the civil hospital as the hospital will be self-reliant in oxygen supply.

Our Correspondent from Kokra-

jhar added: The NTPC Bongaigaon situated at Salakati in Kokrajhar district, under its Corporate Social Responsibility initiative inaugurated the oxygen boosting and bottling plant today, official sources informed.

The oxygen plant was inaugurated after the dedication of various oxygen plants across the nation by Prime Minister Narendra Modi under the PM Cares Fund.

The oxygen plant, set up as a preventive measure and care against Covid-19, was inaugurated at NTPC Bongaigaon Hospital premises by Dr Jahiruddin Ahmed, Joint Director, Health Services, Kokrajhar, BTR, Assam in the presence of Subrata Mandal, ED, NTPC Bongaigaon and corona warriors of the station. The corona warriors include the employees and medical staff of the power station, who have contributed to setting up this plant and ensuring its completion.

NTPC Bongaigaon's oxygen plant has a piping network, which is being provided for 40 beds at the NTPC site hospital.

T Ravinder, GM (O&M), Umesh Singh, GM (FM and Maintenance), DP Patra, GM (Operations), Jayasree Mandal, president, Bandel Siksha Club, Dr Ela Chakrabarty, CMO, NTPC Bongaigaon, department heads, representatives of unions and associations, welfare bodies were also present on the occasion.

GOVERNMENT OF MANIPUR Town Planning Department

No. 6/15/2021-TP Imphal, the 4th October, 2021

REQUEST FOR PROPOSAL (e-tender) - 2nd Agency Inviting
The Town Planning Department intends to engage an Agency having experience in conducting Topographic Survey for formulation of Local Area Plan (LAP) and Town Planning Scheme (TPS) in identified sites of Imphal, Manipur. Technical and Financial proposals are invited after (2nd Invitation) to select an agency.

The scope of work, instructions to the agencies, eligibility criteria etc. may be downloaded from the website <https://www.manipurenders.gov.in> and <https://www.tpmnupur.mn.gov.in> on or before 13.00 hrs. of 26.10.2021. Submission of proposal through other mode will not be accepted. Documents received after the above mentioned date and time will not be entertained. EMD in the form of Demand Draft along with other relevant documents shall be delivered to the undersigned by Speed Post/Courier or special messenger on or before 13.00 hrs. of 26.10.2021 in a self-addressed superscribed with "TOPP" under Invitations for Selection of a consultant for conducting Topographic survey in Imphal". Bidders of the 1st invitation need not submit Tender Fee and EMD again. Town Planning Department will not be responsible for any postal/courier delay or loss/damage of documents in transit.

Sd/- (Y. Narmada Devi)
Mission Director (AMRUT)
Chief Town Planner
Town Planning Department

MANIPUR FINANCE LTD. GOLD AUCTION NOTICE

The pledges, in specific and the public, in general, are hereby notified that public auction of the gold ornaments pledged in the below auctions is proposed to be conducted at the following branches on 23/10/2021 from 10.00 am onwards. We are auctioning gold ornaments pledged customers who have failed to make payment of higher loan amount despite being notified by registered letters. Unauctioned items shall be auctioned on any other days without further notice. Changes in auction date (if any) will be displayed at auction centre and on website without any further notice.

List of pledges:
BONGAIGAON, BONGAIGAON, 1369970000295, 3027, 3094, 3104, 3108, 3294, 1369970000734, 8422, 8492, 8610, 9536, 9560, 9611, CACHAR, SILCHAR, 1372970000134, 3283, 3413, 3558, 3627, 3628, 3627, 3628, 3630, 3634, 3642, 3650, 3652, 3657, 3658, 1372970000139, 8902, 8905, 8907, 1372970000193, 2211, 2771, 2772, 3435, 3525, 3526, 3527, 3528, 3529, 3530, 3531, 3532, 3533, 3534, 3535, 3536, 3537, 3538, 3539, 3540, 3541, 3542, 3543, 3544, 3545, 3546, 3547, 3548, 3549, 3550, 3551, 3552, 3553, 3554, 3555, 3556, 3557, 3558, 3559, 3560, 3561, 3562, 3563, 3564, 3565, 3566, 3567, 3568, 3569, 3570, 3571, 3572, 3573, 3574, 3575, 3576, 3577, 3578, 3579, 3580, 3581, 3582, 3583, 3584, 3585, 3586, 3587, 3588, 3589, 3590, 3591, 3592, 3593, 3594, 3595, 3596, 3597, 3598, 3599, 3600, 3601, 3602, 3603, 3604, 3605, 3606, 3607, 3608, 3609, 3610, 3611, 3612, 3613, 3614, 3615, 3616, 3617, 3618, 3619, 3620, 3621, 3622, 3623, 3624, 3625, 3626, 3627, 3628, 3629, 3630, 3631, 3632, 3633, 3634, 3635, 3636, 3637, 3638, 3639, 3640, 3641, 3642, 3643, 3644, 3645, 3646, 3647, 3648, 3649, 3650, 3651, 3652, 3653, 3654, 3655, 3656, 3657, 3658, 3659, 3660, 3661, 3662, 3663, 3664, 3665, 3666, 3667, 3668, 3669, 3670, 3671, 3672, 3673, 3674, 3675, 3676, 3677, 3678, 3679, 3680, 3681, 3682, 3683, 3684, 3685, 3686, 3687, 3688, 3689, 3690, 3691, 3692, 3693, 3694, 3695, 3696, 3697, 3698, 3699, 3700, 3701, 3702, 3703, 3704, 3705, 3706, 3707, 3708, 3709, 3710, 3711, 3712, 3713, 3714, 3715, 3716, 3717, 3718, 3719, 3720, 3721, 3722, 3723, 3724, 3725, 3726, 3727, 3728, 3729, 3730, 3731, 3732, 3733, 3734, 3735, 3736, 3737, 3738, 3739, 3740, 3741, 3742, 3743, 3744, 3745, 3746, 3747, 3748, 3749, 3750, 3751, 3752, 3753, 3754, 3755, 3756, 3757, 3758, 3759, 3760, 3761, 3762, 3763, 3764, 3765, 3766, 3767, 3768, 3769, 3770, 3771, 3772, 3773, 3774, 3775, 3776, 3777, 3778, 3779, 3780, 3781, 3782, 3783, 3784, 3785, 3786, 3787, 3788, 3789, 3790, 3791, 3792, 3793, 3794, 3795, 3796, 3797, 3798, 3799, 3800, 3801, 3802, 3803, 3804, 3805, 3806, 3807, 3808, 3809, 3810, 3811, 3812, 3813, 3814, 3815, 3816, 3817, 3818, 3819, 3820, 3821, 3822, 3823, 3824, 3825, 3826, 3827, 3828, 3829, 3830, 3831, 3832, 3833, 3834, 3835, 3836, 3837, 3838, 3839, 3840, 3841, 3842, 3843, 3844, 3845, 3846, 3847, 3848, 3849, 3850, 3851, 3852, 3853, 3854, 3855, 3856, 3857, 3858, 3859, 3860, 3861, 3862, 3863, 3864, 3865, 3866, 3867, 3868, 3869, 3870, 3871, 3872, 3873, 3874, 3875, 3876, 3877, 3878, 3879, 3880, 3881, 3882, 3883, 3884, 3885, 3886, 3887, 3888, 3889, 3890, 3891, 3892, 3893, 3894, 3895, 3896, 3897, 3898, 3899, 3900, 3901, 3902, 3903, 3904, 3905, 3906, 3907, 3908, 3909, 3910, 3911, 3912, 3913, 3914, 3915, 3916, 3917, 3918, 3919, 3920, 3921, 3922, 3923, 3924, 3925, 3926, 3927, 3928, 3929, 3930, 3931, 3932, 3933, 3934, 3935, 3936, 3937, 3938, 3939, 3940, 3941, 3942, 3943, 3944, 3945, 3946, 3947, 3948, 3949, 3950, 3951, 3952, 3953, 3954, 3955, 3956, 3957, 3958, 3959, 3960, 3961, 3962, 3963, 3964, 3965, 3966, 3967, 3968, 3969, 3970, 3971, 3972, 3973, 3974, 3975, 3976, 3977, 3978, 3979, 3980, 3981, 3982, 3983, 3984, 3985, 3986, 3987, 3988, 3989, 3990, 3991, 3992, 3993, 3994, 3995, 3996, 3997, 3998, 3999, 4000, 4001, 4002, 4003, 4004, 4005, 4006, 4007, 4008, 4009, 4010, 4011, 4012, 4013, 4014, 4015, 4016, 4017, 4018, 4019, 4020, 4021, 4022, 4023, 4024, 4025, 4026, 4027, 4028, 4029, 4030, 4031, 4032, 4033, 4034, 4035, 4036, 4037, 4038, 4039, 4040, 4041, 4042, 4043, 4044, 4045, 4046, 4047, 4048, 4049, 4050, 4051, 4052, 4053, 4054, 4055, 4056, 4057, 4058, 4059, 4060, 4061, 4062, 4063, 4064, 4065, 4066, 4067, 4068, 4069, 4070, 4071, 4072, 4073, 4074, 4075, 4076, 4077, 4078, 4079, 4080, 4081, 4082, 4083, 4084, 4085, 4086, 4087, 4088, 4089, 4090, 4091, 4092, 4093, 4094, 4095, 4096, 4097, 4098, 4099, 4100, 4101, 4102, 4103, 4104, 4105, 4106, 4107, 4108, 4109, 4110, 4111, 4112, 4113, 4114, 4115, 4116, 4117, 4118, 4119, 4120, 4121, 4122, 4123, 4124, 4125, 4126, 4127, 4128, 4129, 4130, 4131, 4132, 4133, 4134, 4135, 4136, 4137, 4138, 4139, 4140, 4141, 4142, 4143, 4144, 4145, 4146, 4147, 4148, 4149, 4150, 4151, 4152, 4153, 4154, 4155, 4156, 4157, 4158, 4159, 4160, 4161, 4162, 4163, 4164, 4165, 4166, 4167, 4168, 4169, 4170, 4171, 4172, 4173, 4174, 4175, 4176, 4177, 4178, 4179, 4180, 4181, 4182, 4183, 4184, 4185, 4186, 4187, 4188, 4189, 4190, 4191, 4192, 4193, 4194, 4195, 4196, 4197, 4198, 4199, 4200, 4201, 4202, 4203, 4204, 4205, 4206, 4207, 4208, 4209, 4210, 4211, 4212, 4213, 4214, 4215, 4216, 4217, 4218, 4219, 4220, 4221, 4222, 4223, 4224, 4225, 4226, 4227, 4228, 4229, 4230, 4231, 4232, 4233, 4234, 4235, 4236, 4237, 4238, 4239, 4240, 4241, 4242, 4243, 4244, 4245, 4246, 4247, 4248, 4249, 4250, 4251, 4252, 4253, 4254, 4255, 4256, 4257, 4258, 4259, 4260, 4261, 4262, 4263, 4264, 4265, 4266, 4267, 4268, 4269, 4270, 4271, 4272, 4273, 4274, 4275, 4276, 4277, 4278, 4279, 4280, 4281, 4282, 4283, 4284, 4285, 4286, 4287, 4288, 4289, 4290, 4291, 4292, 4293, 4294, 4295, 4296, 4297, 4298, 4299, 4300, 4301, 4302, 4303, 4304, 4305, 4306, 4307, 4308, 4309, 4310, 4311, 4312, 4313, 4314, 4315, 4316, 4317, 4318, 4319, 4320, 4321, 4322, 4323, 4324, 4325, 4326, 4327, 4328, 4329, 4330, 4331, 4332, 4333, 4334, 4335, 4336, 4337, 4338, 4339, 4340, 4341, 4342, 4343, 4344, 4345, 4346, 4347, 4348, 4349, 4350, 4351, 4352, 4353, 4354, 4355, 4356, 4357, 4358, 4359, 4360, 4361, 4362, 4363, 4364, 4365, 4366, 4367, 4368, 4369, 4370, 4371, 4372, 4373, 4374, 4375, 4376, 4377, 4378, 4379, 4380, 4381, 4382, 4383, 4384, 4385, 4386, 4387, 4388, 4389, 4390, 4391, 4392, 4393, 4394, 4395, 4396, 4397, 4398, 4399, 4400, 4401, 4402, 4403, 4404, 4405, 4406, 4407, 4408, 4409, 4410, 4411, 4412, 4413, 4414, 4415, 4416, 4417, 4418, 4419, 4420, 4421, 4422, 4423, 4424, 4425, 4426, 4427, 4428, 4429, 4430, 4431, 4432, 4433, 4434, 4435, 4436, 4437, 4438, 4439, 4440, 4441, 4442, 4443, 4444, 4445, 4446, 4447, 4448, 4449, 4450, 4451, 4452, 4453, 4454, 4455, 4456, 4457, 4458, 4459, 4460, 4461, 4462, 4463, 4464, 4465, 4466, 4467, 4468, 4469, 4470, 4471, 4472, 4473, 4474, 4475, 4476, 4477, 4478, 4479, 4480, 4481, 4482, 4483, 4484, 4485, 4486, 4487, 4488, 4489, 4490, 4491, 4492, 4493, 4494, 4495, 4496, 4497, 4498, 4499, 4500, 4501, 4502, 4503, 4504, 4505, 4506, 4507, 4508, 4509, 4510, 4511, 4512, 4513, 4514, 4515, 4516, 4517, 4518, 4519, 4520, 4521, 4522, 4523, 4524, 4525, 4526, 4527, 4528, 4529, 4530, 4531, 4532, 4533, 4534, 4535, 4536, 4537, 4538, 4539, 4540, 4541, 4542, 4543, 4544, 4545, 4546, 4547, 4548, 4549, 4550, 4551, 4552, 4553, 4554, 4555, 4556, 4557, 4558, 4559, 4560, 4561, 4562, 4563, 4564, 4565, 4566, 4567, 4568, 4569, 4570, 4571, 4572, 4573, 4574, 4575, 4576, 4577, 4578, 4579, 4580, 4581, 4582, 4583, 4584, 4585, 4586, 4587, 4588, 4589, 4590, 4591, 4592, 4593, 4594, 4595, 4596, 4597, 4598, 4599, 4600, 4601, 4602, 4603, 4604, 4605, 4606, 4607, 4608, 4609, 4610, 4611, 4612, 4613, 4614, 4615, 4616, 4617, 4618, 4619, 4620, 4621, 4622, 4623, 4624, 4625, 4626, 4627, 4628, 4629, 4630, 4631, 4632, 4633, 4634, 4635, 4636, 4637, 4638, 4639, 4640, 4641, 4642, 4643, 4644, 4645, 4646, 4647, 4648, 4649, 4650, 4651, 4652, 4653, 4654, 4655, 4656, 4657, 4658, 4659, 4660, 4661, 4662, 4663, 4664, 4665, 4666, 4667, 4668, 4669, 4670, 4671, 4672, 4673, 4674, 4675, 4676, 4677, 4678, 4679, 4680, 4681, 4682, 4683, 4684, 4685, 4686, 4687, 4688, 4689, 4690, 4691, 4692, 4693, 4694, 4695, 4696, 4697, 4698, 4699, 4700, 4701, 4702, 4703, 4704, 4705, 4706, 4707, 4708, 4709, 4710, 4711, 4712, 4713, 4714, 4715, 4716, 4717, 4718, 4719, 4720, 4721, 4722, 4723, 4724, 4725, 4726, 4727, 4728, 4729, 4730, 4731, 4732, 4733, 4734, 4735, 4736, 4737, 4738, 4739, 4740, 4741, 4742, 4743, 4744, 4745, 4746, 4747, 4748, 4749, 4750, 4751, 4752, 4753, 4754, 4755, 4756, 4757, 4758, 4759, 4760, 4761, 4762, 4763, 4764, 4765, 4766, 4767, 4768, 4769, 4770, 4771, 4772, 4773, 4774, 4775, 4776, 4777, 4778, 4779, 4780, 4781, 4782, 4783, 4784, 4785, 4786, 4787, 4788, 4789, 4790, 4791, 4792, 4793, 4794, 4795, 4796, 4797, 4798, 4799, 4800, 4801, 4802, 4803, 4804, 4805, 4806, 4807, 4808, 4809, 4810, 4811, 4812, 4813, 4814, 4815, 4816, 4817, 4818, 4819, 4820, 4821, 4822, 4823, 4824, 4825, 4826, 4827, 4828, 4829, 4830, 4831, 4832, 4833, 4834, 4835, 4836, 4837, 4838, 4839, 4840, 4841, 4842, 4843, 4844, 4845, 4846, 4847, 4848, 4849, 4850, 4851, 4852, 4853, 4854, 4855, 4856, 4857, 4858, 4859, 4860, 4861, 4862, 4863, 4864, 4865, 4866, 4867, 4868, 4869, 4870, 4871, 4872, 4873, 4874, 4875, 4876, 4877, 4878, 4879, 4880, 4881, 4882, 4883, 4884, 4885, 4886, 4887, 4888, 4889, 4890, 4891, 4892, 4893, 4894, 4895, 4896, 4897, 4898, 4899, 4900, 4901, 4902, 4903, 4904, 4905, 4906, 4907, 4908, 4909, 4910, 4911, 4912, 4913, 4914, 4915, 4916, 4917, 4918, 4919, 4920, 4921, 4922, 4923, 4924, 4925, 4926, 4927, 4928, 4929, 4930, 4931, 4932, 4933, 4934, 4935, 4936, 4937, 4938, 4939, 4940, 4941, 4942, 4943, 4944, 4945, 4946, 4947, 4948, 4949, 4950, 4951, 4952, 4953, 4954, 4955, 4956, 4957, 4958, 4959, 4960, 4961, 4962, 4963, 4964, 4965, 4966, 4967, 4968, 4969, 4970, 4971, 4972, 4973, 4974, 4975, 4976, 4977, 4978, 4979, 4980, 4981, 4982, 4983, 4984, 4985, 4986, 4987, 4988, 4989, 4990, 4991, 4992, 4993, 4994, 4995, 4996, 4997, 4998, 4999, 5000, 5001, 5002, 5003, 5004, 5005, 5006, 5007, 5008, 5009, 5010, 5011, 5012, 5013, 5014, 5015, 5016, 5017, 5018, 5019, 5020, 5021, 5022, 5023, 5024, 5025, 5026, 5027, 5028, 5029, 5030, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5042, 5043, 5044, 5045, 5046, 5047, 5048,

Guwahati, Friday, October 8, 2021

বুধবাৰে ১০ দিনৰ বাবে আৰক্ষীৰ
জিন্মালৈ প্ৰেৰণ কৰা হৈছিল
নিলম্বিত ডি আই জি
ৰৌণক আলী
হাজৰিকা অসম্ভৱ



হাজী : স্টাফ বিপ'ডাব, ৭
 ক্লাবব : অসম আৰক্ষী
 স্থিত উপ-মহাপরিদর্শক
 নক আলী হাজৰিকাক
 দলতে কালি ১০ দিনৰ
 ব আৰক্ষী জিম্মালৈ
 কৰাৰ পাছতেই নিশাই
 বেজাৰ থানাত অসুস্থ হৈ
 ৭ নিলম্বিত ৪৪ হিচাপলৈ

অ' এন জি চিৰ কেমিকেল চুৰি কাণ্ড

আৰক্ষীৰ জালত এজন কৰ্মচাৰীসহ পাঁচজন ব্যক্তি, এখন ট্ৰাক জব্দ

অধিক বৌ-বৰালি জালত পৰাৰ সম্ভাৱনা

শিৱসাগৰৰ বিশেষ সংবাদদাতা, ৭ অক্টোবৰ আৰু ৮ অক্টোবৰ জি টি বি

[illegible]

শোণিতপুৰ জিলাৰ উপায়ুক্তৰ কাৰ্যালয়ত হি এম ডি জি লেঞ্চৰ দল

ফান্দত পৰিব পাৰে আৰু বহুজন

চৰকাৰী দলঙৰ নিৰ্মাণ সম্পূৰ্ণ হ'বলৈ বহু দিন
 ৰঙানদীৰ ফটাসুঁতি ঘাটত
 ৰাইজে নিৰ্মাণ কৰা দলং মুকলি



বিচাৰিছে
গ্ৰেপ্তাৰ
হোৱা চক্ৰ
বিষয়া, মণ্ডলৰ
তথা



তেজপুৰঃ বিশেষ প্ৰতিনিধি, ৭ অক্টোবৰঃ শোণিতপুৰৰ ঠোমোৰা
বাজাৰ চক্ৰ কাৰ্যালয়ৰ দুৰ্গীতি পৰাম্বল মণ্ডল ত্ৰুণজাৰ হৃদেহেৰ পাছত
চক্ৰ বিষয়া বৰেণো বজ্জন বৰঠাকুৰক মুখামন্ত্ৰী তদাৰকী আৰু দুৰ্গীতি
নিৰাবক শাখাৰ এটা দলে গ্ৰেপ্তাৰ কৰাৰ পাছত বৰ্তমানেও তদন্ত
অব্যাহত আছে। মণ্ডল আৰু চক্ৰ বিষয়াজনক গ্ৰেপ্তাৰ কৰাৰ পাছত
আজি মুখামন্ত্ৰী তদাৰকী আৰু দুৰ্গীতি নিৰাবক শাখাৰ এটা দল
শোণিতপুৰৰ উপায়ুক্ত কাৰ্যালয়ত উপস্থিত

মুখ্যমন্ত্রী
সমালোচনাৰ পাছতে
তৎপৰ বন বিভাগ
৫০জন
ৰেঞ্জাৰক
বদলি

গুৱাহাটী ঃ ষাফ ৰিপ'ৰ্টাৰ, ৭
অক্টোবৰ : বন মন্ত্ৰীক কাষত
বহুৱাই মুখামুখী ৩^০ হিমন্ত বিশ্ব
সৰ্মাই বন বিভাগৰ কাম-কাজক
তীব্ৰ ভাৱে সমালোচনা কৰাৰ
পাছত বিভাগটোৱে আজি
ব্যাপকভাৱে বদলি কৰিছে।
গোন্ধাৰ পৰ্যায়ত ৫০জন বিষয়াৰ
স্থানৰ সালসলনি ঘটোৱা হৈছে।
পৰিবেশ আৰু *১৪ পিটিলি*

ব্রহ্মপুত্ৰ ব'ৰ্ডৰ উচ্চ ক্ষমতাসম্পন্ন পৰ্য্যালোচনা
সমিতিৰ বৈঠকত কেন্দ্ৰীয় মন্ত্ৰী গজেন্দ্ৰ সিং শ্বেখাৰত
আন দেশবোৰে ব্যৱহাৰ কৰা প্ৰযুক্তিৰ
ব্যৱহাৰৰ বিষয়ে সচেতন হ'বলৈ নিৰ্দেশ

উচ্ছেদ সন্দৰ্ভত
বিৰোধী দলপতিৰ
পি আই এল
তিনি সপ্তাহৰ
ভিতৰত
প্ৰতিবেদন
দাখিলৰ নিৰ্দেশ
উচ্চ ন্যায়ালয়ৰ

উচ্চ ক্ষমতাসম্পন্ন পর্যালোচনা
কেন্দ্রীয় মন্ত্রী গজেন্দ্র সিং খোখার
কে ব্যবহার করা প্রযুক্তির
যে সচেতন হ'বে নির্দেশ

ঢাকা: ১০ আগস্ট, ১৯৮৬ খ্রিঃ। উচ্চ-পাণ্ডিত্যবান
বাজানুসারী তথ্য উচ্চ পদস্থ বিষয়াসমূহের পাণ্ডিত্য
ব্যবহারের ক্ষমতা ভিত্তিকভাবে উচ্চ প্রশাসনিক
সংস্থাগুলি উচ্চ ক্ষমতাসম্পন্ন পর্যালোচনা সমিতির
কর্তৃক কেন্দ্রীয় জলপিক্স মন্ত্রী গজেন্দ্র সিং
খোখারকে অধ্যক্ষতায় নির্দেশ করা হয়েছে।
জলপিক্স মন্ত্রী গজেন্দ্র সিং খোখারকে
অধ্যক্ষতায় নির্দেশ করা হয়েছে।

কানৈ মহাবিদ্যালয়ত অত্যাধুনিক বিজ্ঞান পৰীক্ষাগাৰ সংযোজন

ত্রিগুণ ও ঠাক বিপটল, ৭
 অক্টোবরঃ মহাবীর জয়চাঁক বর্ষ
 অতিক্রম কাম ঐতিহাসিক
 ত্রিগুণ হুমুনামাল সুরমাল
 কাল মহাবিশালয়ত সিংহবল
 হ'ল আদ্য এক নতুন ইতিহাস।
 মহাবিশালয়নত বিজয়
 শাখা ছাত্রছাত্রীসকল লগতে
 গণ্যক-অধ্যাপকসকল
 উচ্চমানব গণ্যক সুবিধার্থে
 উত্তরপূর্ব পরিদর্শন (এম এ চি)
 দ্বারা


অসম চৰকাৰ-
অইলৰ
পেট্ৰলিয়াম
উদ্যোগৰ অনুষ্ঠান-
এৰ চক্ৰিত স্বাক্ষৰ

উৎকল্ল বকোৰ
চমৰীয়াবাসী
চাৰিখন ৰাজহ
গাঁৱক আদৰ্শ
গাঁও ঘোষণা
চৰকাৰৰ

বকো : নিজা বাতৰি দিওঁতা, প
অষ্টোবৰ : বিশেষভাৱে লোকপ
তথা অনুসূচিত জাতিৰ পক্ষে
আন উন্নত গাঁৱৰ সৈতে আত্মব
নিবলৈ চৰকাৰে গ্ৰহণ কৰিছে
বিশেষ অভিযাৰী আঁচনি
চৰকাৰে এই পদক্ষেপ কাৰ্যকৰী
কৰিবলৈ কামৰূপ জিলাৰ বিশা
বাজহ গাঁৱক চিনাক্ত কৰি 'আদ
গাঁও' হিচাপে ঘোষণা কৰিছে
হিয়াৰে বকো

কভিড-সঙ্কট পৰিস্থিতিৰ প্ৰভাৱ

চৰম আৰ্থিক সংকটত বটদ্ৰৱা থান



বাজ্যখনৰ উ
বিদেশৰ বিভি
দৰ্শনাৰ্থী আ
বাইজে ভি
নিতৌ হৰিন
মুখৰিত হৈ
প্ৰসিদ্ধ বট
২০২০ বৰ্ষত

নগাঁও : নিজা প্রতিবেদক,
অক্টোবৰ : কভিড-সৃষ্ট জটিল
পৰিস্থিতিৰ বাবে আৰ্থিকভাৱে
খুবেই ডুকলা হৈছে মহাপুৰুষ
শ্ৰীমন্ত শংকৰদেৱৰ পৰি
জন্মস্থান বটলবাৰ ইতিহাস প্ৰসি
শ্ৰীৰচৈতন্যৰ থান। বৰষুণ বাৰট
মাহৰ পত্ৰটোৱা দিনাক

বাজারখনৰ উপৰি দেশ-বিদেশৰ বিভিন্ন তাঁথ্যাখী, দৰ্শনাগী আৰু ভক্তপ্ৰায় বাহিৰে তিব কবি থকা, নিতৌ হিন্দানাৰ ধ্বনি মুখতিং হৈ থকা ইতিহাস প্ৰাচীন বটভূয়া খানানা ২০২০ বৰ্ষত প্ৰায় ছমাহ অৰণ চলিত বৰতো লকাবে ললে।

২০২০ বৰ্ষত প্ৰায় ছমাহ অৰণ চলিত বৰতো লকাবে ললে।

ভরসা আপোন



জি নিম্নোক্ত

- ❑ ভাৰতীয় বায়ুসেনা দিবস।
- ❑ ১৯০৮ত কবি-সাহিত্যিক সীতানাথ ব্রহ্মাচৌধুরীৰ জন্ম।
- ❑ ১৯৬৬ত গৰকাৰ-ঔপন্যাসিক মুৰ্গী শ্ৰেমাচন্দৰ মৃত্যু।
- ❑ ১৯৭৯ত বাজনেতিক নেতা জয়প্ৰকাশ নাৰায়ণৰ মৃত্যু।

চাৰিজন প্ৰাৰ্থীৰ মনোনয়ন দাখিল
তামুলপুৰৰ উপ-
নিৰ্বাচনৰ জটিল অংক

গুৱাহাটী : ষ্টাফ ৰিপ'ৰ্টাৰ, ৭ অক্টোবৰ : উপ-নিৰ্বাচন অনুষ্ঠিত হ'বলগীয়া তামূলপুৰ সমষ্টিত এতিয়া সকলোৰে দৃষ্টি নিবদ্ধ হৈছে সমষ্টিটোৰ বাবে আজি চাৰিজন প্ৰাৰ্থীয়ে মনোনয়ন দাখিল কৰাৰ লগে লগে সমষ্টিটোৰ ৰাজনৈতিক সমীকৰণত খেলিমেলি লগাব সন্তাৰনা প্ৰকট হৈ পৰিছে। সমষ্টিটোৰ বাবে আজি

[illegible]

iPhone 4
Each Flat
Ready and On going
Flats are available at the Heart
of the Jorhat Town
BHAWA LAXMI CONSTRUCTION PVT. LTD.
Phukan Ali, Jorhat
Contact: 8099677765, 9708423135, 9435095548

তেল আৰু প্ৰাকৃতিক গেছ নিগম লিমিটেড
অন্য আৰু অন্য অৱস্থান অনুসৰি, প্ৰেৰণা, ভাৰ

পৰিবেশকৰ অনুমতি

ভাৰতীয়ৰে অসমত প্ৰাকৃতিক গেছৰ নিয়মিত আমদানি আৰু ভাৰত চৰকাৰৰ পৰিবেশ আৰু প্ৰাকৃতিক তেল আৰু প্ৰাকৃতিক গেছ নিগম লিমিটেডৰ কাৰ্য্যসূচীৰ অধীনত, ইয়াৰে প্ৰাকৃতিক গেছৰ নিয়মিত আমদানি কৰা হৈছে। এই বিক পৰিবেশৰ বৃদ্ধিৰ কাৰণৰ বাবে প্ৰদৰ্শনৰ পৰিবেশৰ অনুমতিৰ প্ৰদান।

পৰিবেশকৰ অনুমতিৰ F.No. J-11011/563/2011-IA II (১) নিম্নলিখিত
৪th December, 2020.

পৰিবেশকৰ অনুমতিৰ প্ৰতিটো অংশ জটিলীকৃত কৰা হৈছে। পৰিবেশকৰ অনুমতিৰ প্ৰতিটো উল্লিখিত আৰু পৰিবেশকৰ তথ্য আৰু মাসালৰ প্ৰেক্ষাপট।

পৰিবেশকৰ অনুমতিৰ F.No. J-11011/563/2011-IA II (১) নিম্নলিখিত
৪th December, 2020.

পৰিবেশকৰ অনুমতিৰ প্ৰতিটো অংশ জটিলীকৃত কৰা হৈছে। পৰিবেশকৰ অনুমতিৰ প্ৰতিটো উল্লিখিত আৰু পৰিবেশকৰ তথ্য আৰু মাসালৰ প্ৰেক্ষাপট।

পৰিবেশকৰ অনুমতিৰ F.No. J-11011/563/2011-IA II (১) নিম্নলিখিত
৪th December, 2020.

 **ASSAM POWER DISTRIBUTION COMPANY LIMITED**
A fully customer-centric company

SHUT DOWN NOTICE

This is for general information to our valued customers that the shutdown of 11 KV Pailbor 2 feeder under 33/11 KV RRL, Sub-Station, JESD-II will be taken up for the construction works of 33 KV AirforceMSE feeder, which is scheduled on the dates and time mentioned below. Power supply will be affected in the below mentioned areas.

SL.NO.	DATE	TIME	REMARKS
1	08.10.2021	4:00 AM	
2	09.10.2021	to	
3	10.10.2021	8:00 AM	
4	18.10.2021		
5	20.10.2021		
6	22.10.2021	10:00 AM	
7	24.10.2021	to	
8	26.10.2021	2:00 PM	
9	28.10.2021		
10	30.10.2021		

AREAS AFFECTED
Satripara, Chinginga, Telamara, Longpha, Sarakara, Solmara, Borbohri, Chailga gam etc.

Every effort would be made to minimize power interruption to the affected area. Power Supply that be made available any moment. Shutdown period may be extended in case of bad weather/interimence weather.

Inconvenience caused to our valued customers is highly regretted.
Sd/- Asst. Technical Division, APDCL, Jorhat

Please pay your energy bill on time and help us to serve you better

জনৰ 10 কোটি ভাৰতীয়ৰ
ভৰসা হিৰোৰ
ঘৰলৈ লৈ আহক আপোনাৰ হিৰোৰ,
মাক আপোনা জনৰ আনন্দ নধৰা কৰি তোলক !
উৎসৱকালীন **₹12500***

লাভ **₹12,300** পর্যন্ত

কম প্রাথমিক ডাউন পেমেন্ট **₹6,999***

কম সুদ্ব হার **5.55%** -র পৰা

কম ক্যাশ ব্যাক **₹6,300***

[illegible]