



ओएनजीसी , अंकलेश्वर परिसम्पत्ति,

परिसम्पत्ति एच एस ई,

ज़िला-भरुच, गुजरात-३९३०१०

ONGC, Ankleshwar Asset,

Asset HSE,

Dist. Bharuch , Gujarat – 393010

No.: ONGC/AST/HSE/EC/145 Wells/2024-25

Date: 01.07.2025

To: The Deputy Director General of Forests (C),
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Gandhi Nagar,
A-Wing – 407 & 409,
Aranya Bhawan,
Near CH-3 Circle, Sector-10A,
Gandhi Nagar – 382010

Sub: Six Monthly compliance of Environment Clearance (EC) conditions

Ref.: EC Letter. No. IA-J-11011/150/2019-IA-II (I), dated 13.04.2023

Sir,

This is in respect of aforementioned Environment Clearance letter regarding "Development and production of oil & gas from 145 wells located at 30 ML blocks in Bharuch, Surat and Vadodara districts, Gujarat by M/S ONGC Limited".

Compliance status from 01.10.2024 to 31.03.2025 w.r.t. various stipulations of the clearance along with supporting documents is attached herewith.

With Regards,

Mainul Karim
Head HSE, ONGC
Ankleshwar Asset

**Compliance of Conditions in Environmental Clearance
(Compliance Report)**

Compliance report for 01.10.2024-31.03.2025

Env. Clearance No. IA-J-11011/150/2019-IA-II(I) , **EC Identification No.** EC23A002GJ162805

Name of Project: Onshore Development and Production of oil & gas from 145 wells in 30 ML blocks in Bharuch, Surat and Vadodara districts, Gujarat

Sl. No	Specific Conditions	Compliance Status
i.	The project proponent shall prepare a site specific conservation plan and wildlife management plan in case of the presence of Schedule-1 species in the study area, as applicable to the project, and submit to Chief Wildlife Warden for approval. The recommendations shall be implemented in consultation with the State Forest/Wildlife Department in a time bound manner.	Conservation plan for schedule I species has been submitted to PCCF-Wildlife, Gujarat dated 6th February 2023 and a budget of 5 Lacs has been earmarked for the same. 1. Fencing is developed around well pad and camp site to stop any encounter with wild animals. 2. Wildlife protection display boards/signage are displayed along the road side. Display board about the conservation and protection of Indian Peafowl are displayed at drilling sites. Copy of display board is in Annexure-1
ii.	No drilling activities shall be carried out within 500 m from the water bodies	No drilling activity has been carried out within 500 m from the water bodies.
iii	As proposed, no proposed development/production drilling shall be located within forest land and protected area	No proposed development/production drilling is located within forest land and protected area.
iv	As proposed, no proposed development/production drilling shall be located within eco-sensitive zones and CRZ in the proposed project.	No proposed development/production drilling is located within eco-sensitive zones and CRZ in the proposed project.
v	Implementation of Action Plan on the issues raised during the Public Hearing shall be ensured. The Project Proponent shall undertake all the tasks as per the Action Plan submitted (Annexure-II) with budgetary provisions during the Public Hearing.	Being implemented.
vi	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented (Annexure - I).	Being implemented.
vii	No pipelines or its part shall be laid in the Forest land/Protected Area without prior permission/approval from the Competent Authority.	No proposed development/production drilling is located within forest land and protected area.
viii	Total fresh water requirement shall not exceed 22 m3/day and will be met from local sources. Prior permission shall be obtained from the concerned regulatory authority.	During the drilling activity, the average water requirement is less than 22 m3 per day.

Sl. No	Specific Conditions	Compliance Status
ix	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises. Mobile ETP coupled with RO shall be installed to reuse the treated water in drilling system. Mobile STP shall also be installed. The size of the waste pit shall be equal to the hole volume+ volume of drill cutting and volume of discarded mud if any. Two feet free board may be left to accommodate rainwater. There shall be separate storm water channel and rainwater shall not be allowed to mix with wastewater. Level of the Drilling site shall be constructed in such way that outside rainwater should not enter into the drilling site. Alternatively, if possible, pit less drilling be practiced instead of above.	All the wastewater, mud and cuttings generated from drilling activity are being stored in HDPE lined pits and mobile ETP are used to treat the waste water. Following actions are taken to reduce fresh water consumption. 1. Treated effluent water is used for mud and brine preparation and cleaning purposes. 2. Mud is recycled to the maximum possible extent.
x	The company shall construct the garland drain to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated.	Diesel storage tank, POL storage area, mud pumps, cellar pit, mud tanks, etc. have their dedicated containment which drain wastewater in HDPE lined waste pit. The waste pits have enough volume to take care of wastewater and prevent any run off. The drilled cuttings and other wastes are collected in HDPE lined waste pits and solar dried.
xi	As proposed, produced formation water is stored in formation water tanks shall be disposed to the abandoned wells of ONGC after necessary treatment. Separated water from phase separation system will be treated in an ETP and will be reused. Treated effluent shall meet the water quality standards for re-injection well as per the CPCB/SPCB guidelines. PP shall monitor water quality of treated effluent regularly and maintain records	ONGC Ankleshwar has 03 ETPs for treatment of produced formation water. All the parameters as per CPCB and GPCB are maintained before reuse, re-injection or disposed to abandoned well. Regular monitoring of treated effluent is carried out and their records are maintained.
xii	During production, storage and handling, the fugitive emission of methane, if any, shall be monitored using Infra-red camera/ appropriate technology.	Complied. Installations are equipped with online gas detector fixed in hazardous area for monitoring of H ₂ S, Hydrocarbons or other hazardous gas. Portable multi gas detectors are also available at sites.
xiii	The project proponent also to ensure trapping/storing of the CO ₂ generated, if any, during the process and handling.	ONGC Ankleshwar is doing many projects for carbon offsetting like plantation, electric vehicles, solar power projects, etc. ONGC is also exploring partnerships in the area of CCUS.
xiv	Approach road shall be made pucca to minimize generation of suspended dust.	Approach roads to drill site are made pucca to minimize generation of suspended dust during transportation of rig equipment, etc.
xv	The project proponent shall make all arrangements for control of noise from the drilling activity. Acoustic enclosure shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines	Acoustic enclosures have been provided with DG sets to reduce noise within permissible limits.

Sl. No	Specific Conditions	Compliance Status
xvi	Drill cuttings separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed according to HWMH Rules, 2016. No effluent/drilling mud shall be discharged/disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste, drill cutting and drilling fluids for onshore drilling operation notified vide GSR.546 (E) dated 30th August, 2005.	Drilling waste water including drill cuttings wash water is collected in disposal pit lined with HDPE lining. No effluent / drilling mud/ drill cutting were discharged / disposed off into nearby surface water bodies. Water Based mud is used and tested for hazardous contaminants. All parameters are found to be within permissible limits. Copy of analysis reports enclosed at Annexure 2.
xvii	Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.	Regular maintenance is being carried out to prevent any leakages. In case of oil spill and contamination of soil thereof, ONGC is equipped with the Oil zapper technology to address such eventualities. It is notable that oil zapper is a bioremediation technology developed by a subsidiary company of ONGC, M/s ONGC Teri Biotech Ltd. which is being used across oil industry.
xviii	The project proponent shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. At fixed installations or plants use of ground flare shall be explored	At ONGC Ankleshwar each drilling rig has fixed fire-fighting system and portable extinguishers in accordance to OISD STD 189. All personnel posted at drill site are trained in fire-fighting. Hot jobs are controlled through a permit system i.e., Hot Work Permit System. All the quantity of gas coming across testing is flared through elevated flare equipped with separator and knock out drum. No ground flaring is resorted to.
xix	The project proponent shall develop a contingency plan for H ₂ S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H ₂ S detectors in locations of high risk of exposure along with self-containing breathing apparatus.	H ₂ S detectors are available at drilling rigs. However, it is pertinent to mention that H ₂ S is not encountered during drilling operations in oil fields of Ankleshwar Asset.
xx	Blow Out Preventer system shall be installed to prevent well blowouts during drilling operations.	At ONGC Ankleshwar, appropriate Blow Out Preventer (BOP) systems having a set of Annular and RAM BOPs is installed to prevent well blowouts during drilling operations. Function test of BOPs are carried out frequently and care is taken to maintain proper hydrostatic pressure in the well bore during drilling, logging and other well operations by maintaining mud weight.

Sl. No	Specific Conditions	Compliance Status
xxi	On completion of the project, necessary measures shall be taken for safe plugging of wells with secured enclosures to restore the drilling site to the original condition. The same shall be confirmed by the concerned regulatory authority from environment safety angle. In case of hydrocarbon not found economically viable, a full abandonment plan shall be implemented for the drilling site in accordance with the applicable DGH /Indian Petroleum Regulations. After completion of drilling of any well, the owner or operator shall restore the well site, remove or fill all pits used to contain produced fluids industrial waste and remove all drilling supplies and equipment not needed for production	No well was abandoned during the period in question. However, in case of any abandonment & restoration of project site, report shall be conveyed to Ministry's regional office at Bhopal. Further, ONGC has formulated a well-defined and plausible abandonment and restoration procedure which shall be followed in the event of decision taken to abandon the well.
xxii	As per the Ministry's OM dated 30.09.2020 superseding the OM dated 01.05.2018 regarding the Corporate Environmental Responsibility (Rs. 1.85 Crores), and as per the action plan proposed by the project proponent to address the socio-economic and environmental issues in the study area, the project proponent, as committed, shall provide education funds in technical training centres / support in nearby village's schools, support in health care facilities, drinking water supply and funds for miscellaneous activities like solar street lights, battery, solar panel etc., in the nearby villages. The action plan shall to be completed within 1 year as proposed.	Projects under CER are being identified and implemented in and around the project area. Additionally, 2% of average net profit of ONGC is earmarked for CSR (Corporate Social Responsibility) projects which include components of health, education, water, solar lights and ecological development in and around operational area, as directed by GOI.
xxiii	No lead acid batteries shall be utilized in the project/site.	No lead acid batteries are used during drilling activities
xxiv	Occupational health surveillance of the workers shall be carried out as per the prevailing Acts and Rules. All workers & employees shall be provided with required safety kits/mask for personal protection	Periodical Medical Examination (PME) of employees is carried out as per PME policy of ONGC. Dedicated occupational health centre and Emergency health centre are also available at ONGC Ankleshwar.
xxv	Oil content in the drill cuttings shall be monitored and report & shall sent to the Ministry's Regional Office.	Drill cuttings are analyzed for oil content through GPCB recognized laboratory. (Copy of Monitoring Report at Annexure-3).
xxvi	The project proponent shall prepare operating manual in respect of all activities, which would cover all safety & environment related issues and measures to be taken for protection. One set of environmental manual shall be made available at the drilling site/ project site. Awareness shall be created at each level of the management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done	Standard Operating procedures for drilling operations covering safety and environmental aspects of operations and management thereof, has been made available at all drilling rigs. Statutory provisions related to Environment and Safety domain have been incorporated in ISO certification through a site specific Legal Register. All the work centres at ONGC Ankleshwar are certified with ISO 14001:2015 i.e. Environment Management System and ISO 45001:2018 i.e. Occupational Health and Safety Management System.

Sl. No	Specific Conditions	Compliance Status
		ISO Certificates in Annexure -4
xxvii	PP shall conduct third party audit of compliance of EC condition at an interval one year and its report shall be submitted to IRO, MoEF&CC.	Third party audit of CCA conditions is being carried out from certified GPCB Auditors and reports are submitted to GPCB.
xxviii	PP should establish in house (at project site) environment laboratory for measurement of environment parameter with respect to air quality and water (surface and ground). A dedicated team to oversee environment management shall be setup at site which should comprise of Environment Engineers, Laboratory chemist and staff for monitoring of air, water quality parameters on routine basis instead of engaging environment monitoring laboratories/ consultants. Any non- compliance or infringement should be reported to the concerned authority.	A separate unit of Environment Management exists at both Operational base level and Corporate level where qualified Environmental Engineering persons have been posted. Full-fledged laboratory facility is also available.
xxix	The Project Proponent shall undertake Occupational Health survey for initial and Periodical medical examination of the workers engaged in the Project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS Circulars. Besides carrying out regular periodic health check-up of their workers, 20% of the workers engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any.	Periodical Medical Examination (PME) of employees is carried out as per PME policy of ONGC. Dedicated occupational health centre and Emergency health centre are also available at ONGC Ankleshwar.
xxx	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEF&CC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.	To generate awareness about the eradication of single use plastic, 930 jute bags were distributed in five primary schools in villages Chanchvel, Keswan, Muller, Goladara and Gandhar. Jute bags were also distributed on National Safety Day and World Environment Day to minimize use of plastic bags. Photographs attached, Annexure-5

	B. General Conditions	Compliance Status
i.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	So far no expansion or modification in the project has been carried out. In future, if any expansion or modification in the project to be taken-up, the same will be intimated to MoEF&CC.
ii.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	LED based lighting is used during drilling.
iii	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	The overall noise level in and around the rig area is well within the standards. The ambient noise levels also conforms to the standards prescribed under EPA Rules, 1986. (Copy of Monitoring Report at Annexure 6).
iv	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment	ONGC has been proactively contributing to the society through various CSR projects which includes areas such as Health, education, Women development, drinking water supply, solar lights, ecological development in and around operational area. Proposals of various stakeholders such as residents, villagers, NGOs, Government departments, local representative bodies are also considered for expenditure under CSR. CER activities are also being carried out by involving local villages and administration. Details of expenditure made under CER & CSR is placed at Annexure-7.
v	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose	Sufficient funds have been earmarked in annual budget towards capital cost and recurring cost per annum to implement the conditions stipulated within EC.

	B. General Conditions	Compliance Status
vi	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	The communication of the environmental clearance has been made to all the relevant stakeholders by way of publishing the same in the leading newspapers. The EC is also posted on the Web Site of ONGC.
vii	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Being Complied.
viii	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail	After completion of drilling and if any oil and gas is produced from the well, it is subjected to the nearby production installation for processing and thus becomes part of that installation. All the installations at ONGC Ankleshwar are operating under valid Consolidated Consent and Authorisation granted by Gujarat Pollution Control Board (GPCB) and accordingly Environment Statement as per Form-V is submitted annually.
ix	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Information regarding grant of EC for the project was passed on to all stakeholders and the same was advertised in daily newspapers- 'Times of India' in English and 'Sandesh' in local vernacular language Gujarati on 15.04.2023. (Copy attached at Annexure-8)
x	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted. The details prescribed in EC conditions are furnished in six monthly compliance to regional office of MoEF&CC, Bhopal and Gandhinagar.
xi	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.



ROM-100-II





Saddam Kher.

Discussed about Indian Peafowl - 15.10.1985
8/26/4/25

- 1) R. Dutta
- 2) P. Gaur
- 3) A. Mohin
- 4) S. B. P. Gohain
- 5) S. Kumar
- 6) H. Paimon
- 7) I. Chacha
- 8) P. Kalita
- 9) A. Kumar
- 10) S. Chandra
- 11) A. Kumar
- 12) M. Patel
- 13) B. Baruah
- 14) Manoj

R. Dutta

R. Dutta
CE (P)

IMA - ROM-100



OIL & NATURAL GAS CORPORATION LIMITED





Office of The Installation Manager
Work-Over Rig, ROMANIA-100-II
Well Services, Ankleshwar Asset

Dt-25.04.25

AWARNESS CAMPAIGN ON INDIAN PEAFOWL FOR ITS CONSERVATION & PROMOTION INITIATED BY HSE PTYS GANDHAR

Discussed about Indian Peafowl-National Bird of India. Raised awarness and sensitized among the crew about its habitat , Physical description , Food habits & its conservation.

Attendees of the capaign:

SL NO	NAME	DESIGNATION	SIGNATURE
1	D G DESAI	SE(P)	
2	PRASENJIT DAS	SE (P)	
3	S C CHAUDHURY	EE(M)	
4	P N PATEL	AE(PD)	
5	P B MAKWANA	JT(F)	
6	PARESH RATHOD	TECH(E)	
7	SIDDIQUE ALI	RIC	
8	RAGVENDRA SINGH	ASK OFFICER	


AREA SAFETY OFFICER

D G DESAI SE(P)

Contractor Workers Safety Promotion Campaign at site

Workover Rig: AHNR-50-03. Well No. SSAR#01 Date: 29/04/25.

Type of Safety Promotion Campaign/Quiz/Awareness/Orientation:

Conveyed through: message on peacock Conservation Awareness - Campaign.

The following personals attended safety campaign meeting:

Sl.No.	Name	Designation	Sign.
1	Rashik kumar	EE(P)	Ra
2	H. I Patel	LE(P)	H.I.Patel
3	Amartya Singh	EE(P)	Amartya
4	Ganesh Saini	AEE(P)	Ganesh
5	Kishor A Sheth	SE(P)	Sheth
6	Gajendra T Varsani	SEA(P)	Gajendra
7	Raj Solanki	CI(P)	Raj
8	Jignesh Varsani	M/Mech	Jignesh
9	R P Gautam	JE(P)	R.P.
10	Hemant Ram	clerk(C)	Hemant
11	Sujeet Kumar	R/M	Sujeet
12	Sunil Mehra	R/M	Sunil
13	Sonu Ali	Mech	Sonu
14	Sandeep Kumar	R/M	Sandeep
15	Sachin Verma	R/M	Sachin

No of ONGC personnel: 07.

No of contractual personnel: 09.

(Campaign Done by)
SADAM (KHEK.)

Test Report
Waste Water Analysis Report


Client's Name & Address: Oil & Natural Gas Corporation Ltd. Ankleshwar Asset, Ankleshwar.	Report No: GLEL/251024/02
	Issue Date: 31/10/2024

Lab ID Code		: GLEL/251024/WL ₂	
Sampling procedure		: IS 17614 (P-10) 2021	
Sample Description		: E-1400-VII, Well No. #GNDHQ (Drill Cutting Sample), Phase-I st	
Date of Sampling collection		: 26/09/2024	Purpose
Date of Sample Received		: 25/10/2024	Test Parameters
Date of Starting Analysis		: 25/10/2024	Quantity/No. of sample
Date of completion Analysis		: 31/10/2024	Packed/Seal
			: As per Client requirement
			: As per Client requirement
			: 500 mL/01
			: Packed

Result Table

Sr. No.	Test Parameters	Test Method	Unit	Results	Permissible Limit*
1	pH at 25°C	IS 3025 (P-11) 1983 (Reaffirmed 2022)	-	7.26	5.5-9.0
2	Temperature	IS 3025 (P-09) 1984 (Reaffirmed 2023)	°C	25.1	40
3	Total Suspended Solids	IS 3025 (P-17) 1984 (Reaffirmed 2022)	mg/L	64.3	100
4	Total Dissolved Solids	IS 3025 (P-16) 1984 (Reaffirmed 2023)	mg/L	1374.2	2100
5	BOD (5 days at 20°C)	IS 3025 (P-44) 1993 (Reaffirmed 2023)	mg/L	20.7	30
6	COD	IS 3025 (P-58) 2006 (Reaffirmed 2023)	mg/L	64.3	100
7	Oil & Grease	IS 3025 (P-39) 1991 (Reaffirmed 2021)	mg/L	9.1	10
8	Chloride	IS 3025 (P-32) 1988 (Reaffirmed 2019)	mg/L	412.8	600
9	Sulphate	IS 3025 (P-24) 1986 (Reaffirmed 2022)	mg/L	386.4	1000
10	Phenolic Compound	IS 3025 (P-43) 1992 (Reaffirmed 2022)	mg/L	0.28	1.2
11	Fluoride	APHA 24th Ed. 2023 4500 F-D (400)	mg/L	ND (MDL: 0.1)	1.5
12	Copper	IS 3025 (P-42) 1992 (Reaffirmed 2019)	mg/L	ND (MDL: 0.02)	0.2
13	Total Chromium	IS 3025 (P-52) 2003 (Reaffirmed 2021)	mg/L	0.21	1.0
14	Hexavalent Chromium	IS 3025 (P-52) 2003 (Reaffirmed 2021)	mg/L	ND (MDL: 0.03)	0.1
15	Zinc	IS 3025 (P-49) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	2.0
16	Lead	IS 3025 (P-47) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	0.1
17	Cyanide	IS:3025 (P-27):1986(Reaffirmed 2022)	mg/L	ND (MDL: 0.01)	0.2
18	Nickel	IS 3025 (P-54) 2003 (Reaffirmed 2019)	mg/L	0.32	3.0
19	Mercury	IS 3025 (P-48) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	0.01
20	Percent Sodium	IS 3025 (P-45) 1993 & APHA 24th Edition 2023	%	45.6	60
21	Sulphide	IS 3025 (P-29) 1986 (Reaffirmed 2019)	mg/L	ND (MDL: 1.0)	2.0

Note: ND: Not Detected, MDL: Minimum Detection Limit. *: Details given by customer.


Chemist


Authorized Signatory
Rekha Dare

Note:

- 1) The results pertain to tested items only.
- 2) This report shall not be reproduced, except in full, without written approval of the laboratory.
- 3) Authenticity of this Report could be validated with office copy at Greenleaf Envirotech Ltd.
- 4) The samples will be destroyed after 10 days from the date of issue of the report, unless otherwise agreed with the customer or as required by the applicable regulation.

CIN : U29253GJ2010PLC059798

Greenleaf Envirotech Ltd.

304, Kankavati Complex, Singanpor-Cauzway Road, Katargam, Surat - 395004, Tel : +91-9725519974 | 9327565428

E-mail : lab@glepl.com | Web : www.greenleafenvirotech.in

Test Report
Waste Water Analysis Report

Client's Name & Address: Oil & Natural Gas Corporation Ltd. Ankleshwar Asset, Ankleshwar.	Report No: GLEL/251024/01 Issue Date: 31/10/2024
--	---

Lab ID Code	: GLEL/251024/WL ₁		
Sampling procedure	: IS 17614 (P-10) 2021		
Sample Description	: E-1400-VII, Well No. #GNDHQ (Drill cutting Sample), Phase-II nd		
Date of Sampling collection	: 11/10/2024	Purpose	: As per Client requirement
Date of Sample Received	: 25/10/2024	Test Parameters	: As per Client requirement
Date of Starting Analysis	: 25/10/2024	Quantity/No. of sample	: 500 mL/01
Date of completion Analysis	: 31/10/2024	Packed/Seal	: Packed

Result Table

Sr. No.	Test Parameters	Test Method	Unit	Results	Permissible Limit*
1	pH at 25°C	IS 3025 (P-11) 1983 (Reaffirmed 2022)	-	7.65	5.5-9.0
2	Temperature	IS 3025 (P-09) 1984 (Reaffirmed 2023)	°C	25.8	40
3	Total Suspended Solids	IS 3025 (P-17) 1984 (Reaffirmed 2022)	mg/L	82.3	100
4	Total Dissolved Solids	IS 3025 (P-16) 1984 (Reaffirmed 2023)	mg/L	1421.7	2100
5	BOD (5 days at 20°C)	IS 3025 (P-44) 1993 (Reaffirmed 2023)	mg/L	27.9	30
6	COD	IS 3025 (P-58) 2006 (Reaffirmed 2023)	mg/L	92.1	100
7	Oil & Grease	IS 3025 (P-39) 1991 (Reaffirmed 2021)	mg/L	9.8	10
8	Chloride	IS 3025 (P-32) 1988 (Reaffirmed 2019)	mg/L	384.5	600
9	Sulphate	IS 3025 (P-24) 1986 (Reaffirmed 2022)	mg/L	309.2	1000
10	Phenolic Compound	IS 3025 (P-43) 1992 (Reaffirmed 2022)	mg/L	0.24	1.2
11	Fluoride	APHA 24th Ed. 2023 4500 F-D (400)	mg/L	ND (MDL: 0.1)	1.5
12	Copper	IS 3025 (P-42) 1992 (Reaffirmed 2019)	mg/L	ND (MDL: 0.02)	0.2
13	Total Chromium	IS 3025 (P-52) 2003 (Reaffirmed 2021)	mg/L	0.33	1.0
14	Hexavalent Chromium	IS 3025 (P-52) 2003 (Reaffirmed 2021)	mg/L	ND (MDL: 0.03)	0.1
15	Zinc	IS 3025 (P-49) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	2.0
16	Lead	IS 3025 (P-47) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	0.1
17	Cyanide	IS:3025 (P-27):1986(Reaffirmed 2022)	mg/L	ND (MDL: 0.01)	0.2
18	Nickel	IS 3025 (P-54) 2003 (Reaffirmed 2019)	mg/L	0.24	3.0
19	Mercury	IS 3025 (P-48) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	0.01
20	Percent Sodium	IS 3025 (P-45) 1993 & APHA 24th Edition 2023	%	48.9	60
21	Sulphide	IS 3025 (P-29) 1986 (Reaffirmed 2019)	mg/L	ND (MDL: 1.0)	2.0

Note: ND: Not Detected, MDL: Minimum Detection Limit. *: Details given by customer.

[Signature]
Chemist

[Signature]
Authorized Signatory
Rekha Dare

Note:

- 1) The results pertain to tested items only.
- 2) This report shall not be reproduced, except in full, without written approval of the laboratory.
- 3) Authenticity of this Report could be validated with office copy at Greenleaf Envirotech Ltd.
- 4) The samples will be destroyed after 10 days from the date of issue of the report, unless otherwise agreed with the customer or as required by the applicable regulation.

CIN : U29253GJ2010PLC059798

Greenleaf Envirotech Ltd.

304, Kankavati Complex, Singanpor-Cauzway Road, Katargam, Surat - 395004, Tel : +91-9725519974 | 9327565428

E-mail : lab@glepl.com | Web : www.greenleafenvirotech.in

Test Report
Drill Cutting Sample Analysis Report

Client's Name & Address: Oil & Natural Gas Corporation Ltd. Ankleshwar Asset, Ankleshwar.	Report No: GLEL/251024/02 Issue Date: 31/10/2024
--	---


Lab ID Code	: GLEL/251024/SL ₂		
Sample Description	: E-1400-VII, Well No. #GNDHQ (Drill Cutting Sample), Phase-I st		
Date of Sampling collection	: 03/08/2024	Purpose	: As per Client requirement
Date of Sample Received	: 25/10/2024	Test Parameters	: As per Client requirement
Date of Starting Analysis	: 25/10/2024	Quantity/No. of sample	: 250 gm/01
Date of completion Analysis	: 31/10/2024	Packed/Seal	: Packed

Result Table

Sr. No.	Test Parameters (Leachate Quality#)	Test Method	Unit	Result	Permissible Limit*
1	pH at 25°C	IS 3025 (P-11) 1983 (Reaffirmed 2022)	-	7.61	5.5-9.0
2	Temperature	IS 3025 (P-09) 1984 (Reaffirmed 2023)	°C	25.1	40 °C
3	Total Suspended Solids	IS 3025 (P-17) 1984 (Reaffirmed 2022)	mg/L	84.8	100
4	Total Dissolved Solids	IS 3025 (P-16) 1984 (Reaffirmed 2023)	mg/L	1594.2	2100
5	BOD (5 days at 20°C)	IS 3025 (P-44) 1993 (Reaffirmed 2023)	mg/L	24.3	30
6	COD	IS 3025 (P-58) 2006 (Reaffirmed 2023)	mg/L	76.1	100
7	Oil & Grease	IS 3025 (P-39) 1991 (Reaffirmed 2021)	mg/L	9.2	10
8	Chloride	IS 3025 (P-32) 1988 (Reaffirmed 2019)	mg/L	416.7	600
9	Sulphate	IS 3025 (P-24) 1986 (Reaffirmed 2022)	mg/L	341.4	1000
10	Phenolic Compound	IS 3025 (P-43) 1992 (Reaffirmed 2022)	mg/L	0.30	1.2
11	Fluoride	APHA 24th Ed. 2023 4500 F-D (400)	mg/L	ND (MDL: 0.1)	1.5
12	Copper	IS 3025 (P-42) 1992 (Reaffirmed 2019)	mg/L	ND (MDL: 0.02)	0.2
13	Total Chromium	IS 3025 (P-52) 2003 (Reaffirmed 2021)	mg/L	ND (MDL: 0.03)	1.0
14	Hexavalent Chromium	IS 3025 (P-52) 2003 (Reaffirmed 2021)	mg/L	ND (MDL: 0.03)	0.1
15	Zinc	IS 3025 (P-49) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	2.0
16	Lead	IS 3025 (P-47) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	0.1
17	Cyanide	IS 3025 (P-27) 1986 (Reaffirmed 2022)	mg/L	ND (MDL: 0.01)	0.2
18	Nickel	IS 3025 (P-54) 2003 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	3.0
19	Mercury	IS 3025 (P-48) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	0.01
20	Percent Sodium	IS 3025 (P-45) 1993 & APHA 24th Edition 2023	%	54.3	60
21	Sulphide	IS 3025 (P-29) 1986 (Reaffirmed 2019)	mg/L	1.2	2.0

Note: #: Leachate quality is based on Water Leach Test; ND: Not Detected; MDL: Minimum Detection Limit.

*: Details given by customer.


Chemist


Authorized Signatory
Rekha Dare

Note:

- 1) The results pertain to tested items only.
- 2) This report shall not be reproduced, except in full, without written approval of the laboratory.
- 3) Authenticity of this Report could be validated with office copy at Greenleaf Envirotech Ltd.
- 4) The samples will be destroyed after 10 days from the date of issue of the report, unless otherwise agreed with the customer or as required by the applicable regulations.

CIN : U29253GJ2010PLC059798

Greenleaf Envirotech Ltd.

304, Kankavati Complex, Singanpor-Cauzway Road, Katargam, Surat - 395004, Tel : +91-9725519974 | 9327565428

E-mail : lab@glepl.com | Web : www.greenleafenvirotech.in

Test Report
Drill Cutting Sample Analysis Report

Client's Name & Address: Oil & Natural Gas Corporation Ltd. Ankleshwar Asset, Ankleshwar.	Report No: GLEL/251024/01 Issue Date: 31/10/2024
---	---


Lab ID Code	: GLEL/251024/SL ₁		
Sample Description	: E-1400-VII, Well No. #GNDHQ (Drill cutting Sample), Phase-II rd		
Date of Sampling collection	: 11/10/2024	Purpose	: As per Client requirement
Date of Sample Received	: 25/10/2024	Test Parameters	: As per Client requirement
Date of Starting Analysis	: 25/10/2024	Quantity/No. of sample	: 250 gm/01
Date of completion Analysis	: 31/10/2024	Packed/Seal	: Packed


Result Table

Sr. No.	Test Parameters (Leachate Quality#)	Test Method	Unit	Result	Permissible Limit*
1	pH at 25°C	IS 3025 (P-11) 1983 (Reaffirmed 2022)	-	7.45	5.5-9.0
2	Temperature	IS 3025 (P-09) 1984 (Reaffirmed 2023)	°C	24.6	40 °C
3	Total Suspended Solids	IS 3025 (P-17) 1984 (Reaffirmed 2022)	mg/L	79.4	100
4	Total Dissolved Solids	IS 3025 (P-16) 1984 (Reaffirmed 2023)	mg/L	1954.1	2100
5	BOD (5 days at 20°C)	IS 3025 (P-44) 1993 (Reaffirmed 2023)	mg/L	27.3	30
6	COD	IS 3025 (P-58) 2006 (Reaffirmed 2023)	mg/L	89.2	100
7	Oil & Grease	IS 3025 (P-39) 1991 (Reaffirmed 2021)	mg/L	8.6	10
8	Chloride	IS 3025 (P-32) 1988 (Reaffirmed 2019)	mg/L	442.3	600
9	Sulphate	IS 3025 (P-24) 1986 (Reaffirmed 2022)	mg/L	394.1	1000
10	Phenolic Compound	IS 3025 (P-43) 1992 (Reaffirmed 2022)	mg/L	0.36	1.2
11	Fluoride	APHA 24th Ed. 2023 4500 F-D (400)	mg/L	ND (MDL: 0.1)	1.5
12	Copper	IS 3025 (P-42) 1992 (Reaffirmed 2019)	mg/L	ND (MDL: 0.02)	0.2
13	Total Chromium	IS 3025 (P-52) 2003 (Reaffirmed 2021)	mg/L	ND (MDL: 0.03)	1.0
14	Hexavalent Chromium	IS 3025 (P-52) 2003 (Reaffirmed 2021)	mg/L	ND (MDL: 0.03)	0.1
15	Zinc	IS 3025 (P-49) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	2.0
16	Lead	IS 3025 (P-47) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	0.1
17	Cyanide	IS 3025 (P-27) 1986 (Reaffirmed 2022)	mg/L	ND (MDL: 0.01)	0.2
18	Nickel	IS 3025 (P-54) 2003 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	3.0
19	Mercury	IS 3025 (P-48) 1994 (Reaffirmed 2019)	mg/L	ND (MDL: 0.01)	0.01
20	Percent Sodium	IS 3025 (P-45) 1993 & APHA 24th Edition 2023	%	53.7	60
21	Sulphide	IS 3025 (P-29) 1986 (Reaffirmed 2019)	mg/L	1.1	2.0

Note: #: Leachate quality is based on Water Leach Test; ND: Not Detected; MDL: Minimum Detection Limit.

*: Details given by customer.


Chemist


Authorized Signatory
Rekha Dare

Note:

- 1) The results pertain to tested items only.
- 2) This report shall not be reproduced, except in full, without written approval of the laboratory.
- 3) Authenticity of this Report could be validated with office copy at Greenleaf Envirotech Ltd.
- 4) The samples will be destroyed after 10 days from the date of issue of the report, unless otherwise agreed with the customer or as required by the applicable regulations.

CIN : U29253GJ2010PLC059798

Greenleaf Envirotech Ltd.

304, Kankavati Complex, Singanpor-Cauzway Road, Katargam, Surat - 395004, Tel : +91-9725519974 | 9327565428

E-mail : lab@glepl.com | Web : www.greenleafenvirotech.in

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: E-1400-VII
Ankleshwar 393 001
Gujarat
INDIA


who have implemented an Environmental Management System, which meets the requirements laid down in ISO 14001:2015, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : E9122822.09
Original Issue : 26 April 2025
Latest Issue : 26 April 2025
Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
Surveillance 2 due on : 19 February 2027


for Vexil Business Process Services Private Limited
109 D, Kamla Nagar, Delhi 110 007



ISO 14001:2015

To check the validity of the certificate, please email to info@vexilbps.com
The validity of the certificate can also be verified at <http://www.vexilbps.com>
Coloured reproduction of this certificate is not permitted.
Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: E-1400-V
Ankleshwar 393 001
Gujarat
INDIA


who have implemented an Environmental Management System, which meets the requirements laid down in ISO 14001:2015, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : E9122822.08
Original Issue : 26 April 2025
Latest Issue : 26 April 2025
Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
Surveillance 2 due on : 19 February 2027



for Vexil Business Process Services Private Limited
109 D, Kamla Nagar, Delhi 110 007



ISO 14001:2015

To check the validity of the certificate, please email to info@vexilbps.com
The validity of the certificate can also be verified at <http://www.vexilbps.com>
Coloured reproduction of this certificate is not permitted.
Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: NG-1500-IV
Ankleshwar 393 001
Gujarat
INDIA


who have implemented an Environmental Management System, which meets the requirements laid down in ISO 14001:2015, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : E9122822.05
Original Issue : 26 April 2025
Latest Issue : 26 April 2025
Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
Surveillance 2 due on : 19 February 2027



for Vexil Business Process Services Private Limited
109 D, Kamla Nagar, Delhi 110 007



ISO 14001:2015

To check the validity of the certificate, please email to info@vexilbps.com
The validity of the certificate can also be verified at <http://www.vexilbps.com>
Coloured reproduction of this certificate is not permitted.
Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: E-1400-VII
Ankleshwar 393 001
Gujarat
INDIA


who have implemented a Quality Management System, which meets the requirements laid down in ISO 9001:2015, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : Q9124297.09
Original Issue : 26 April 2025
Latest Issue : 26 April 2025
Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
Surveillance 2 due on : 19 February 2027



for Vexil Business Process Services Private Limited
109 D, Kamla Nagar, Delhi 110 007



ISO 9001:2015

To check the validity of the certificate, please email to info@vexilbps.com
The validity of the certificate can also be verified at <http://www.vexilbps.com>
Coloured reproduction of this certificate is not permitted.
Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: E-1400-V
Ankleshwar 393 001
Gujarat
INDIA


who have implemented a Quality Management System, which meets the requirements laid down in ISO 9001:2015, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : Q9124297.08
 Original Issue : 26 April 2025
 Latest Issue : 26 April 2025
 Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
 Surveillance 2 due on : 19 February 2027



for Vexil Business Process Services Private Limited
 109 D, Kamla Nagar, Delhi 110 007



ISO 9001:2015

To check the validity of the certificate, please email to info@vexilbps.com
 The validity of the certificate can also be verified at <http://www.vexilbps.com>
 Coloured reproduction of this certificate is not permitted.
 Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: NG-1500-IV
Ankleshwar 393 001
Gujarat
INDIA


who have implemented a Quality Management System, which meets the requirements laid down in ISO 9001:2015, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : Q9124297.05
 Original Issue : 26 April 2025
 Latest Issue : 26 April 2025
 Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
 Surveillance 2 due on : 19 February 2027



for Vexil Business Process Services Private Limited
 109 D, Kamla Nagar, Delhi 110 007



ISO 9001:2015

To check the validity of the certificate, please email to info@vexilbps.com
 The validity of the certificate can also be verified at <http://www.vexilbps.com>
 Coloured reproduction of this certificate is not permitted.
 Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: E-1400-VII
Ankleshwar 393 001
Gujarat
INDIA


who have implemented an Occupational Health and Safety Management System, which meets the requirements laid down in ISO 45001:2018, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : H9122611.09
 Original Issue : 26 April 2025
 Latest Issue : 26 April 2025
 Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
 Surveillance 2 due on : 19 February 2027



for Vexil Business Process Services Private Limited
 109 D, Kamla Nagar, Delhi 110 007



ISO 45001:2018

To check the validity of the certificate, please email to info@vexilbps.com
 The validity of the certificate can also be verified at <http://www.vexilbps.com>
 Coloured reproduction of this certificate is not permitted.
 Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: E-1400-V
Ankleshwar 393 001
Gujarat
INDIA


who have implemented an Occupational Health and Safety Management System, which meets the requirements laid down in ISO 45001:2018, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : H9122611.08
Original Issue : 26 April 2025
Latest Issue : 26 April 2025
Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
Surveillance 2 due on : 19 February 2027



for Vexil Business Process Services Private Limited
109 D, Kamla Nagar, Delhi 110 007



ISO 45001:2018

To check the validity of the certificate, please email to info@vexilbps.com
The validity of the certificate can also be verified at <http://www.vexilbps.com>
Coloured reproduction of this certificate is not permitted.
Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.

Certificate

This Certificate is issued to

Oil and Natural Gas Corporation Limited
Ankleshwar Asset
Drilling Rig: NG-1500-IV
Ankleshwar 393 001
Gujarat
INDIA


who have implemented an Occupational Health and Safety Management System, which meets the requirements laid down in ISO 45001:2018, with the following scope:

Drilling Services for Exploration and Production of Hydrocarbons

Certificate No. : H9122611.05
Original Issue : 26 April 2025
Latest Issue : 26 April 2025
Valid Till : 25 April 2028

The continuing validity of this certificate is subject to timely conduct of surveillance audits

Surveillance 1 due before : 19 February 2026
Surveillance 2 due on : 19 February 2027


for Vexil Business Process Services Private Limited
109 D, Kamla Nagar, Delhi 110 007



ISO 45001:2018

To check the validity of the certificate, please email to info@vexilbps.com
The validity of the certificate can also be verified at <http://www.vexilbps.com>
Coloured reproduction of this certificate is not permitted.
Upon request, the Certificate shall be returned to Vexil Business Process Services Private Limited.









SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/11

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1400-7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : AMBIENT AIR MONITORING

SOURCE OF COLLECTION : NEAR MAIN GATE

DATE OF COLLECTION : 01-11-2024

TEST REPORT

S.No	Parameter	Unit	Result	NAAQ Standard	Method
1.	Particulate Matter as PM10	$\mu\text{g}/\text{m}^3$	62.5	100	IS:5182 (P-23)
2.	Particulate Matter as PM2.5	$\mu\text{g}/\text{m}^3$	18.4	60	IS:5182 (P-24)
3.	Sulphur Dioxide as SO ₂	$\mu\text{g}/\text{m}^3$	12.1	80	IS 5182 (P-2)
4.	Nitrogen Dioxide as NO ₂	$\mu\text{g}/\text{m}^3$	14.9	80	IS 5182 (P-06)

Remarks: As per the above result, all the parameters are within the CPCB standard

Instrument Used	Make	Model/SI No	Calibrated on	Calibration Due Date
Combo PM10&PM2.5 Sampler	Lata Envirotech Instruments	APM-154 S.No 478-DTE-2024	09-05-2024	08-05-2025


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenviro.com 🌐 www.svenviro.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/12

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1400-7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : AMBIENT AIR MONITORING

SOURCE OF COLLECTION : NEAR DIESEL TANK AREA

DATE OF COLLECTION : 01-11-2024

TEST REPORT

S.No	Parameter	Unit	Result	NAAQ Standard	Method
1.	Particulate Matter as PM10	µg/m ³	58.6	100	IS:5182 (P-23)
2.	Particulate Matter as PM2.5	µg/m ³	20.4	60	IS:5182 (P-24)
3.	Sulphur Dioxide as SO2	µg/m ³	13.2	80	IS 5182 (P-2)
4.	Nitrogen Dioxide as NO2	µg/m ³	8.1	80	IS 5182 (P-06)

Remarks: As per the above result, all the parameters are within the CPCB standard

Instrument Used	Make	Model/SI No	Calibrated on	Calibration Due Date
Combo PM10&PM2.5 Sampler	Lata Envirotech Instruments	APM-154 S.No 478-DTE-2024	09-05-2024	08-05-2025


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenviro.com 🌐 www.svenviro.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/13

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1400- 7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : POWER PACK-01 (1430 KVA) (Sr No.S2G00193)

DATE OF MONITORING : 01-11-2024 @ 13:30 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	31
5.	Stack temperature	⁰ C	161
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	17.9
9.	Flow rate	m ³ /hr	2023
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	60.2	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	71.2	-	Flue gas analyzer
3.	NO _x +HC	mg/Nm ³	97.9	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 160-DTL-2021	26.02.2024	25.02.2025

NOTE: As per the above report, all the Paramters are within the standards


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/14

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1400- 7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : **STACK EMISSIONS MONITORING**

SOURCE OF COLLECTION : POWER PACK-02 (1430 KVA) (Sr No.S2G00128)

DATE OF MONITORING : 01-11-2024 @ 14:15 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	33
5.	Stack temperature	⁰ C	169
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	17.4
9.	Flow rate	m ³ /hr	1967
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	51.4	115	IS:11255-P-1
2.	Carbon Monoxide – CO	mg/Nm ³	74.9	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	101	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Paramters are within the standards

CHECKED BY



SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/15

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1400-7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : POWER PACK -03 (1430 KVA) (Sr.No. S2G00256)

DATE OF MONITORING : 01-11-2024 @ 15:00 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	33
5.	Stack temperature	⁰ C	159
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	16.2
9.	Flow rate	m ³ /hr	1831
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	56.1	115	IS:11255-P-1
2.	Carbon Monoxide – CO	mg/Nm ³	60.8	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	119	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 160-DTL-2021	26.02.2024	25.02.2025

NOTE: As per the above report, all the Paramters are within the standards


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/16

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1400-7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : **STACK EMISSIONS MONITORING**

SOURCE OF COLLECTION : POWER PACK -04 (1430 KVA) (Sr.No. S2G00190)

DATE OF MONITORING : 01-11-2024 @ 15:15 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	°C	32
5.	Stack temperature	°C	157
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	15.7
9.	Flow rate	m ³ /hr	1774
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	47.6	115	IS:11255-P-1
2.	Carbon Monoxide -- CO	mg/Nm ³	52.1	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	86.4	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Paramters are within the standards

CHECKED BY



SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/17

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1400- 7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : **STACK EMISSIONS MONITORING**

SOURCE OF COLLECTION : EMERGENCY GEN SET 250 KVA (Sr.No.025766187)

DATE OF MONITORING : 01-11-2024 @ 16:00 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	32
5.	Stack temperature	⁰ C	119
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	11.8
9.	Flow rate	m ³ /hr	1333
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	28.1	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	34.9	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	58.6	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Paramters are within the standards


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/18

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshvar, Gujarat-393010.

SITE NAME : RIG.1400- 7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : MOBILE COMPRESSOR ENGINE (Sr.No. 625248857)

DATE OF MONITORING : 01-11-2024 @ 16:45 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	32
5.	Stack temperature	⁰ C	130
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	12.1
9.	Flow rate	m ³ /hr	1367
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE


S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	36.4	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	30.9	-	Flue gas analyzer
3.	NO _x +HC	mg/Nm ³	51.1	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 160-DTL-2021	26.02.2024	25.02.2025

NOTE: As per the above report, all the Paramters are within the standards


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.

Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.

☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/19

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1400- 7 WELL NO.# GNDHQ

SAMPLE PARTICULARS : NOISE LEVELS

DATE OF COLLECTION : 01-11-2024

TEST REPORT

Sl.No.	SOURCE OF COLLECTION	Noise levels measured in Leq. dB(A)	
		Day	Night
1.	Near Main Gate	71.2	63.5
2.	Near Engines	70.1	61.8
3.	Near Mud Pump	67.3	58.1
4.	Near Derrick Floor	68.9	60.5
5.	Near Shale Shaker	70.1	62.3
CPCB STANDARDS		75.0	70.0



SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
© +91-9440338628, +91-7207664444 ✉ svenvirolabs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/01

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1500-4 WELL NO #GHDHT

SAMPLE PARTICULARS : AMBIENT AIR MONITORING

SOURCE OF COLLECTION : NEAR SECURITY GATE

DATE OF COLLECTION : 01-11-2024

TEST REPORT

S.No	Parameter	Unit	Result	NAAQ Standard	Method
1.	Particulate Matter as PM10	$\mu\text{g}/\text{m}^3$	60.2	100	IS:5182 (P-23)
2.	Particulate Matter as PM2.5	$\mu\text{g}/\text{m}^3$	23.8	60	IS:5182 (P-24)
3.	Sulphur Dioxide as SO2	$\mu\text{g}/\text{m}^3$	12.4	80	IS 5182 (P-2)
4.	Nitrogen Dioxide as NO2	$\mu\text{g}/\text{m}^3$	15.9	80	IS 5182 (P-06)

Remarks: As per the above result, all the parameters are within the CPCB standard

Instrument Used	Make	Model/SI No	Calibrated on	Calibration Due Date
Combo PM10&PM2.5 Sampler	Lata Envirotech Instruments	APM-154 S.No 478-DTE-2024	09-05-2024	08-05-2025


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/02

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG. NG-1500-4 WELL NO. #GHDHT

SAMPLE PARTICULARS : AMBIENT AIR MONITORING

SOURCE OF COLLECTION : NEAR DIESEL TANK AREA

DATE OF COLLECTION : 01-11-2024

TEST REPORT

S.No	2 Parameter	Unit	Result	NAAQ Standard	Method
1.	Particulate Matter as PM10	$\mu\text{g}/\text{m}^3$	67.5	100	IS:5182 (P-23)
2.	Particulate Matter as PM2.5	$\mu\text{g}/\text{m}^3$	24.2	60	IS:5182 (P-24)
3.	Sulphur Dioxide as SO ₂	$\mu\text{g}/\text{m}^3$	13.9	80	IS 5182 (P-2)
4.	Nitrogen Dioxide as NO ₂	$\mu\text{g}/\text{m}^3$	11.2	80	IS 5182 (P-06)

Remarks: As per the above result, all the parameters are within the CPCB standard

Instrument Used	Make	Model/SI No	Calibrated on	Calibration Due Date
Combo PM10&PM2.5 Sampler	Lata Envirotech Instruments	APM-154 S.No 478-DTE-2024	09-05-2024	08-05-2025


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/03

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1500-4 WELL NO #GHDHT

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : POWER PACK-01 (1430 KVA) (Sr No. PPH00142)

DATE OF MONITORING : 01-11-2024 @ 10:00 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	31
5.	Stack temperature	⁰ C	159
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	13.4
9.	Flow rate	m ³ /hr	1514
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE


S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	48.6	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	53.7	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	71.2	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Paramters are within the standards


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/04

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1500-4 WELL NO #GHDHT

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : POWER PACK-02 (1430 KVA) (Sr No. PPH00143)

DATE OF MONITORING : 01-11-2024 @ 10:45 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	°C	32
5.	Stack temperature	°C	154
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	13.9
9.	Flow rate	m ³ /hr	1571
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	44.8	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	50.1	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	64.9	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Parameters are within the standards

CHECKED BY



SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/05

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1500-4 WELL NO #GHDHT

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : POWER PACK -03 (1430 KVA) (Sr.No. PPH00144)

DATE OF MONITORING : 01-11-2024 @ 11:30 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	33
5.	Stack temperature	⁰ C	148
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	12.8
9.	Flow rate	m ³ /hr	1446
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	41.5	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	46.7	-	Flue gas analyzer
3.	NO _x +HC	mg/Nm ³	69.8	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Paramters are within the standards

CHECKED BY

Key



SV ENVIRO LABS & CONSULTANTS

Key



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/06

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG.1500-4 WELL NO #GHDHT

SAMPLE PARTICULARS : **STACK EMISSIONS MONITORING**

SOURCE OF COLLECTION : POWER PACK -04 (1430 KVA) (Sr.No. PPH00145)

DATE OF MONITORING : 01-11-2024 @ 12:15 hr

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	6.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	°C	33
5.	Stack temperature	°C	161
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	14.3
9.	Flow rate	m ³ /hr	1616
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	49.8	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	58.1	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	79.5	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Paramters are within the standards


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenvirolabs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/07

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG. NG-1500-4 WELL NO.# GHDHT

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : EMERGENCY GEN SET 400 KVA (Sr.No. H3G00613)

DATE OF MONITORING : 01-11-2024

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	4.0
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	°C	32
5.	Stack temperature	°C	117
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	12.9
9.	Flow rate	m ³ /hr	1458
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	49.8	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	53.6	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	85.1	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Parameters are within the standards


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenvirolabs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/08

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG. NG-1500-4 WELL NO.# GHDHT

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : MOBILE COMPRESSOR ENGINE (Sr.No. NLHM102973)

DATE OF MONITORING : 01-11-2024

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	2.5
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	32
5.	Stack temperature	⁰ C	103
6.	Diameter of Stack	m	0.2
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	10.6
9.	Flow rate	m ³ /hr	1198
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel


EMISSION RATE


S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	32.2	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	41.6	-	Flue gas analyzer
3.	NO _x +HC	mg/Nm ³	60.5	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Parameters are within the standards


CHECKED BY




SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.
Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.
☎ +91-9440338628, +91-7207664444 ✉ svenvirolabs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com
Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/09

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.

SITE NAME : RIG. NG-1500-4 WELL NO.# GHDHT

SAMPLE PARTICULARS : STACK EMISSIONS MONITORING

SOURCE OF COLLECTION : FIRE ENGINE (Sr.No. 12080421109632)

DATE OF MONITORING : 01-11-2024

TEST REPORT

S.No.	DESCRIPTION	UNIT	RESULT
1.	Stack Height	m	2.5
2.	Pitot Coefficient	-	0.87
3.	Specific gravity of Fluid	-	1.0
4.	Temperature @ DGM	⁰ C	32
5.	Stack temperature	⁰ C	101
6.	Diameter of Stack	m	0.20
7.	Cross sectional area of Stack	m ²	0.0314
8.	Flue Gas Velocity	m/sec	10.3
9.	Flow rate	m ³ /hr	1164
10.	Duration of Sampling	minutes	30
11.	Fuel	-	Diesel

EMISSION RATE

S.No.	PARAMETER	UNIT	RESULT	CPCB STANDARDS	METHOD
1.	Particulate Matter – PM	mg/Nm ³	29.8	115	IS:11255-P-1
2.	Carbon Monoxide - CO	mg/Nm ³	35.1	-	Flue gas analyzer
3.	NOx+HC	mg/Nm ³	54.3	-	IS:11255-P-7

Instrument Used	Make	Model	Calibrated on	Calibration Due Date
Stack Monitoring Kit	Lata Envirotech	APM-160/ 177-DTC-2024	27.03.2024	26.03.2025

NOTE: As per the above report, all the Parameters are within the standards

CHECKED BY



SV ENVIRO LABS & CONSULTANTS



SV ENVIRO LABS & CONSULTANTS

(ENVIRONMENTAL ENGINEERS & CONSULTANTS IN POLLUTION CONTROL)

Corporate Office & Laboratory : Enviro House, B-1, Block-B, IDA, Autonagar, Visakhapatnam-530012.

Hyderabad: Flat No. 302, H.No. 7-1-396/B/12, Sai Ram Residency, Balkampet Road, S.R.Nagar, Hyderabad-500038.

☎ +91-9440338628, +91-7207664444 ✉ svenviro_labs@yahoo.co.in, info@svenvirolabs.com 🌐 www.svenvirolabs.com

Recognized by Govt. of India-MoEF & CC, New Delhi, Accredited by : NABL & NABET



Ref: SVELC/ONGC-A/24-11/10

Date: 14-11-2024

NAME AND ADDRESS : M/S: OIL AND NATURAL GAS CORPORATION LTD,
Ankleshwar, Gujarat-393010.


SITE NAME : RIG.1500-4 WELL NO # GHDHT

SAMPLE PARTICULARS : NOISE LEVELS

DATE OF COLLECTION : 01-11-2024

TEST REPORT

Sl.No.	SOURCE OF COLLECTION	Noise levels measured in Leq. dB(A)	
		Day	Night
1.	Near Main Gate	70.2	61.2
2.	Near Engines	68.9	59.4
3.	Near Mud Pump	69.7	60.1
4.	Near Derrick Floor	66.1	57.6
5.	Near Shale Shaker	71.5	64.1
CPCB STANDARDS		75.0	70.0



SV ENVIRO LABS & CONSULTANTS

Company Code	Project ID	Name of Project	Vendor Name	Vendor	State	District	Amount Disbursed	Internal Order	FR Amount	Fiscal Year	Project Commence ment Date	Project End Date	Project End Date(Rev)
		Promoting and Preventive Health											
ANK	ANK20240714	FA TO ANKLESHWAR ROTARY WELFARE TRUST, ANKLESHWAR DIST. BHARUCH FOR ORGANIZING FREE MULTI SPECIALIST MEDICAL CHECK-UP AND SURGERY CAMP IN	ANKLESHWAR ROTARY WELFARE	866219	GUJARAT	SURAT	2,63,442.00	CSR0520000	8,78,140.00	2025	11/12/2024	31/03/2025	31/12/2025
ANK	ANK20240645	FINANCIAL ASSISTANCE TO LOK VIKAS SANSTHA, SURAT FOR ORGANIZING SICKLE CELL SCREENING CAMP IN VILLAGE SELAMBA, TALUKA SAGBARA DIST. NARMADA FOR	LOK VIKAS SANSTHA	849329	GUJARAT	NARMADA	2,77,200.00	CSR0520000	2,77,200.00	2024	26/11/2024	26/11/2024	31/03/2025
ANK	ANK20240787	FA TO PUBLIC POWER CHARITABLE TRUST FOR HEALTH CAMP TWO NO. KALAK & KOLIYAD	PUBLIC POWER	929395	GUJARAT	BHARUCH	9,45,200.00	CSR0520000	9,45,200.00	2024	31/12/2024	31/03/2025	
ANK	ANK20240968	FINANCIAL SUPPORT TOWARDS PROVIDING SCHOOL BAGS, UNIFORMS AND WATER COOLER AT SEVEN(7) SCHOOLS OF ANKLESHWER AND HANSOT TALUKA, DIST. BHARUCH	AMBEDKAR EDUCATION TRUST	941864	GUJARAT	BHARUCH	5,51,197.00	CSR0520000	7,87,425.00	2025	03/02/2025	31/03/2025	02/02/2026
ANK	ANK20241030	FINANCIAL SUPPORT TOWARDS PROVIDING SHAKTI KITS (NUTRITIONAL KIT) TO PREGNANT WOMEN AND LACTATING MOTHERS REGISTERED IN AANGANWADI OF	AKSHAYA PATRA FOUNDATION	866509	GUJARAT	BHARUCH	10,47,480.00	CSR0520000	10,47,480.00	2024	21/02/2025	31/03/2025	31/10/2025
ANK	ANK20240907	FA FOR PROVIDING SHAKTI KITS (NUTRITIONAL KIT) TO PREGNANT WOMEN AND LACTATING MOTHERS REGISTERED IN AANGANWADI OF GARUDESHWAR, TALAKWADA	AKSHAYA PATRA FOUNDATION	866509	GUJARAT	NARMADA	10,14,370.00	CSR0520000	10,14,370.00	2024	31/01/2025	31/03/2025	31/08/2025
		Swachhata-Clean and Safe drinking											
ANK	ANK20241139	BOOKING OF COST OF DRINKING WATER SUPPLIED TO HAJAT VILLAGE, TA. ANKLESHWAR,			GUJARAT	BHARUCH	9,05,679.00	CSR0550000	9,05,679.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241140	BOOKING OF COST OF DRINKING WATER SUPPLIED TO ADOL VILLAGE, TA. ANKLESHWAR,			GUJARAT	BHARUCH	8,60,298.00	CSR0550000	8,60,298.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241141	BOOKING OF COST OF DRINKING WATER SUPPLIED TO SARTHAN VILLAGE, TA.			GUJARAT	BHARUCH	7,18,972.00	CSR0550000	7,18,972.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241142	BOOKING OF COST OF DRINKING WATER SUPPLIED TO TELVA VILLAGE, TA.			GUJARAT	BHARUCH	6,61,040.00	CSR0550000	6,61,040.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241143	BOOKING OF COST OF DRINKING WATER SUPPLIED TO MOTWAN VILLAGE, TA.			GUJARAT	BHARUCH	5,45,302.00	CSR0550000	5,45,302.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241144	BOOKING OF COST OF DRINKING WATER SUPPLIED TO KALAM VILLAGE, TA.			GUJARAT	BHARUCH	5,13,614.00	CSR0550000	5,13,614.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241145	BOOKING OF COST OF DRINKING WATER SUPPLIED TO MANGROL VILLAGE, TA. HANSOT,			GUJARAT	NARMADA	4,75,385.00	CSR0550000	4,75,385.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241146	BOOKING OF COST OF DRINKING WATER SUPPLIED TO KANWA VILLAGE, TA.			GUJARAT	BHARUCH	5,13,070.00	CSR0550000	5,13,070.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241147	BOOKING OF COST OF DRINKING WATER SUPPLIED TO ROHID VILLAGE, TA. HANSOT, DIST			GUJARAT	BHARUCH	5,60,436.00	CSR0550000	5,60,436.00	2024	23/03/2025	31/03/2025	
ANK	ANK20241148	BOOKING OF COST OF DRINKING WATER SUPPLIED TO PILUDRA VILLAGE, TA.			GUJARAT	BHARUCH	7,92,971.00	CSR0550000	7,92,971.00	2024	23/03/2025	31/03/2025	
		Promoting Education											
ANK	ANK20250013	FA TO LAKSHYA TRUST FOR PROVIDING LAPTOPS TO UNDERPRIVIEDED STUDENTS	LAKSHYA TRUST	942484	GUJARAT	NARMADA	3,47,787.00	CSR0560000	4,96,839.00	2025	08/04/2025	08/04/2026	
ANK	ANK20241111	FA TO SANIDHYA FOUNDATION FOR ANNUAL COMPONENT PLAN 2024-25 FOR SCHOOL KIT	SANIDHYA	910686	GUJARAT	BHARUCH	10,39,308.00	CSR0560000	10,39,308.00	2024	19/03/2025	31/03/2026	
ANK	ANK20241112	FA TO SONALI FOUNDATION FOR ANNUAL COMPONENT PLAN EDUCATIONAL KIT	SONALI FOUNDATION	939613	GUJARAT	BHARUCH	10,31,135.00	CSR0560000	10,31,135.00	2024	19/03/2025	31/03/2026	
ANK	ANK20240583	FINANCIAL ASSISTANCE UNDER CSR TO THE TELSETRA ASARGARST VISTAR MAHILA MANDAL, VILLAGE TELVA, TA. ANKLESHWAR, DIST. BHARUCH FOR PROVIDING	THE TELKSHATRA ASARGRAST MAHILA VISWA MANAVKALYAN	900032	GUJARAT	BHARUCH	10,77,804.00	CSR0560000	10,77,804.00	2024	04/11/2024	31/03/2025	
ANK	ANK20240702	FA TO VISWA MANAV KALYAN CHARITABLE TRUST FOR PROVIDING EDUCATION KIT FOR POOR STUDENTS OF ANKLESHWAR BLOCK OF ONGC OPERATIONAL AREA ANKLESHWAR		915975	GUJARAT	SURAT	68,800.00	CSR0560000	68,800.00	2024	05/12/2024	31/03/2025	
ANK	ANK20240826	FA TO KENDRIYA VIDYALAYA,ONGC, ANKLESHWAR FOR PAYMENT OF THEIR OPEX			GUJARAT	BHARUCH	82,60,224.00	CSR0560000	82,60,224.13	2024	10/01/2025	31/03/2025	
ANK	ANK20240976	FA TO KENDRIYA VIDYALAYA,ONGC, ANKLESHWAR FOR ADMINISTRATIVE OVERHEAD			GUJARAT	BHARUCH	49,84,000.00	CSR0560000	49,84,000.00	2024	13/02/2025	31/03/2025	
ANK	ANK20250014	FA TO KENDRIYA VIDYALAYA,ONGC, ANKLESHWAR FOR PAYMENT OF THEIR OPEX EXPENDITURE OF Q1-Q2 QUARTER (APRIL-SEPTEMBER, 2025)			GUJARAT	BHARUCH	2,19,25,751.00	CSR0560000	2,19,25,751.00	2025	16/04/2025	31/12/2025	
ANK	ANK20240567	FINANCIAL ASSISTANCE TO PROVING AND FIXING PAVER BLOCK AT SWAMINARAYAN SCHOOL NAHIYER, TAL-AMOD, DISTRICT – BHARUCH	MILAN FOUNDATION	889454	GUJARAT	BHARUCH	5,25,090.00	CSR0560000	5,25,090.00	2024	05/11/2024	31/03/2025	04/11/2025
ANK	ANK20240567	FINANCIAL ASSISTANCE TO PROVING AND FIXING PAVER BLOCK AT SWAMINARAYAN SCHOOL NAHIYER, TAL-AMOD, DISTRICT – BHARUCH	MILAN FOUNDATION	889454	GUJARAT	BHARUCH	5,25,091.00	CSR0560000	5,25,091.00	2025	05/11/2024	31/03/2025	04/11/2025
ANK	ANK20240967	FINANCIAL ASSISTANCE UNDER CSR TO ARUNA KISHOR FOUNDATION, TA. VADODARA, DIST. VADODARA, FOR PROVIDING AND DISTRIBUTION EDUCATIONAL MATERIALS AT	ARUNA KISHOR FOUNDATION	921356	GUJARAT	BHARUCH	4,48,484.00	CSR0560000	4,48,484.00	2024	11/02/2025	31/03/2025	10/02/2026
ANK	ANK20241010	FA TO SF FOR EDUCATION MATERIAL AT PILUDARA	SANIDHYA FOUNDATION	910686	GUJARAT	BHARUCH	3,91,535.00	CSR0560000	3,91,535.00	2024	19/02/2025	31/03/2025	31/10/2025
ANK	ANK20241010	FA TO SF FOR EDUCATION MATERIAL AT PILUDARA	SANIDHYA FOUNDATION	910686	GUJARAT	SABARKAN THA	1,67,800.00	CSR0560000	1,67,800.00	2025	19/02/2025	31/03/2025	31/10/2025
		Vocational Development											
ANK	ANK20240898	FA FOR PAYMENT TO INTERNS UNDER "PRIME MINISTER'S INTERNSHIP SCHEME".			GUJARAT	BHARUCH	10,846.00	CSR0580000	10,846.00	2024	31/01/2025	31/03/2026	
ANK	ANK20240898	FA FOR PAYMENT TO INTERNS UNDER "PRIME MINISTER'S INTERNSHIP SCHEME".			GUJARAT	BHARUCH	560.00	CSR0580000	560.00	2025	31/01/2025	31/03/2026	
		Livelihood enhancement											
ANK	ANK20240905	FA TO SONALI FOUNDATION FOR PROVIDING TRAINING COURSE OF JEWELLERY MAKING & HANDICRAFT FOR TWO MONTHS AT OLPAD TA. OLPAD	SONALI FOUNDATION	939613	GUJARAT	SURAT	2,78,880.00	CSR0590000	2,78,880.00	2024	29/01/2025	31/03/2025	28/01/2026
		Rural development Projects											
ANK	ANK20240569	FINANCIAL ASSISTANCE UNDER CSR TO METRO FOUNDATION, AHMEDABAD FOR CONSTRUCTION OF CC ROAD AT GRAM PANCHAYAT GAMETHA, TA. PADRA, DIST.	METRO FOUNDATION	895505	GUJARAT	VADODARA	4,10,086.00	CSR0880000	4,10,086.01	2024	06/11/2024	31/03/2025	
ANK	ANK20240569	FINANCIAL ASSISTANCE UNDER CSR TO METRO FOUNDATION, AHMEDABAD FOR CONSTRUCTION OF CC ROAD AT GRAM PANCHAYAT GAMETHA, TA. PADRA, DIST.	METRO FOUNDATION	895505	GUJARAT	VADODARA	4,10,086.99	CSR0880000	4,10,086.99	2024	06/11/2024	31/03/2025	
ANK	ANK20240752	FA TO SWACHHATA SAINSTHAN FOR CC ROAD SIGAM TO KHELA	SWACHHTA SAINSTHAN	895636	GUJARAT	BHARUCH	12,63,282.00	CSR0880000	12,63,282.00	2024	18/12/2024	31/03/2025	
ANK	ANK20240895	FINANCIAL SUPPORT TOWARDS CONSTRUCTION OF FIXING OF PAVER BLOCK (1800 SQMTR) IN SCHOOL PRATHMIK MISHRASHALA KORA AT VILLAGE	METRO FOUNDATION	895505	GUJARAT	BHARUCH	14,68,162.00	CSR0880000	14,68,162.00	2024	29/01/2025	31/03/2025	
ANK	ANK20240853	FA TO METRO FOUNDATION FOR CONSTRUCTION WORK AT DOLIYA	METRO FOUNDATION	895505	GUJARAT	BHARUCH	5,18,227.00	CSR0880000	5,18,227.00	2024	20/01/2025	31/03/2025	19/01/2026
ANK	ANK20240965	FA TO CC ROAD IN VILLAGE FROM VILLAGE GAVASAD TOWARDS THE WAY OF LOLA VILLAGE (426MTR X 3MTR) AT GAVASAD VILLAGE TA. PADRA, DIST. VADODARA	AWAM	895812	GUJARAT	VADODARA	4,94,873.00	CSR0880000	4,94,873.00	2024	03/02/2025	31/03/2025	02/02/2026
							5,62,93,467.99						

CER

Project Name	Project cost (₹)	Status
Purchase & installation of Reverse Osmosis based Water ATM of 1000 LPH capacity for supplying drinking water to villagers of village Ambheta, Ta. Hansot, Dist. Bharuch, Gujarat	4,34,889/-	Completed
Purchase & installation of Reverse Osmosis based Water ATM of 1000 LPH capacity for supplying drinking water to villagers of village Vansnoli, Ta. Hansot, Dist. Bharuch, Gujarat	4,34,889/-	Completed
Mangrove plantation using drone near Sarod village, Jambusar taluka of Bharuch, Gujarat	8,00,000	₹3,20,000 released as milestone linked payment. Project Discontinued due to lack of desired results
Financial Assistance for installation of Reverse Osmosis Plant with Water ATM at Hansot village, Ta. Hansot, Dist. Bharuch under Corporate Environment Responsibility (CER)	9,66,420/-	₹4,83,210/- released as 1 st milestone linked payment. Project in progress.

CER

Purchase & Distribution of School Kits to students of seven (07) Government run primary Schools of Aliabet Area, Ta. Hansot, Dist. Bharuch, Gujarat	11,71,867/-	₹5,85,933.50/- released as 1st milestone linked payment. Project in progress.
---	-------------	--

ઓસ્લો સર્કલે ડો.આંબેડકરની પ્રતિમાએ હારારોપણ કરવામાં આવ્યું ગાંધીધામ સંકુલમાં ડો.બાબા સાહેબ આંબેડકર અમર રહોના નાદ ગુંજ્યા

રાજકીય પક્ષોથી લઈને અન્ય સંગઠનો દ્વારા બંધારણના ઘડવૈયાના જન્મદિવસની ઉજવણી

। ગાંધીધામ ।

બંધારણના ઘડવૈયા ડો. બાબા સાહેબ આંબેડકરની જન્મજયંતી નિમિત્તે ગાંધીધામ સંકુલમાં જુદા જુદા વિસ્તારોમાંથી શોભાયાત્રા સહિતના કાર્યક્રમ યોજાયા હતા. અલગ અલગ સંગઠનો અને સંસ્થા દ્વારા ઓસ્લો ખાતે પ્રતિમાને હારારોપણ કરી ડો. બાબા સાહેબ આંબેડકર અમર રહોના નારા લગાવ્યા હતા.

ગાંધીધામના વિવિધ વિસ્તારમાંથી રેલી નીકળી હતી, જેને ઝંડા ચોકથી મુખ્ય બજારમાંથી બાબા સાહેબના નારા સાથે સમાજના મંચથી સાથે કંડલા કોમ્પ્લેક્સ મહેશ્વરી સમાજના આગેવાનો જોડાયા હતા. રેલી સાથે ઓસ્લો પાસે પ્રતિમાને ફૂલમાળા કરીને કેક કાપી અને બાળકો મીઠાઈ વહેંચીને કાર્યક્રમ યોજવામાં આવ્યો હતો, જેમાં સમાજના મહામંત્રી જવરાજભાઈ ભાંભી ઉપમુખો કાનજીભાઈ સોલંકી, સવજીભાઈ કોચરા, રામલાલ



શિરોબા, પ્રકાશ મારાજ, પ્રેમભાઈ બળિયા, કમલેશભાઈ ફૂલ વગેરે હાજર રહ્યા હતા. ધારાસભ્ય માલતીબેન મહેશ્વરી, રામભાઈ માતંગ અને અન્ય ભાજપના આગેવાનો દ્વારા ડો. બાબા સાહેબ આંબેડકરની પ્રતિમાએ હારારોપણ કરવામાં આવ્યું હતું. ઓથોરિટી દ્વારા ચેરમેન સંજય મહેતા દ્વારા ડ્રેક્ટર બાબા સાહેબ આંબેડકરના કૌટુંબ દ્વારા હારારોપણ કરવામાં આવ્યું હતું. આ પ્રસંગે ઓથોરિટીના અધિકારીઓ ઉપસ્થિત રહ્યા હતા.

શહેર તાલુકા કોંગ્રેસ દ્વારા ડો. બાબા

સાહેબની પ્રતિમાએ હારારોપણ કરવામાં આવ્યું હતું, જેમાં સંજયભાઈ ગાંધી, ગનીભાઈ માંજોરી, ચેતનભાઈ જોશી, નિતેશભાઈ લાલણ, ભરતભાઈ ગુપ્તા, અમિતભાઈ ચાવડા વગેરે ઉપસ્થિત રહ્યા હતા. ગાંધીધામ મધ્યે ભવ્ય શોભાયાત્રા નીકળી હતી. અખિલ ભારતીય નવયુગ સંસ્થા, હિન્દુ યુવા વાહિની અને સનાતન હિન્દુ સમાજ દ્વારા ફૂલહારથી શોભાયાત્રાના આયોજક આગેવાનોના સન્માન કરવામાં આવ્યા હતા, સાથે ફૂલ વર્ષા કરીને શોભાયાત્રાનું સન્માન કરાવ્યું હતું.



ન્યૂઝ બ્રીફ

નેત્રા પંથકમાં ખટમીઠા સેતુર પાક્યા

કચ્છનાં શહેરી વિસ્તારના લોકોને સેતુર શું છે તેની ખબર પણ હતી નથી અને તેનો સ્વાદ પણ માણ્યો નહીં હોય, નેત્રા પંથકનાં ખીરસરા (નેત્રા) વાડીમાં સેતુરના વૃક્ષમાં પીળા કલરના સ્વાદમાં ખટમીઠા સેતુર પાક્યા છે, જેનો સ્વાદ ગામડાના લોકો માણી રહ્યા છે.

ગામડાંમાં જોવા મળે છે ગુંદીના ઝાડ પર લિયારના ઝૂમખા



ગામડાંઓમાં વાડી-વગડા વિસ્તારમાં ગુંદીના ઝાડ જોવા મળે છે, જે ગુંદીના ઝાડ પર ઉનાળાની ગરમીના દિવસોમાં પૌષ્ટિક મનાતા લિયારના ઝૂમખા ઝૂમખાં જોવા મળે છે, જેનો આસ્વાદ ખાસ કરીને ગ્રામીણ વિસ્તારના લોકો માણતા હોય છે.

દર મહિને એક કર્મચારીની શ્રેષ્ઠ કામગીરીનું સન્માન સુખપર(રોહા)ના તલાટીને શ્રેષ્ઠ કર્મચારીનું સન્માનપત્ર અપાયું

। નખત્રાણા ।

નખત્રાણા તાલુકામાં કર્મચારીઓની કાર્યક્ષમતામાં વધારો કરવા માટે પ્રોત્સાહનની દિશામાં પગલાં ભરીને દર મહિને એક કર્મચારીને શ્રેષ્ઠ કર્મચારી તરીકે પસંદ કરીને તેમને સન્માનપત્ર અનાયત કરવામાં આવે છે. જે અંતર્ગત માર્ચ મહિનામાં સુખપર(રોહા) ગામના તેમને સન્માનપત્ર માટે પસંદ કરાયા હતા.

સુખપર (રોહા)ના તલાટી કમ મંત્રી ગંગારામભાઈ મકવાણાને માર્ચ માસમાં પ્લોટ વિહોણા લાભાર્થીઓ માટે ૧૦૦ ચોરસ વારના પ્લોટની સત્ક, પંચાયત વેરા વસુલાત તેમજ ઈ-શ્રમ કાર્ડ અંગેની ઉત્કૃષ્ટ કામગીરી બદલ માર્ચ મહિનાના શ્રેષ્ઠ કર્મચારીના સન્માનપત્રથી સન્માનિત કરવામાં આવ્યા હતા.



આ તકે, ટીડીઓ દીક્ષિત ઠક્કર, એડીટીઓ ઈશ્વરભાઈ માજીરાણા, વિસ્તરણ અધિકારી કુલદીપસિંહ, મેહુલભાઈ જાવડ, ટીપાબેન આચાર્ય, એસએ સંબુભાઈ, આંકડા મહદનિશ અંકિત જોષી, રમેશભાઈ ગરવા તલાટીઓ તેમજ તાલુકા પંચાયતનો સન્માનિત કરવામાં આવ્યા હતા.

ભુજ, નખત્રાણા, રાપર, ભચાઉ તાલુકામાં તંત્ર પ્રશ્નો સાંભળશે

। ભુજ । (સંદેશ પ્રતિનિધિ)

મુખ્યમંત્રીના જનસંપર્ક કાર્યક્રમ હેઠળ ઓનલાઈન ફરિયાદ નિવારણ કાર્યક્રમ સ્વાગતને અખિલ-૨૦૨૩માં ૨૦ વર્ષ પૂર્ણ થાય છે. જે નિમિત્તે અખિલ માસના ચોથા સપ્તાહને સ્વાગત સપ્તાહ તરીકે ઉજવણી કરવામાં આવનાર છે, જે અંતર્ગત માથા, તાલુકા અને બાકમાં જિલ્લા કક્ષાનો સ્વાગત કાર્યક્રમ યોજાનાર છે, ત્યારે આગામી તા. ૨૬ના ભુજ, નખત્રાણા, રાપર, ભચાઉ તાલુકામાં તંત્ર લોકોના પ્રશ્નો સાંભળશે.

ભુજ તાલુકાનો સ્વાગત કાર્યક્રમ અન્યથે તાલુકાની લોકો પ્રશ્નોના નિરાકરણ માટે તા. ૨૪/૪ સુધીમાં અરજીના સ્વરૂપમાં પ્રશ્નો મામલતદાર અને એક્ઝિક્યુટિવ મેજિસ્ટ્રેટ કચેરી દ્વારા અથવા ટપાલથી રજૂ કરી શકશે.

૨૫/૪ સુધી તાલુકાનો સ્વાગત કાર્યક્રમ તા. ૨૬/૪, ૨૭/૪, ૨૮/૪, ૨૯/૪, ૩૦/૪, ૩૧/૪, ૧/૫, ૨/૫, ૩/૫, ૪/૫, ૫/૫, ૬/૫, ૭/૫, ૮/૫, ૯/૫, ૧૦/૫, ૧૧/૫, ૧૨/૫, ૧૩/૫, ૧૪/૫, ૧૫/૫, ૧૬/૫, ૧૭/૫, ૧૮/૫, ૧૯/૫, ૨૦/૫, ૨૧/૫, ૨૨/૫, ૨૩/૫, ૨૪/૫, ૨૫/૫, ૨૬/૫, ૨૭/૫, ૨૮/૫, ૨૯/૫, ૩૦/૫, ૩૧/૫, ૧/૬, ૨/૬, ૩/૬, ૪/૬, ૫/૬, ૬/૬, ૭/૬, ૮/૬, ૯/૬, ૧૦/૬, ૧૧/૬, ૧૨/૬, ૧૩/૬, ૧૪/૬, ૧૫/૬, ૧૬/૬, ૧૭/૬, ૧૮/૬, ૧૯/૬, ૨૦/૬, ૨૧/૬, ૨૨/૬, ૨૩/૬, ૨૪/૬, ૨૫/૬, ૨૬/૬, ૨૭/૬, ૨૮/૬, ૨૯/૬, ૩૦/૬, ૩૧/૬, ૧/૭, ૨/૭, ૩/૭, ૪/૭, ૫/૭, ૬/૭, ૭/૭, ૮/૭, ૯/૭, ૧૦/૭, ૧૧/૭, ૧૨/૭, ૧૩/૭, ૧૪/૭, ૧૫/૭, ૧૬/૭, ૧૭/૭, ૧૮/૭, ૧૯/૭, ૨૦/૭, ૨૧/૭, ૨૨/૭, ૨૩/૭, ૨૪/૭, ૨૫/૭, ૨૬/૭, ૨૭/૭, ૨૮/૭, ૨૯/૭, ૩૦/૭, ૩૧/૭, ૧/૮, ૨/૮, ૩/૮, ૪/૮, ૫/૮, ૬/૮, ૭/૮, ૮/૮, ૯/૮, ૧૦/૮, ૧૧/૮, ૧૨/૮, ૧૩/૮, ૧૪/૮, ૧૫/૮, ૧૬/૮, ૧૭/૮, ૧૮/૮, ૧૯/૮, ૨૦/૮, ૨૧/૮, ૨૨/૮, ૨૩/૮, ૨૪/૮, ૨૫/૮, ૨૬/૮, ૨૭/૮, ૨૮/૮, ૨૯/૮, ૩૦/૮, ૩૧/૮, ૧/૯, ૨/૯, ૩/૯, ૪/૯, ૫/૯, ૬/૯, ૭/૯, ૮/૯, ૯/૯, ૧૦/૯, ૧૧/૯, ૧૨/૯, ૧૩/૯, ૧૪/૯, ૧૫/૯, ૧૬/૯, ૧૭/૯, ૧૮/૯, ૧૯/૯, ૨૦/૯, ૨૧/૯, ૨૨/૯, ૨૩/૯, ૨૪/૯, ૨૫/૯, ૨૬/૯, ૨૭/૯, ૨૮/૯, ૨૯/૯, ૩૦/૯, ૩૧/૯, ૧/૧૦, ૨/૧૦, ૩/૧૦, ૪/૧૦, ૫/૧૦, ૬/૧૦, ૭/૧૦, ૮/૧૦, ૯/૧૦, ૧૦/૧૦, ૧૧/૧૦, ૧૨/૧૦, ૧૩/૧૦, ૧૪/૧૦, ૧૫/૧૦, ૧૬/૧૦, ૧૭/૧૦, ૧૮/૧૦, ૧૯/૧૦, ૨૦/૧૦, ૨૧/૧૦, ૨૨/૧૦, ૨૩/૧૦, ૨૪/૧૦, ૨૫/૧૦, ૨૬/૧૦, ૨૭/૧૦, ૨૮/૧૦, ૨૯/૧૦, ૩૦/૧૦, ૩૧/૧૦, ૧/૧૧, ૨/૧૧, ૩/૧૧, ૪/૧૧, ૫/૧૧, ૬/૧૧, ૭/૧૧, ૮/૧૧, ૯/૧૧, ૧૦/૧૧, ૧૧/૧૧, ૧૨/૧૧, ૧૩/૧૧, ૧૪/૧૧, ૧૫/૧૧, ૧૬/૧૧, ૧૭/૧૧, ૧૮/૧૧, ૧૯/૧૧, ૨૦/૧૧, ૨૧/૧૧, ૨૨/૧૧, ૨૩/૧૧, ૨૪/૧૧, ૨૫/૧૧, ૨૬/૧૧, ૨૭/૧૧, ૨૮/૧૧, ૨૯/૧૧, ૩૦/૧૧, ૩૧/૧૧, ૧/૧૨, ૨/૧૨, ૩/૧૨, ૪/૧૨, ૫/૧૨, ૬/૧૨, ૭/૧૨, ૮/૧૨, ૯/૧૨, ૧૦/૧૨, ૧૧/૧૨, ૧૨/૧૨, ૧૩/૧૨, ૧૪/૧૨, ૧૫/૧૨, ૧૬/૧૨, ૧૭/૧૨, ૧૮/૧૨, ૧૯/૧૨, ૨૦/૧૨, ૨૧/૧૨, ૨૨/૧૨, ૨૩/૧૨, ૨૪/૧૨, ૨૫/૧૨, ૨૬/૧૨, ૨૭/૧૨, ૨૮/૧૨, ૨૯/૧૨, ૩૦/૧૨, ૩૧/૧૨, ૧/૧૩, ૨/૧૩, ૩/૧૩, ૪/૧૩, ૫/૧૩, ૬/૧૩, ૭/૧૩, ૮/૧૩, ૯/૧૩, ૧૦/૧૩, ૧૧/૧૩, ૧૨/૧૩, ૧૩/૧૩, ૧૪/૧૩, ૧૫/૧૩, ૧૬/૧૩, ૧૭/૧૩, ૧૮/૧૩, ૧૯/૧૩, ૨૦/૧૩, ૨૧/૧૩, ૨૨/૧૩, ૨૩/૧૩, ૨૪/૧૩, ૨૫/૧૩, ૨૬/૧૩, ૨૭/૧૩, ૨૮/૧૩, ૨૯/૧૩, ૩૦/૧૩, ૩૧/૧૩, ૧/૧૪, ૨/૧૪, ૩/૧૪, ૪/૧૪, ૫/૧૪, ૬/૧૪, ૭/૧૪, ૮/૧૪, ૯/૧૪, ૧૦/૧૪, ૧૧/૧૪, ૧૨/૧૪, ૧૩/૧૪, ૧૪/૧૪, ૧૫/૧૪, ૧૬/૧૪, ૧૭/૧૪, ૧૮/૧૪, ૧૯/૧૪, ૨૦/૧૪, ૨૧/૧૪, ૨૨/૧૪, ૨૩/૧૪, ૨૪/૧૪, ૨૫/૧૪, ૨૬/૧૪, ૨૭/૧૪, ૨૮/૧૪, ૨૯/૧૪, ૩૦/૧૪, ૩૧/૧૪, ૧/૧૫, ૨/૧૫, ૩/૧૫, ૪/૧૫, ૫/૧૫, ૬/૧૫, ૭/૧૫, ૮/૧૫, ૯/૧૫, ૧૦/૧૫, ૧૧/૧૫, ૧૨/૧૫, ૧૩/૧૫, ૧૪/૧૫, ૧૫/૧૫, ૧૬/૧૫, ૧૭/૧૫, ૧૮/૧૫, ૧૯/૧૫, ૨૦/૧૫, ૨૧/૧૫, ૨૨/૧૫, ૨૩/૧૫, ૨૪/૧૫, ૨૫/૧૫, ૨૬/૧૫, ૨૭/૧૫, ૨૮/૧૫, ૨૯/૧૫, ૩૦/૧૫, ૩૧/૧૫, ૧/૧૬, ૨/૧૬, ૩/૧૬, ૪/૧૬, ૫/૧૬, ૬/૧૬, ૭/૧૬, ૮/૧૬, ૯/૧૬, ૧૦/૧૬, ૧૧/૧૬, ૧૨/૧૬, ૧૩/૧૬, ૧૪/૧૬, ૧૫/૧૬, ૧૬/૧૬, ૧૭/૧૬, ૧૮/૧૬, ૧૯/૧૬, ૨૦/૧૬, ૨૧/૧૬, ૨૨/૧૬, ૨૩/૧૬, ૨૪/૧૬, ૨૫/૧૬, ૨૬/૧૬, ૨૭/૧૬, ૨૮/૧૬, ૨૯/૧૬, ૩૦/૧૬, ૩૧/૧૬, ૧/૧૭, ૨/૧૭, ૩/૧૭, ૪/૧૭, ૫/૧૭, ૬/૧૭, ૭/૧૭, ૮/૧૭, ૯/૧૭, ૧૦/૧૭, ૧૧/૧૭, ૧૨/૧૭, ૧૩/૧૭, ૧૪/૧૭, ૧૫/૧૭, ૧૬/૧૭, ૧૭/૧૭, ૧૮/૧૭, ૧૯/૧૭, ૨૦/૧૭, ૨૧/૧૭, ૨૨/૧૭, ૨૩/૧૭, ૨૪/૧૭, ૨૫/૧૭, ૨૬/૧૭, ૨૭/૧૭, ૨૮/૧૭, ૨૯/૧૭, ૩૦/૧૭, ૩૧/૧૭, ૧/૧૮, ૨/૧૮, ૩/૧૮, ૪/૧૮, ૫/૧૮, ૬/૧૮, ૭/૧૮, ૮/૧૮, ૯/૧૮, ૧૦/૧૮, ૧૧/૧૮, ૧૨/૧૮, ૧૩/૧૮, ૧૪/૧૮, ૧૫/૧૮, ૧૬/૧૮, ૧૭/૧૮, ૧૮/૧૮, ૧૯/૧૮, ૨૦/૧૮, ૨૧/૧૮, ૨૨/૧૮, ૨૩/૧૮, ૨૪/૧૮, ૨૫/૧૮, ૨૬/૧૮, ૨૭/૧૮, ૨૮/૧૮, ૨૯/૧૮, ૩૦/૧૮, ૩૧/૧૮, ૧/૧૯, ૨/૧૯, ૩/૧૯, ૪/૧૯, ૫/૧૯, ૬/૧૯, ૭/૧૯, ૮/૧૯, ૯/૧૯, ૧૦/૧૯, ૧૧/૧૯, ૧૨/૧૯, ૧૩/૧૯, ૧૪/૧૯, ૧૫/૧૯, ૧૬/૧૯, ૧૭/૧૯, ૧૮/૧૯, ૧૯/૧૯, ૨૦/૧૯, ૨૧/૧૯, ૨૨/૧૯, ૨૩/૧૯, ૨૪/૧૯, ૨૫/૧૯, ૨૬/૧૯, ૨૭/૧૯, ૨૮/૧૯, ૨૯/૧૯, ૩૦/૧૯, ૩૧/૧૯, ૧/૨૦, ૨/૨૦, ૩/૨૦, ૪/૨૦, ૫/૨૦, ૬/૨૦, ૭/૨૦, ૮/૨૦, ૯/૨૦, ૧૦/૨૦, ૧૧/૨૦, ૧૨/૨૦, ૧૩/૨૦, ૧૪/૨૦, ૧૫/૨૦, ૧૬/૨૦, ૧૭/૨૦, ૧૮/૨૦, ૧૯/૨૦, ૨૦/૨૦, ૨૧/૨૦, ૨૨/૨૦, ૨૩/૨૦, ૨૪/૨૦, ૨૫/૨૦, ૨૬/૨૦, ૨૭/૨૦, ૨૮/૨૦, ૨૯/૨૦, ૩૦/૨૦, ૩૧/૨૦, ૧/૨૧, ૨/૨૧, ૩/૨૧, ૪/૨૧, ૫/૨૧, ૬/૨૧, ૭/૨૧, ૮/૨૧, ૯/૨૧, ૧૦/૨૧, ૧૧/૨૧, ૧૨/૨૧, ૧૩/૨૧, ૧૪/૨૧, ૧૫/૨૧, ૧૬/૨૧, ૧૭/૨૧, ૧૮/૨૧, ૧૯/૨૧, ૨૦/૨૧, ૨૧/૨૧, ૨૨/૨૧, ૨૩/૨૧, ૨૪/૨૧, ૨૫/૨૧, ૨૬/૨૧, ૨૭/૨૧, ૨૮/૨૧, ૨૯/૨૧, ૩૦/૨૧, ૩૧/૨૧, ૧/૨૨, ૨/૨૨, ૩/૨૨, ૪/૨૨, ૫/૨૨, ૬/૨૨, ૭/૨૨, ૮/૨૨, ૯/૨૨, ૧૦/૨૨, ૧૧/૨૨, ૧૨/૨૨, ૧૩/૨૨, ૧૪/૨૨, ૧૫/૨૨, ૧૬/૨૨, ૧૭/૨૨, ૧૮/૨૨, ૧૯/૨૨, ૨૦/૨૨, ૨૧/૨૨, ૨૨/૨૨, ૨૩/૨૨, ૨૪/૨૨, ૨૫/૨૨, ૨૬/૨૨, ૨૭/૨૨, ૨૮/૨૨, ૨૯/૨૨, ૩૦/૨૨, ૩૧/૨૨, ૧/૨૩, ૨/૨૩, ૩/૨૩, ૪/૨૩, ૫/૨૩, ૬/૨૩, ૭/૨૩, ૮/૨૩, ૯/૨૩, ૧૦/૨૩, ૧૧/૨૩, ૧૨/૨૩, ૧૩/૨૩, ૧૪/૨૩, ૧૫/૨૩, ૧૬/૨૩, ૧૭/૨૩, ૧૮/૨૩, ૧૯/૨૩, ૨૦/૨૩, ૨૧/૨૩, ૨૨/૨૩, ૨૩/૨૩, ૨૪/૨૩, ૨૫/૨૩, ૨૬/૨૩, ૨૭/૨૩, ૨૮/૨૩, ૨૯/૨૩, ૩૦/૨૩, ૩૧/૨૩, ૧/૨૪, ૨/૨૪, ૩/૨૪, ૪/૨૪, ૫/૨૪, ૬/૨૪, ૭/૨૪, ૮/૨૪, ૯/૨૪, ૧૦/૨૪, ૧૧/૨૪, ૧૨/૨૪, ૧૩/૨૪, ૧૪/૨૪, ૧૫/૨૪, ૧૬/૨૪, ૧૭/૨૪, ૧૮/૨૪, ૧૯/૨૪, ૨૦/૨૪, ૨૧/૨૪, ૨૨/૨૪, ૨૩/૨૪, ૨૪/૨૪, ૨૫/૨૪, ૨૬/૨૪, ૨૭/૨૪, ૨૮/૨૪, ૨૯/૨૪, ૩૦/૨૪, ૩૧/૨૪, ૧/૨૫, ૨/૨૫, ૩/૨૫, ૪/૨૫, ૫/૨૫, ૬/૨૫, ૭/૨૫, ૮/૨૫, ૯/૨૫, ૧૦/૨૫, ૧૧/૨૫, ૧૨/૨૫, ૧૩/૨૫, ૧૪/૨૫, ૧૫/૨૫, ૧૬/૨૫, ૧૭/૨૫, ૧૮/૨૫, ૧૯/૨૫, ૨૦/૨૫, ૨૧/૨૫, ૨૨/૨૫, ૨૩/૨૫, ૨૪/૨૫, ૨૫/૨૫, ૨૬/૨૫, ૨૭/૨૫, ૨૮/૨૫, ૨૯/૨૫, ૩૦/૨૫, ૩૧/૨૫, ૧/૨૬, ૨/૨૬, ૩/૨૬, ૪/૨૬, ૫/૨૬, ૬/૨૬, ૭/૨૬, ૮/૨૬, ૯/૨૬, ૧૦/૨૬, ૧૧/૨૬, ૧૨/૨૬, ૧૩/૨૬, ૧૪/૨૬, ૧૫/૨૬, ૧૬/૨૬, ૧૭/૨૬, ૧૮/૨૬, ૧૯/૨૬, ૨૦/૨૬, ૨૧/૨૬, ૨૨/૨૬, ૨૩/૨૬, ૨૪/૨૬, ૨૫/૨૬, ૨૬/૨૬, ૨૭/૨૬, ૨૮/૨૬, ૨૯/૨૬, ૩૦/૨૬, ૩૧/૨૬, ૧/૨૭, ૨/૨૭, ૩/૨૭, ૪/૨૭, ૫/૨૭, ૬/૨૭, ૭/૨૭, ૮/૨૭, ૯/૨૭, ૧૦/૨૭, ૧૧/૨૭, ૧૨/૨૭, ૧૩/૨૭, ૧૪/૨૭, ૧૫/૨૭, ૧૬/૨૭, ૧૭/૨૭, ૧૮/૨૭, ૧૯/૨૭, ૨૦/૨૭, ૨૧/૨૭, ૨૨/૨૭, ૨૩/૨૭, ૨૪/૨૭, ૨૫/૨૭, ૨૬/૨૭, ૨૭/૨૭, ૨૮/૨૭, ૨૯/૨૭, ૩૦/૨૭, ૩૧/૨૭, ૧/૨૮, ૨/૨૮, ૩/૨૮, ૪/૨૮, ૫/૨૮, ૬/૨૮, ૭/૨૮, ૮/૨૮, ૯/૨૮, ૧૦/૨૮, ૧૧/૨૮, ૧૨/૨૮, ૧૩/૨૮, ૧૪/૨૮, ૧૫/૨૮, ૧૬/૨૮, ૧૭/૨૮, ૧૮/૨૮, ૧૯/૨૮, ૨૦/૨૮, ૨૧/૨૮, ૨૨/૨૮, ૨૩/૨૮, ૨૪/૨૮, ૨૫/૨૮, ૨૬/૨૮, ૨૭/૨૮, ૨૮/૨૮, ૨૯/૨૮, ૩૦/૨૮, ૩૧/૨૮, ૧/૨૯, ૨/૨૯, ૩/૨૯, ૪/૨૯, ૫/૨૯, ૬/૨૯, ૭/૨૯, ૮/૨૯, ૯/૨૯, ૧૦/૨૯, ૧૧/૨૯, ૧૨/૨૯, ૧૩/૨૯, ૧૪/૨૯, ૧૫/૨૯, ૧૬/૨૯, ૧૭/૨૯, ૧૮/૨૯, ૧૯/૨૯, ૨૦/૨૯, ૨૧/૨૯, ૨૨/૨૯, ૨૩/૨૯, ૨૪/૨૯, ૨૫/૨૯, ૨૬/૨૯, ૨૭/૨૯, ૨૮/૨૯, ૨૯/૨૯, ૩૦/૨૯, ૩૧/૨૯, ૧/૩૦, ૨/૩૦, ૩/૩૦, ૪/૩૦, ૫/૩૦, ૬/૩૦, ૭/૩૦, ૮/૩૦, ૯/૩૦, ૧૦/૩૦, ૧૧/૩૦, ૧૨/૩૦, ૧૩/૩૦, ૧૪/૩૦, ૧૫/૩૦, ૧૬/૩૦, ૧૭/૩૦, ૧૮/૩૦, ૧૯/૩૦, ૨૦/૩૦, ૨૧/૩૦, ૨૨/૩૦, ૨૩/૩૦, ૨૪/૩૦, ૨૫/૩૦, ૨૬/૩૦, ૨૭/૩૦, ૨૮/૩૦, ૨૯/૩૦, ૩૦/૩૦, ૩૧/૩૦, ૧/૩૧, ૨/૩૧, ૩/૩૧, ૪/૩૧, ૫/૩૧, ૬/૩૧, ૭/૩૧, ૮/૩૧, ૯/૩૧, ૧૦/૩૧, ૧૧/૩૧, ૧૨/૩૧, ૧૩/૩૧, ૧૪/૩૧, ૧૫/૩૧, ૧૬/૩૧, ૧૭/૩૧, ૧૮/૩૧, ૧૯/૩૧, ૨૦/૩૧, ૨૧/૩૧, ૨૨/૩૧, ૨૩/૩૧, ૨૪/૩૧, ૨૫/૩૧, ૨૬/૩૧, ૨૭/૩૧, ૨૮/૩૧, ૨૯/૩૧, ૩૦/૩૧, ૩૧/૩૧, ૧/૩૨, ૨/૩૨, ૩/૩૨, ૪/૩૨, ૫/૩૨, ૬/૩૨, ૭/૩૨, ૮/૩૨, ૯/૩૨, ૧૦/૩૨, ૧૧/૩૨,

